hansgrohe



The complete guide to hansgrohe mixers, showers and installation systems

hansgrohe bathroom range

Technologies



Simply regulates the water flow at the touch of a button: a convenient way to turn the shower on and off or switch between spray modes.



Distributes the water over the large spray face enveloping the whole body in drops of wellbeing.

Spray modes



A unique shower experience thanks to the soft caress of micro droplets.



Gentle shower rain with air-enriched drops.



A soft water spray that caresses the body for that feel-good sensation.



Surfaces

A strong massage spray that invigorates and soothes aching muscles.

for example 28500, -000 = Chrome



Reduces the flow rate to save water and energy. For long-lasting pleasure.



Defines the useable area between washstand and mixer. Something to suit every customer.



Combines water with a generous amount of air. For a soft, splashfree water spray and rich, full shower drops.



Cold water starts to flow when it is opened in the basic setting. You consume hot water only when you need it.



Wipe limescale deposits away easily by rubbing your finger over the flexible silicone nubs.



Cools through the controlled flow of cold water to stop the product getting hot. For even safer showering.

Intense jet of micro-fine droplets for sensational showering.



Large jet envelops your whole body in soft droplets.



The harmonious combination of gentle shower drops and dynamic spray.



Order numbers specifying a surface finish are (#) eight digits long,

Focussed jet for a soothing, feelgood shower.





Full shower rain, ideal for washing hair.



An intense jet of water that activates and wakes you up.



Concentrated targeted massage spray.



Powerful flood jet for generous coverage.



Tremendous showering pleasure over a larger area.

	-	
'urbo Rain		

Intensive shower rain that refreshes and rejuvenates.



Boosts energy after a challenging day.



Generous flow of soft sprays.

-000 -090 -140 -340 -400 -450 -600 -670 -700 -800 -990 Brushed black White Black Chrome Brushed White Matte black Stainless Polished Chrome Matte white gold optic bronze chrome Chrome Chrome Steel Finish gold optic

Availability of products with the finishes -140, -340, -670, -700 and -990 in coordination with the hansgrohe sales contact



hansgrohe because 5 Company 11 References hansgrohe because 6 Quality 12 8 Innovation 14 Customer service 10 Design 18 Sponsoring Showers and shower controls 22 New products NEW 24 Installation solutions Spray modes 26 28 Technologies Hand showers and shower sets 32 Overview 38 Raindance NEW PuraVida 34 42 Croma Rainfinity **NEW** 36 46 Crometta Shower bars and accessories 50 Shower bars NEW 54 Shower hoses NEW 56 Shower supports and hose connections NEW 57 Soap dishes and shelves NEW Overhead and side showers 58 Overview Raindance NEW 64 60 Rainmaker 72 Croma NEW 61 PuraVida 76 Crometta Rainfinity NEW 62 Showerpipes and shower panels 78 92 Croma NEW Overview 80 Rainmaker 99 Crometta 82 Rainfinity NEW 102 Showerpanel 84 Raindance NEW Exposed thermostatic mixers 104 Exposed thermostatic mixers 116 RainSelect NEW and concealed pre-fab sets at a glance 122 Consumer installation at a glance 106 ShowerTablet ShowerSelect 126 110 Ecostat exposed installation NEW 132 Ecostat 112 Shower combinations 135 Valves 114 Concealed pre-fab sets at a glance Shower planning 138 RainSelect 140 iBox universal 146 sBox Bath NEW 148 Example installations 178 New products NEW **Bath mixers** 180 Technologies Avantgarde and Classic 186 Overview 198 Metris Classic 188 PuraVida 200 Logis Classic 193 Accessories Avantgarde 202 Accessories Classic 194 Metropol Classic Modern 204 Overview 236 Focus 206 Metropol NEW 240 Novus 244 Logis 216 Metris 222 Talis NEW 248 Accessories Modern Electronics, care and waste systems 252 Electronic taps 254 Care products 258 Waste systems **Kitchen mixers** 262 New products NEW 270 Talis M51, Talis M52 264 Technologies 274 Focus M41, Focus M42 NEW 266 Overview 278 Logis M31, Logis M32 268 Metris M71 279 Accessories NEW

Contents

hansgrohe because

HANSGROHE BECAUSE

Meet the beauty of water.

hansgrohe because

Water moments that delight

From the outset we blazed a trail in the handling of water

At hansgrohe, we stand for modern design and refreshingly high quality products. For 118 years, we've been shaping the landscape of bathrooms and kitchens to make life easier, better and more beautiful for you. To this day, we continue to make most of our products in the heart of the Black Forrest - as a commitment to our Engineered in Germany" quality guarantee, ensuring the best products for you. Our determination to enhance the beauty of water and every aspect of your experience knows no bounds. Innovation combined with brilliantly simple, ultra-reliable technology ensures we create timeless and sophisticated products. hansgrohe: innovative in any era since 1901.



Excellence in innovation, design, quality and service

hansgrohe: our name is your guarantee

Innovation

- Revolutionary innovations
- Pioneers in the sanitation industry
- Ground-breaking technologies

At hansgrohe, we don't just innovate, we revolutionise. Some of our product developments have made history in the industry and changed how people all over the world encounter water, every day. We care deeply about you and your enjoyment of our products, in both aesthetics and performance. We have our own dedicated research and development laboratory in the centre of the German Black Forest. Here, our industry experts have worked to produce more than 16,000 active patents, ensuring that hansgrohe remains an industry leader and achieveing a TOP 100 award for Top Innovator 2018.

For more on innovation, see page 8





Design

- More than 600 awards
- A design for every style
- International reference projects

Design can be defined in a number of ways: shape, aesthetic, style. But, at hansgrohe, good design means more than just good looks. As well as world-class appearance, our influential designers also focus on quality and maximum customer benefit. It's our unwavering attention to detail that has earned more than 500 internationally renowned awards. From the big picture to the small details, we take every opportunity to make your bathroom experience the best it can be with our technical innovations. Whether it's Modern, Classic or Avantgarde, we have the perfect solution to suit any need and, most importantly, our timeless designs will outlive fastpaced fashion trends.

For more on design, see page 10

Quality

- Experts since 1901
- Made in Germany
- 5 year guarantee

Since 1901, people all over the world have put their trust in hansgrohe's durable products from the heart of the German Black Forest. hansgrohe is synonymous with high-quality products of exceptional design, ease of use and intelligent functions. Since our foundation, 'Engineered in Germany' has been a recipe for success and remains an integral part of our philosophy. This level of German expertise is recognised as a guarantee of excellence and every one of our facilities works to the high standards that we set. As testament to this, we offer a 5-year guarantee and hold spare parts for discontinued products for a further 15 years.

For more on quality, see page 12





Service

- Contactable and reliable
- Informative and involved
- Plan and enjoy

Customer satisfaction has, and always will be, our primary concern. At hansgrohe, we want to work in partnership with you to ensure the best possible solution. Being able to deliver top-quality, personal service to our customers at all times is a key part of how we operate as a company. No matter the question, problem or special request, we are here to help. Looking ahead, going ahead

Innovation – overflowing with ideas

Without hansgrohe, the modern bathroom would be unrecognisable. Our company founder, Hans Grohe, revolutionised the space with his inventions, pioneering spirit and craftsmanship. His ground-breaking innovations include the hand shower, the shower rail, Select technology and the one-ofa-kind PowderRain spray. More than a century

after the company was founded, meticulous detail is still our driving force. Our bathroom and kitchen specialists in the German Black Forest are never content with the status quo



1928 Hand shower

The first shower with a white porcelain handle. This hansgrohe innovation made showering affordable for many households for the first time.



Shower bar Unica

1953

Thanks to this revolution-

ary idea, hand showers

could be mounted at a

required height.

The world's first glassfinish hand shower with adjustable spray modes.

Selecta

1974 Tribel

First design award winning hand shower in many colours and with three spray types. 1981 Allegroh

The first mixer with the new lever handle, swivel spout and innovative ball mix technique.

1981 Allegroh

The first single lever kitchen tap with pull-out spray.



2007 EcoSmart

EcoSmart taps and showers consume up to 60% less water than conventional products. Climate protection starts in the bathroom.



Pioneering design with DualFinish in white/ chrome; international award winner thanks to the sculptural looks and technical features.

2011 ComfortZone

Various spout heights provide greater freedom of movement in the bathroom.

2011 Raindance Select

First Raindance hand shower with Select technology for spray changes.



User-friendly, energy-saving technology where only cold water flows when the handle is in the central position. **2014** Metris

The world's first kitchen tap with Select function.



and are constantly striving to provide our ever evolving customers with more attractive, more comfortable and more exhilarating products. We always seek to futureproof our innovations

so that, not only our design wil outlive fastpaced trends, but so our technology will too. With a wealth of experience behind us, the future never feels too far away.



1986 Aktiva

The first hand shower with the QuickClean anti-limescale function.

1987 Mistral Eco

New technology helps to save up to 50% water. This makes hansgrohe a 'green' industry pioneer.

1997 Boltic

Patented handle lock protects against handle wobbles – even after years.

2001 iBox universal

First and only basic set for all standard and thermostat solutions a revolution in concealed installation.

2003 Raindance

The first hand shower with an XXL shower head. flat silhouette and short handle. The all-rounder becomes a trendsetter.



Raindance Air

The first hand shower with AirPower technology. AirPower infuses water with air, makes droplets full-bodied and is water efficient.



2015 **Talis Select**

First basin mixer with Select technology. Water is turned on and off at the touch of a button.



PowderRain

Spectacular showering with softly enveloping micro-droplets.

2019 CoolContact

Prevents the housing from heating with the controlled flow of cold water. For even safer showering.

2019 sBox Bath

Practical hose coiling system for a tidy look and more convenience.



2019 FinishPlus

High-quality finishes provide a variety of design options.

2019 Rainfinity

The ultimate in showering indulgence. The new dimension in showering.

Distinguished in many respects

Multi-award-winning design



Design isn't just a matter of taste. It's an attitude. The search for the most intelligent solution is always a goal for us. After all, design and functionality must go hand in hand in order to create products with stunning, extraordinary quality that redefine aesthetic

standards. As such, we are constantly working on outstanding creations in collaboration with the Phoenix Design team, who have won a whole host of international awards. Our products are timeless, beautiful and highly functional. The awards that we receive year in, year out from international panels of experts make us a leading designer in the industry. Our products have already won more than 600 awards and 50 international design prizes, including the iF Design Award; one of the world's most prestigious design awards.





Phoenix Design has been shaping the face of hansgrohe for more than 30 years. The Stuttgart-based team exclusively curate designs for the entire shower and tap range. Over the past few decades, the team have been responsible for a long line of products featuring both technological and visual sopisticaitions that will continue to enhance the beauty of water for years to come.

hansgrohe is all about revered design:



We received the first design award | in our history in 1974 for the TRIBEL model; the first convertible hand shower with three

different spray modes. Since then, numerous | other international prizes have celebrated the successful combination of form and function in | surface finishes on our showers and taps.

our products, as well as the highly sustainable electroplating method used to create the

International reference projects

At home the world over

All over the world, developers and investors work hand in hand with architects and planners on sophisticated projects. They are constantly in need of intelligent and aesthetically appealing solutions for handling the essential element water. The mixers, showers and bathroom collections from the Black Forest lend top addresses that definite extra design and comfort: in impressive hotels and public buildings, in private residences and royal

palaces, in exclusive sports clubs and in cruise ships and luxury yachts. For more inspiring examples visit **ispecify.hansgrohe.com**





Purple Haze, Nairobi, Kenya: Focus single lever basin tap Crometta S 240 1jet showerpipe Copyright: Purple Haze





Signiel Seoul, Seoul, South Korea: PuraVida 3-hole basin tap Croma 100 Multi hand shower Copyright: Signiel Seoul





Hotel Excelsior, Dubrovnik, Croatia: Talis S single lever basin tap Copyright: Hotel Excelsior



Ocean Estates, Da Nang, Vietnam: Logis single lever basin tap Croma Select S Vario shower set Copyright: Ocean Estates



Privé at Island Estates, Aventura, USA: Metris single lever basin tap Raindance Select E 120 3jet hand shower Copyright: Privé at Island Estates



Quantum of the Seas: Metris single lever basin tap Crometta 85 Vario shower set Copyright: Quantum of the Seas

Satisfyingly high standards

Quality – clear benefits to quality workmanship

Since day one, the enjoyment of our products has been one of our main aims; perfection in form and function is, and has always been, our standard. At hansgrohe, quality means one thing above all else: highclass workmanship. Always creating the highest quality products defines our approach to modern design, manufacturing and performance. We only use the best materials and manufacture our products using state-ofthe-art technology alongside human expertise to transform them into items with consistent and long-term value. Every product is tested by trained and experienced staff before dispatch. hansgrohe workmanship guarantees reliable added value for you, as well as our retail and specialist trade partners.



Firmly rooted in our home country

For almost 120 years, we've been loyal to our production site in Schiltach, Germany, and we remain one of the biggest employers in the region. Whilst our ambitions are global, our roots are local.





Inspiration on the doorstep

Tranquil lakes, clear streams and powerful waterfalls are all part of the German Black Forest's distinctive charm. We find fresh new ideas for innovative ways to work with water day after day here. Having the countryside on our doorstep shapes our mindset and constantly makes us more and more aware that we need to be responsible and sustainable whilst working with the most precious of resources. hansgrohe has spent decades as a pioneer and trailblazer of water and energy-saving technologies, as well as environmentally-friendly production.



Water in its best form

Our experts develop the best spray for each product in our very own sound and spray laboratory. They always consider two key things that they know are important to you – ease of cleaning and water-efficiency.



Tradition meets innovation

Here at hansgrohe, we can build on the experience of three generations. With German engineering on our side, we can look to the future to create timeless, quality products using the latest production technologies.



Ultimately, it's the human factor that counts hansgrohe produces to the highest technical standard, but the benchmark for our standards is set by people. So, every single product is carefully checked by a real person before it leaves the German Black Forest.

Genuine added value

Service – contactable and reliable

Customer satisfaction is always a priority at hansgrohe; we always offer our customers the best quality and service tailored

to them as an individual. You can always rely on qualified technical and sales advice from our employees wherever you are, at all times. With hansgrohe you get service from professionals, for professionals.

Field Service

Our sales team will be by your side throughout your journey. A member of the team will always be on hand to answer any and all questions regarding our products.

In house Sales Service

You can phone, email or fax hansgrohe customer advisers for individual technical and commercial support.

Service hours Monday – Friday: 9.00 am – 5.00 pm Phone: +49 7836 51-0 Fax: +49 7836 51-1300 E-mail: info@hansgrohe.com

Technical Service

Our service specialists are trained engineers, so they are in an excellent position to deal with any technical issue you may encounter. If something cannot be explained on the telephone or via e-mail, you can even request an on-site visit from a specialist in building services.

Service hours Monday – Friday: 9.00 am – 5.00 pm Phone: +49 7836 51-1282 Fax: +49 7836 51-1440 E-Mail: info@hansgrohe.com

Online spare parts shop

All parts in detail: The electronic spare parts catalogue lets you find and purchase spare and special parts with particular ease. In addition, you will benefit from other functions like dimension drawings, links between drawings and service parts, a checklist and downloads of installation and service instructions. **spares.hansgrohe.com**





Special services and logistics

At hansgrohe, we will do all we can to satisfy your individual needs. Express delivery (no matter the distance), 24-hour spare parts service, excellent product availability, routineoptimised delivery, standardised cardboard packaging to make the ordering process and delivery as simple as possible plus a 5-year guarantee and assurance that spare parts for discontinued products are held for a further 15 years all come as standard.

A recipe for success

Service – informative and involved

You need to be one step ahead of the competition if you want to remain at the cutting edge of product and technological development. This includes everything from the core businees to effective marketing, personnel management and further training. We prodvide a comprehensive range of support so that specialist partners always have the most up-to-date information and are best equipped with everything they need to deliver a service that matches our quality products.

Courses, training and events

Know-how for you: we offer a wide range of courses, training and events in the most diverse areas such as new technologies, modern marketing instruments or operational or personnel management. At our own training centre, the Aquademie in Schiltach or on-site anywhere in the country.

pro.hansgrohe-int.com/aquademie

Comprehensive information

Always up-to-date: hansgrohe partners receive regular information on new products, marketing campaigns, sales campaigns, courses, events and company news. We address all the target groups, be they retail, trade or projects, individually.



Website for professionals

We provide additional digital services on our website for specialist partners. For example: information on delivery periods, the online spare parts catalogue, Talisman account, price lists and marketing materials are just some of the benefits we offer. You can get the information you need, even if you are on-the-go or visiting a customer. **pro.hansgrohe-int.com**

Good support

Service – planning and calculations

Whether you need help choosing the right combination of products, optimising the way planning data is arranged or optimising savings, we will provide you with support on everything you need to suceed, as well as costeffectively, plan and calculate your bathroom projects, including innovative digital solutions.

Planning data

We make a vast amount of information, such as dimensional drawings and 3D data, available online. For efficient building information modelling (BIM) across all trades, we supply all relevant data for key software applications. This includes geometry and positioning, materials and properties of the taps, showers, shower systems and installation technology. **pro.hansgrohe-int.com/service**

ComfortZone test

Has your customer fallen in love with a tap, but is unsure whether it really goes with their wash basin? Do you want to know which of our taps match which wash basin? We'll support you and your customers with confidently stylish product pairings that have been technically reviewed in our Test Centre. You can find more information on ComfortZone and the ComfortZone test on page 183 or at **www.hansgrohe.com/comfortzone**

Savings Calculator

With our savings calculator, you can work out how much you'll save with EcoSmart technology in your taps and shower. You can also use it to figure out how soon your investment will pay off. Experts can visit **pro.** savings.hansgrohe-int.com. Beginners can go to savings.hansgrohe-int.com







Project Support

Are you just about to start planning one or more bathroom projects and need help in planning the job or putting the work out to tender? Our project consultancy team would be happy to assist you.

 Service hours

 Monday
 - Friday: 7.30 am - 5.00 pm

 Phone:
 +49 7836 51-3126

 Fax:
 +49 7836 51-1878

 E-mail:
 gpservices@hansgrohe.com

iSpecify

The hansgrohe online planning platform, iSpecify, makes planning your bathroom simple. It helps with all the necessary product specifications and provides inspiration with examples. Simply start your planning process by viewing the reference projects or the specific product and see for youself. You can access all the key data at all times and save your progress in project lists.

ispecify.hansgrohe.com



First-hand testing

Service – put it to the test

You can experience the whole world of hansgrohe products up close and with all your senses at our exhibition grounds in Schiltach, Germany. Go on a tour of our exclusive bathroom exhibition, visit the Water-Bath-Design Museum or test the showers in the hansgrohe Aquademie.

Aquademie

Bathroom exhibition, Water-Bath-Design Museum, bathroom and design, tours and consultations.

pro.hansgrohe-int.com/aquademie

Opening hours Monday – Friday: 7.30 am – 7.00 pm Saturdays, Sundays & public holidays: 10.00 am – 4.00 pm

Booking advice: Tel.: +49 7836 513272 Tuesday, Wednesday, Friday: 1.00 pm - 6.00 pm



Showerworld

Test showers in the Showerworld. Anything is possible at the hansgrohe Aquademie. **pro.hansgrohe-int.com/aquademie**

Opening hours: Monday – Friday: 7.30 am – 7.00 pm Saturday, Sunday: 10.30 am, 12.30 pm, 2.30 pm

Register for the Showerworld: Telephone: +49 7836 51 3272 Fax: +49 7836 51-1505 1 hour, maximum 20 people





hansgrohe sponsoring

From high-performance to ultimate relaxation

Our products can help you to focus on the challenges that come with a top performance by offering you a way to rest and recuperate after a strenuous day. We understand that athletes appreciate the incentive and indulgence of a hard-earned shower showering after a hard workout. Since 2017, hansgrohe has been the official title sponsor of the world-class BORA-hansgrohe cycling team who wow crowds all over the world, just like our products. Our team have been involved in testing and developing products to offer our athletes a showering indulgence that matches their peak performance. Find out where and when our riders will be racing at **BORA-hansgrohe.com** or on the hansgrohe and BORA-hansgrohe team social media pages.



facebook.com/Borahansgroheofficial facebook.com/hansgrohe facebook.com/PeterSagan



instagram.com/borahansgrohe instagram.com/hansgrohe



BORA-hansgrohe.com hansgrohe.co.uk



Left-hand page: Santos Tour Down Under 2018, Stage 4 – 128.2 km from Norwood to Uraidla. Stage winner: Peter Sagan. Right page: Peter Sagan, World Cycling Champion 2015, 2016 & 2017.

SHOWERS AND SHOWER CONTROLS

The wide range of products that fulfils all requirements

Shower installations

As individual as your customers

When it comes to showering, everyone is unqiue. So, we offer a variety of shower combinations to make any wish a reality: from a simple overheard shower right through to a full set that includes a thermostatic mixer, hand shower and overhead shower. Our installation options are also flexible. Whether you prefer concealed or exposed installation, we have the perfect solution. We are also able to provide all-in-one showerpipe and shower panel systems to get more out of your shower, even in renovation projects.



Hand shower or shower set The basic solution is easy to install and gives you an indulgent shower experience.



For shower rain with the ability to move freely. The variants with extra large spray discs deliver extra comfort.



Shower family

The concealed solution for customised shower design. From the waterfall to the all-round indulgence of side showers.



Showerpipe

The all-in-one system with overhead shower, hand shower and thermostatic mixer. The perfect solution for simple bathroom renovation.



Exposed thermostatic mixers Exposed solutions by hansgrohe can be installed with little effort to add a technical and visual enhancement to bathrooms.



Concealed pre-fab sets

The minimalist shower control nestles up flat against the wall. This creates an ultra-modern, uncluttered look. New: shower innovations for the whole family

Feel-good design for all ages

Our new showers and shower controls | will give your entire family everything they need. Our innovative Rainfinity range can | way. And with Croma E, we offer affordable

be fully adapted to you and your needs so that everybody can relax in their own unique

products with increased safety options for an all-round modern family bathroom.



Rainfinity: Reach peak relaxation with Rainfinity: a range of showers that drowns out the competition.



Rainfinity: Thanks to the innovative design, the spray softly envelops your body like a coat made of a thousand tiny drops.



Rainfinity: Simply choose between PowderRain, Intense PowderRain and MonoRain at the touch of a button.



Rainfinity: Treat yourself to the ultimate showering indulgence with the innovative and intuitive concealed control options such as ShowerSelect and RainSelect.



Croma E: The large overhead shower with the luxuriously soft RainAir spray transforms showering into an adventure for the little ones.



Ecostat E: The CoolContact cooling technology stops the thermostatic mixer's housing on the Ecostat E getting too hot.



Croma E: It's child's play to use and child safe to operate with the CoolContact and SafetyStop functions.



PowderRain: Pamper your skin with thousands of fine and silky micro-droplets. The fine spray will transform your bathroom into an oaisis of relaxation.

Shower design with hansgrohe

The modern way of showering

The bathroom reflects the individual personality of the user. That is why hansgrohe offers a wide selection of different ranges, designs, shapes and colours for just the right combination in the shower. From large bathrooms to small ones, modern to classic and from new-builds to refurbishments: there is the right offer for discerning users of any private or project bathroom. Whether exposed or concealed installation or an innovative exposed or concealed solution, if it's hansgrohe then impressive quality is always guaranteed. Modern technology also provides efficiency, saves water and ensures the right showering experience in any format.

Concealed installation



Space saver: here, the shower and room merge together. Thanks to the seamless integration of the shower fitting, this concealed solution provides more space and greater freedom of movement. Elegantly understated and exclusive at the same time, it can be integrated in any bathroom.

Exposed installation



Elegant: the exposed solution with thermostat and hand shower is the classic shower installation. However, it can also be reinterpreted, for instance with a Showerpipe, the complete system with thermostat, overhead and hand shower. Particularly attractive for modernisations because the Showerpipe can be fitted to existing connections.



Exposed/concealed installation

Practical: With the unique combination of exposed and concealed installation, the thermostat can be fitted directly to the water connections. The connection to the overhead shower is hidden away behind the wall. Innovative and functional design in one with no irritating elements.

i

More indulgence with a range spray types by hansgrohe

Spray types – something for every shower

Everyone showers differently, and everyone has different expectations of the perfect shower. Some think it not only as a necessity but also a way to relax. Others value an energising, invigorating shower experience. No matter what your customers' wishes, every one of them will find the right hand or overhead shower and the right spray type in the

hansgrohe range. The Select products promise your customers particular convenience. They can then select each spray type easily at the push of a button.



PowderRain

Revolutionise your daily shower experience with PowderRain and transform your bathroom into an oasis of relaxation. Instead of only one spray outlet per nozzle, PowderRain has six fine openings that create thousands of fine and silky micro-droplets.



Intense PowderRain

An intense series of fine micro-droplets for sensational showering. Intense PowderRain is extraordinarily effective thanks to the increased number of droplets for a firm, yet velvety soft, spray. As the micro-droplets weigh less, the splash effect is also reduced.

Simply scan the code and experience the spray patterns in the video.





Rain and Rain XL

The openings on the hand or overhead shower may be small, but their effect is all the greater: The rain spray revitalises and refreshes with its pleasant power enveloping the body. It is therefore ideal, for example, for rinsing out shampoo quickly and thoroughly.



RainAir und RainAir XL

If you are looking for relaxation and you want your soul to be pampered by the water. Just the right thing for this is a hand or overhead shower with the soft, luxurious RainAir spray that provides air-enriched drops from a large, wide jet, to wash your cares away.



IntenseRain

Rinsing out shampoo is easy with the strong IntenseRain water spray. Perfect for setting yourself up for the day. The IntenseRain spray not only rinses out shampoo, but it also washes morning tiredness down the drain - for a refreshing start to the day.



TurboRain

The all-purpose tool for quick results: The revitalising TurboRain spray lives up to its name. The pure power of the most powerful of all Rain sprays provides a refreshing shower experience. For those who like things to be quick and straightforward.



SoftRain

The gentle SoftRain water spray gently wraps itself around the body. A treat for the skin – and for the soul, of course. Whether a daily shower or for relaxation, the SoftRain spray is always the right choice. Its strengths come into their own in a quick shower in the morning and in a long soak in the bath after a hard day.



Mix

Gentle and dynamic at the same time. The mix spray combines the rich, soft RainAir spray with the strong, revitalising CaresseAir spray. Soft drops wrap themselves around the body, while a warm targeted water flow in the middle massages the skin. The perfect combination for daily showering pleasure.



Whirl

The concentrated Whirl spray simply washes away the exertions of the day. Whether hand or overhead shower: Three single sprays revolve around each other for an intense massage effect that dissolves tension.



CaresseAir

Five strong single sprays combine in a revitalising, strong massage spray for pleasant relaxation. Just the thing after exercise or a hard day at work – good as new in minutes.



Massage

A concentrated spray that simply washes the day's stress away. The targeted spray easily relaxes tense areas. The innovative circular arrangement of the sprays turns the shower into a mobile wellness treatment for the home bathroom.



MonoRain

A targeted, soothing relaxation spray from the centre of the shower. The lightness of the Mono spray helps you to unwind, making it the perfect spray for relaxing.



RainFlow

An overhead shower with the clear, beautifully shaped RainFlow cascading spray brings the waterfall experience to the bathroom. This lets you enjoy water in its natural form, as a cascade from above on the neck and shoulders. This can be directed specifically to these parts of the body and tension quickly disappears. This is a trend especially in the wellness bathroom.



RainStream

The new RainStream of single sparkling jets is a crowning achievement of the hansgrohe spray developers. These special overhead shower sprays do not constrict, but remain unvaryingly revitalising and intense right down to the floor. The result: a new, revitalising shower experience, irrespective of the users height. Simple and intelligent

Technologies – intuitive, fast and economical

Select: showering pleasure at the touch of a button.

Because sometimes pressing is easier than turning. With our innovative Select technology, a simple touch of a button on the shower or shower control is all it takes to change the spray mode or turn the water on/off for even more comfort while showering, no matter your age.



Select SELECT

Advantages and benefits

- Intuitive control at the touch of a button
- More comfort for every generation
- Mechanical construction for permanent functional safety

Select for hand and overhead showers

Select for exposed and concealed controls



Hand showers: Thanks to the revolutionary mechanical construction, the spray can be changed, simply by touching a button. The Select button confirmed its durability in a long-term test that operated it 90,000 times.



RainSelect: fully integrated system consisting of one basic and one finish set. Up to five users can be conveniently selected at the touch of a button.



Overhead showers: The innovative changeover unit in the overhead shower makes it easy to change the spray following the Select principle. Purely mechanically, at the touch of a button.



ShowerTablet/Showerpipe: Depending on the design, you can switch between users at the touch of a button. Raised buttons indicate which user is currently active.



ShowerSelect pre-fab set: Easy control of up to 4 functions at the touch of a button – even at the same time. Thanks to the optional button extension, operation is just as easy for users with limited mobility since the buttons then protrude.

Scan the code and learn more about hansgrohe technologies.



Quick / Clean

QuickClean: fast anti-limescale function

QuickClean means flexible silicone inserts on the aerators. Dirt and limescale deposits can be simply rubbed off with your finger with no need to use cleaning products, helping to extend your shower's lifespan.



Advantages and benefits

- Fast and easy cleaning
- Ultra high quality and tear resistant silicone
- For a long lifetime and functionality

EcoSmart: water and energy savings

EcoSmart technology means that our showers use up to 60% less water than conventional products through aeration, saving not just water, but energy too. The sophisticated flow limitation reduces water consumption to just 9 or 6 l/min.



Advantages

and benefits

- Up to 60 % less water consumption
- Hot water savings for less energy consumption - so less CO₂ emissions and lower costs



How much water and energy can be saved is calculated by the savings calculator at: **pro.hansgrohe-int.com/savings-calculator** Added indulgence in the shower

Technologies – bigger, safer and more efficient

AirPower: more volume, more pleasure

Comfort and efficiency don't have to be mutually exclusive and our AirPower showers prove it. An ample supply of air is sucked in via the spray disc of your shower, making the droplets fuller, lighter and softer, increasing water efficiency at the same time.



Advantages and benefits

- Fuller, lighter and softer drops pure shower pleasure
- Fewer splashes, so less cleaning
- Larger water volume for greater water efficiency

XXLPerformance: great shower pleasure

Enjoy even greater showering indulgences with the XXLPerformance. With air-enriched, plump droplets, the water feels like warm summer rain, offering glorious relaxation with astoundingly low water consumption.





Advantages and benefits

- XXL showering
- High water efficiency a uniformly distributed spray for an incomparable showering experience



Scan the code and learn more about hansgrohe technologies.



*

Cool Contact

CoolContact: safe and indulgent showering

The CoolContact cooling technology stops the thermostatic mixer's housing getting too hot. So there is no more need to keep a safe distance from the taps, making showering even more carefree. It also means there is no more risk of children burning their delicate hands.



Advantages and benefits

- Innovative cooling technology
- More safety in the bathroom, for children too
- Care-free showering

i

hansgrohe hand showers

Selected hand showers at a glance

			Crometta		Croma 100	
		and the second	and a state		P	
		Crometta 100 Hand shower 1jet	Crometta 100 Hand shower Vario	Crometta 100 Hand shower Multi	Croma 100 Hand shower Multi	Croma Select E Hand shower 1jet
	Standard	26825, -400	26824, -400	26823, -400	28536, -000	26814, -400
ersions (EcoSmart 9 l/min	26828, -400	26827, -400	26826, -400	28538, -000	26815, -400
	Green 6-7 l/min	26829, -400	26834, -400			26816, -400
	Size of shower head	100 mm	100 mm	100 mm	100 mm	110 mm
	Spray type changeover		Turn	Turn	Turn	
Features	Spray modes (I/min in the standard version)	Rain 16 I/min	Rain 18 l/min Massage 18 l/min	Rain 19 l/min Massage 19 l/min TurboRain 19 l/min	Rain 19 l/min Massage 19 l/min MonoRain 19 l/min	Rain 16 I/min
	Select					
Uniques	41.0					
Jniques	AirPower					
Jniques	AirPower QuickClean			•	•	•
Iniques			100	-	~	-
Iniques		■ Crometta Hand shower ljet	Crometta Hand shower Vario		Croma 100 Hand shower Vario	Croma Select S Hand shower Tjet
Iniques		Crometta	Crometta		Croma 100	Croma Select S
·	QuickClean	Crometta Hand shower 1jet	Crometta Hand shower Vario	-	Croma 100 Hand shower Vario	Croma Select S Hand shower 1jet
·	QuickClean	Crometta Hand shower 1 jet 26331, -400	Crometta Hand shower Vario 26330, -400	-	Croma 100 Hand shower Vario 28535, -000	Croma Select S Hand shower 1jet 26804, -400
	QuickClean Standard EcoSmart 9 I/min	Crometta Hand shower 1 jet 26331, -400 26333, -400	Crometta Hand shower Vario 26330, -400 26332, -400	•	Croma 100 Hand shower Vario 28535, -000	Croma Select S Hand shower 1 jet 26804, -400 26805, -400
/ersions	QuickClean Standard EcoSmart 9 l/min Green 6-7 l/min	Crometta Hand shower 1jet 26331, -400 26333, -400 26334, -400	Crometta Hand shower Vario 26330, -400 26332, -400 26336, -400		Croma 100 Hand shower Vario 28535, -000 28537, -000	Croma Select S Hand shower 1 jet 26805, -400 26806, -400
/ersions	QuickClean Standard EcoSmart 9 l/min Green 6-7 l/min Size of shower head	Crometta Hand shower 1jet 26331, -400 26333, -400 26334, -400	Crometta Hand shower Vario 26330, -400 26332, -400 26336, -400 100 mm		Croma 100 Hand shower Vario 28535, -000 28537, -000 100 mm	Croma Select S Hand shower 1 jet 26805, -400 26806, -400
/ersions	QuickClean QuickClean Standard EcoSmart 9 l/min Green 6-7 l/min Size of shower head Spray type changeover Spray modes (l/min in the standard	Crometta Hand shower ljet 26331, -400 26333, -400 26334, -400 100 mm	Crometta Hand shower Vario 26330, -400 26332, -400 26336, -400 26336, -400 100 mm Turn Rain 14 l/min		Croma 100 Hand shower Vario 28535, -000 28537, -000 100 mm Turn Rain 18 l/min	Croma Select S Hand shower 1jet 26804, -400 26805, -400 26806, -400 110 mm
/ersions :eatures Jniques	QuickClean QuickClean Standard EcoSmart 9 l/min Green 6-7 l/min Size of shower head Spray type changeover Spray modes (l/min in the standard version)	Crometta Hand shower ljet 26331, -400 26333, -400 26334, -400 100 mm	Crometta Hand shower Vario 26330, -400 26332, -400 26336, -400 26336, -400 100 mm Turn Rain 14 l/min		Croma 100 Hand shower Vario 28535, -000 28537, -000 100 mm Turn Rain 18 l/min	Croma Select S Hand shower 1jet 26804, -400 26805, -400 26806, -400 110 mm

Croma Select		Raindance Select			Rainfinity	PuraVida	
1 million		NEW	P	P	NEW	a sugar	
Croma Select E Hand shower Vario	Croma Select E Hand shower Multi	Raindance Select S Hand shower 120 3jet P	Raindance Select E Hand shower 120 3jet	Raindance Select E Hand shower 150 3jet	Rainfinity Hand shower 130 3jet	PuraVida Hand shower 3jet	
26812, -400 26813, -400	26810, -400 26811, -400	26014, -000	26520, -000, -400 26521, -000, -400	26550, -000, -400 26551, -000, -400	26864, -XXX 26865, -000, -700	28557, -000, -400 28567, -000, -400	
110 mm Select	110 mm Select	125 mm Select	120 mm Select	150 mm Select	130 mm Select	150 mm Select	
Rain 15 l/min IntenseRain 15 l/min TurboRain 15 l/min	Massage 16 l/min IntenseRain 16 l/min SoftRain 16 l/min	Rain 12 l/min Whirl 12 l/min PowderRain 12 l/min	RainAir 15 l/min Rain 15 l/min Whirl 15 l/min	RainAir 16 l/min CaresseAir 16 l/min Mix 16 l/min	PowderRain 14 l/min Intense PowderRain 14 l/min MonoRain 14 l/min	RainAir 16 l/min CaresseAir 16 l/min Mix 16 l/min	
•		•		•		•	
	-	•	-	-		-	
1 Million			NEW	F	NEW	Community	
Croma Select S Hand shower Vario	Croma Select S Hand shower Multi		Raindance Select S Hand shower 120 3jet	Raindance Select S Hand shower 150 3jet	Rainfinity Baton hand shower 100 1jet	PuraVida Baton hand shower 120 1jet	
26802, -400	26800, -400		26530, -XXX	28587, -000, -400	26866, -XXX	28558, -000, -400	
26803, -400	26801, -400		26531, -XXX	28588, -000, -400	26867, -000, -700	28568, -000, -400	
110 mm	110 mm		120 mm	150 mm	100 mm	150 mm	
Select Rain 15 l/min IntenseRain 15 l/min TurboRain 15 l/min	Select Massage 16 l/min IntenseRain 16 l/min SoftRain 16 l/min		Select RainAir 15 l/min Rain 15 l/min Whirl 15 l/min	Select RainAir 16 l/min CaresseAir 16 l/min Mix 16 l/min	PowderRain 13.8 l/min	RainAir 16 l/min	
_	_				-	•	
page 42		1	■ page 38		■ page 36	■ page 34	

Price

PuraVida Hand shower

Gentle and dynamic in one





RainAir: for soft, air-enriched shower rain.

CaresseAir: for an invigorating massage spray, e.g. after exercise.

Mix: for the harmonious combination of relaxing and invigorating elements.

N

Advantages and benefits

- Switching between the three spray types is effortless with Select technology
- Effortless cleaning with QuickClean

RainAir for soft, air-enriched shower rain

PuraVida Hand showers



PuraVida Hand shower 3jet # 28557, -000, -400 16 l/min # 28567, -000, -400 EcoSmart 9 l/min





PuraVida

PuraVida Shower Sets



Rainfinity Hand shower NEW

Wonderfully soft, pampering experience







PowderRain: Sensational showering with softly enveloping micro-droplets.



Intense PowderRain: For an effective way to rinse out shampoo.



MonoRain: Focused, relaxing spray – perfectly calming.

N

Advantages and benefits

- All-encompassing showering with innovative spray surface
- Switching between the three spray types is effortless with Select technology
- Round or geometric shape


26865, -000, -700 EcoSmart 9 l/min

26867, -000, -700 EcoSmart 9 l/min ٩

Rainfinity Shower and shower support sets



Rainfinity Hand showers

Raindance Hand shower NEW

The right water spray for each shower type





PowderRain: Sensational showering with softly enveloping micro-droplets.

Rain: Powerful, invigorating and refreshing spray.

Whirl: Concentrated massaging water vortex to ease tensions.

N

- All you need in a shower, from invigorating to relaxing
- Switching between the three spray types is effortless with Select technology
- Effortless cleaning with QuickClean
- Round or geometric shape

Raindance Select Hand showers



Raindance Select E Hand shower 150 3jet # 26550, -000, -400 16 l/min # 26551, -000, -400 EcoSmart 9 l/min





Raindance Select E

Hand shower 120 3jet # 26520, -000, -140, -340, -400, -670, -700, -990 15 l/min # 26521, 000, 400 FeeSpert 8 l/min





Raindance Select S Hand shower 150 3jet # 28587, -000, -400 16 l/min # 28588, -000, -400 EcoSmart 9 l/min



NEW .

Raindance Select S Hand shower 120 3jet # 26530, -000, -140, -340, -400, -670, -700, -990 15 l/min # 26531, -000, -140, -340, -400, -670, -700, -990 EcoSmart 9 l/min





Raindance Select S Hand shower 120 3jet P # 26014, -000 12 l/min



Raindance Select Shower Sets



Raindance Select Shower Sets





Raindance Select S Shower set 150 3jet with shower bar 90 cm # 26626, -000, -400 16 l/min





Raindance Select S Shower set 120 3jet with shower bar 90 cm and soap dish # 27648, -000, -400 15 l/min # 27649, -000, -400 EcoSmart 9 l/min Shower set 120 3jet with shower bar 150 cm and soap dishes (not shown)

27646, -000, -400 15 l/min # 27647, -000, -400 EcoSmart 9 l/min





Raindance Select S Shower set 120 3jet with shower bar 110 cm left # 26324, -000, -400 15 l/min # 26325, -000, -400 EcoSmart 9 l/min

Shower set 120 3jet with shower bar 110 cm right (not shown)

26326, -000, -400 15 l/min # 26327, -000, -400 EcoSmart 9 l/min





Raindance Select S Shower set 120 3jet with shower bar 65 cm # 26320, -000, -400 15 1/min # 26321, -000, -400 EcoSmart 9 1/min Shower set 120 3jet with shower bar 90 cm (not shown) # 26322, -000, -400 15 1/min # 26323, -000, -400 EcoSmart 9 1/min



Raindance Select Shower support sets



Raindance Select S Shower holder set 120 3jet with shower hose 125 cm # 26701, -000, -400 15 l/min Shower holder set 120 3jet with shower hose 160 cm # 26721, -000, -400 15 l/min





NEW **Raindance Select S**

Shower holder set 120 3jet P with shower hose 125 cm # 27669, -000 12 l/min Shower holder set 120 3jet P with shower hose 160 cm



Hand showers and shower sets

Raindance Classic Hand showers and shower sets



Raindance Classic Hand shower 100 3jet # 28548, -000, -090 17 l/min





Croma Select hand shower

Select SELECT

More comfort for everyone



- (1) SoftRain: soft, beneficial water spray.
- (2) IntenseRain: intensive water spray that activates and refreshes.
- (3) Massage: concentrated, revitalising spray.

- (1) Rain: perfect for rinsing shampoo out of your hair.
- (2) IntenseRain: intensive water spray that activates and refreshes.
- (3) TurboRain: the most powerful of all Rain sprays for a

refreshingly powerful showering experience.

У

- Easy spray change at the touch of a button thanks to Select technology – now also in the Croma range
- 110 mm spray face with new spray types for any shower requirement: whether just rinsing out shampoo, winding down in the evening or being full of energy in the morning
- Easy to clean: thanks to QuickClean
- Also available in the water-saving EcoSmart version at just 7 l/min

Croma Select Hand showers



Croma Select E Hand shower Multi # 26810, -400 16 I/min # 26811, -400 EcoSmart 9 I/min





Croma Select S Hand shower Multi # 26800, -400 16 l/min # 26801, -400 EcoSmart 9 l/min



Croma Select Shower Sets





Croma Select E Hand shower Vario # 26812, -400 15 I/min # 26813, -400 EcoSmart 9 I/min





Croma Select S Hand shower Vario # 26802, -400 15 l/min # 26803, -400 EcoSmart 9 l/min





Croma Select E Hand shower 1jet # 26814, -400 16 l/min # 26815, -400 EcoSmart 9 l/min # 26816, -400 EcoSmart 7 l/min





Croma Select S Hand shower 1jet # 26804, -400 16 l/min

- # 26805, -400 EcoSmart 9 I/min
- # 26806, -400 EcoSmart 7 l/min









Croma Select Shower Sets



Croma Select Shower support sets



Croma Select E Shower holder set Vario with shower hose 125 cm # 26425, -400 15 l/min Shower holder set Vario with shower hose 160 cm # 26413, -400 15 l/min



Croma Select E Shower holder set 1 jet with shower hose 125 cm # 26424, -400 16 l/min Shower holder set 1 jet with shower hose 160 cm # 26412, -400 16 l/min





Croma Select S Shower holder set 1 jet with shower hose 125 cm # 26420, -400 16 l/min Shower holder set 1 jet with shower hose 160 cm # 26410, -400 16 l/min

Croma 100 Classic Hand showers



Croma 100 Classic Hand shower Multi # 28539, -000 19 l/min



Croma 100 Hand showers



Croma 100 Hand shower Multi # 28536, -000 19 l/min # 28538, -000 EcoSmart 9 l/min





Croma 100 Hand shower Vario # 28535, -000 18 l/min # 28537, -000 EcoSmart 9 l/min





Croma 100 Hand shower Mono # 28580, -000 16 l/min # 28583, -000 EcoSmart 9 l/min



Croma 100 Shower and shower support sets

0





Croma 100 Shower holder set Multi with shower hose 125 cm # 27593, -000 19 l/min Shower holder set Multi with shower hose 160 cm # 27595, -000 19 l/min





Shower holder set Vario with shower hose 125 cm # 27592, -000 18 l/min Shower holder set Vario with shower hose 160 cm # 27594, -000 19 l/min



hose 125 cm # 27574, -000 16 l/min Shower holder set Mono with shower hose 160 cm # 27575, -000 16 l/min

Crometta 100 hand shower

Genuine design at an irresistible price



(1) Rain: revitalising shower rain.

(2) **TurboRain:** the most powerful of all Rain sprays – for a refreshingly powerful showering experience.

(3) **Massage:** powerful, pulsating spray.

(1-4) **Rain variants:** revitalising spray rain in 4 levels from wide to concentrated.

N

- XXL showering pleasure thanks to the 100 mm spray face
- Excellent value thanks to the popular Croma 100 mechanism and popular spray technology at the best price
- Many different spray types for any showering type from wide to concentrated
- Ergonomic handle design for safe use
- Easy to clean: thanks to QuickClean
- Also available in the water-saving EcoSmart version at just 7 l/min

Crometta 100 Hand showers



Crometta 100 Hand shower Multi # 26823, -400 19 l/min # 26826, -400 EcoSmart 9 l/min





Crometta 100 Hand shower Vario # 26824, -400 18 l/min # 26827, -400 EcoSmart 9 l/min # 26834, -400 EcoSmart 6 l/min





Crometta 100 Hand shower 1jet # 26825, -400 16 l/min # 26828, -400 EcoSmart 9 l/min # 26829, -400 EcoSmart 7 l/min



Crometta 100 Shower and shower support sets





Shower holder set Vario with shower hose 125 cm # 26666, -400 18 l/min Shower holder set Vario with shower hose 160 cm # 26667, -400 19 l/min



Shower holder set 1jet



with shower hose 125 cm # 26664, -400 16 l/min Shower holder set 1jet with shower hose 160 cm # 26665, -400 16 l/min

Crometta Hand shower

Easy savings in water, energy, CO₂ and hence costs



(1) Rain: perfect for rinsing shampoo out of your hair.
(2) IntenseRain: intensive water spray that activates and refreshes.

Saving water: enjoy a comprehensive showering experience with the EcoSmart and Green lines – despite the low consumption.

N

- Safe grip and single-handed changeover by simply turning the spray face
- Spray face of 100 mm diameter
- Also available as the water-saving EcoSmart variant with a flow of 9 l/min or LEED-compliant 6 l/min
- 2 spray types: large Rain spray and revitalising IntenseRain spray
- Attractive white design

Crometta Hand showers



Crometta Hand shower Vario # 26330, -400 14 l/min # 26332, -400 EcoSmart 9 l/min # 26336, -400 Green 5.7 l/min





Crometta Hand shower 1jet # 26331, -400 14 l/min # 26333, -400 EcoSmart 9 l/min # 26334, -400 Green 5.7 l/min



Crometta Shower and shower support sets











Crometta Shower holder set 1jet with shower hose 125 cm # 26690, -400 14 l/min # 26568, -400 EcoSmart 9 l/min Shower holder set 1jet with shower hose 160 cm # 26567, -400 14 l/min # 26569, -400 EcoSmart 9 l/min



Unica 'E Shower bar

Uniquely elegant



Attractive: harmonises with other glass

Attractive: harmonises with other glass elements such as shower partitions, overhead showers or thermostats.



Surface black/chrome

Surface white/chrome



Surface mirrored chrome

N

- Integrated glass shelf for more space, additional shelves may be purchased
- Easy to clean: thanks to the level surface
- The shower holder is height adjustable, tilts and turns
- 1.50 m version ideal for families with children or for easy foot care
- Suitable for small and large shower areas and may be fitted to existing wall connections, making it ideal for refurbishments

Shower bars and accessories



Barrier-free: the additional holder makes it easier to shower sitting down.

Secure: the strong grab handle provides stability on a slippery floor.

- Space-saving combination of shower rail, shelf and grab handle
- The 280 mm plastic shelf offers plenty of space for shower utensils
- Shelf removes easily for cleaning
- Stably integrated grab handle for safety
- Can handle a tensile force of 200 kg

Unica Shower rails with hose



Unica

Shower bar E 90 cm with shower hose # 27640, -000, -400, -600 Shower bar E 150 cm with shower hose

(not shown) # 27645, -000, -400, -600





Shower bar PuraVida 90 cm with shower hose # 27844, -000







Unica

Shower bar S Puro 65 cm with shower hose # 28632, -000, -140, -340, -670, -700, -990 Shower bar S Puro 90 cm with shower hose (not shown)

28631, -000, -140, -340, -670, -700, -820, -990





Unica Shower bar Classic 65 cm with shower hose # 27617, -000, -820





Unica Shower bar C 65 cm with shower hose # 27611, -000

Shower bar C 90 cm with shower hose (not shown)

27610, -000



Unica Shower bar Croma 65 cm with shower hose # 26503, -000

Shower bar Croma 90 cm with shower hose (not shown) # 26504, -000





Unica Shower bar Crometta 65 cm

with shower hose # 27615, -000

Shower bar Crometta 90 cm with shower hose (not shown) # 27614, -000



Unica Shower bars





Unica Shower bar Comfort 110 cm left # 26403, -400





Unica Shower bar Comfort 65 cm # 26401, -000 Shower bar Comfort 90 cm # 26402, -000 (not shown)



Shower bar Croma 65 cm # 26505, -000 Shower bar Croma 90 cm # 26506, -000 (not shown)



Unica Shower bar Crometta 90 cm # 27609, -000



Unica Shower bar S Puro Reno 72 cm

28662, -000 Shower bar S Puro Reno 105 cm (not shown) # 28663, -000



Unica Shower bar Reno 72 cm





Unica Shower bar Varia 72 cm # 27355, -000 Shower bar Varia 105 cm (not shown) # 27356, -000



- Adjustable shower heights and angles
- Hands-free showering
- Shower can be swivelled out
- Flexible installations in shower cubicles and baths
- The wall attachments of the Reno shower rails can be attached to the walls as desired

hansgrohe Shower hoses

Clever shower hoses with the perfect touch

hansgrohe has consistently been developing the design and functionality of shower hoses for over 40 years – as, for example, with the swivel on ball bearings. Lots

of new ideas and products by hansgrohe more than comply with the required standards. This is confirmed by the hansgrohe quality tests on pressure resistance and tensile strength, as well

as twist safety and the quality of seals. Whether metal or plastic, the shower hoses never fail to appeal for their high-quality, sophisticated technology.



Ы

- Various materials, lengths and looks
- Anti-kink and easy care
- Chrome effect matching the mixers
- Drinking water approval DVGW certification
- Scratch free thanks to plastic coating
- No irritating twisting from the swivel
- Particularly strong confirmed by tension tests

Shower hoses



Sensoflex Metal shower hose 125 cm With plastic coating and pivot joints # 28132, -000

Metal shower hose 160 cm With plastic coating and pivot joints # 28136, -000

Metal shower hose 200 cm With plastic coating and pivot joints # 28134, -000





Isiflex Shower hose 200 cm Made of plastic in a metallic finish # 28274, -000





Isiflex

Shower hose 125 cm with volume control Made of plastic in a metallic finish

Made of plastic in a metallic finish # 28248, -000



Isiflex Shower hose 125 cm Made of plastic in a metallic finish # 28272, -000, -450







Shower bars and accessories



Comfortflex Shower hose 125 cm Made of plastic in a metallic finish # 28167, -000

Made of plastic in a metallic finish # 28168, -000 Shower hose 200 cm Made of plastic in a metallic finish # 28169, -000

Shower hose 160 cm





Metaflex

Shower hose 125 cm Made of plastic in a coil finish # 28262, -000

Shower hose 160 cm Made of plastic in a coil finish # 28266, -000

Shower hose 200 cm Made of plastic in a coil finish # 28264, -000



28249, -000 Shower hose 160 cm with volume control





- Regulation of the water amount for the hand shower in combination with Select products
- May be reduced to 5 l/min .

NEW

Shower holder Porter S

28331, -000, -140, -340, -670,

-700, -800, -990

Shower holder



Shower holder Porter E # 28387, -000, -140, -340, -670, -700, -990



NEW

NEW

Hose connections





FixFit

Wall outlet E without non-return valve # 27454, -000, -140, -340, -670, -700, -990

Wall outlet E with non-return valve # 27458, -000

Wall outlet E with non-return valve and pivot joint # 27505.-000





Wall outlet with non-return valve # 26457.-000 Wall outlet with non-return valve and pivot joint # 27414, -000



FixFit





Shower holder Porter C

27521, -000

Wall outlet E stop with non-return valve





Wall outlet S with non-return valve and synthetic connection angle # 26453, -000

Shower holder Porter Classic

28324, -000

Wall outlet S without non-return valve # 27453, -000

Wall outlet S with non-return valve # 27456, -000

Wall outlet S with non-return valve and pivot joint # 27506, -000





FixFit Wall outlet Square with non-return valve # 26455, -000, -140, -340, -670, -700, -990

NEW







Shower supports with hose connection



FixFit Wall outlet S with shower holder # 26487, -000





FixFit Wall outlet E with shower holder # 26485, -000





FixFit Wall outlet square with shower holder # 26486, -000



- Three different designs to suit any finish set and shower
- Permanently safe function thanks to the high-quality metal housing and internal plastic water channels
- . Few drill holes, so installation is fast and easy
- Suits any DN15 flexible hose .









Rainfinity Wall outlet Porter 500 with shower holder and shower shelf L # 26843, -000, -700 Wall outlet Porter 500 with shower

holder and shower shelf R # 26858, -000, -700 (not shown)







FixFit Wall outlet Porter 300 with shower holder and shower shelf # 26456, -000, -400



- Shelf, wall connection and shower holder combined in one product
- Fewer drill holes in the wall
- The shower area looks much tidier
- Also suitable for the bath .
- Space for all conventional shower accessories
- More storage area than in . other storage baskets •
- Glass surface for easy cleaning



Unica Grab handle Comfort with shelf and shower holder # 26328, -400

 Holder can be fitted to the left or right, or may be removed



Rainfinity Shelf 500 # 26844, -000, -700



Soap dishes



Casetta Soap dish E # 26519, -000





Casetta Soap dish C # 28678, -000



Casetta Soap dish S Puro # 28679, -000





Casetta Soap dish E # 26511, -000, -400, -600



hansgrohe overhead showers

Selected overhead showers at a glance

		Crom	netta		Croma		
				NEW			
		Crometta Overhead shower 160 1jet	Crometta E Overhead shower 240 1 jet	Croma Overhead shower 220 1 jet	Croma E Overhead shower 280 1 jet	Croma Select E Overhead shower 180 2jet	
	Standard	26577, -000	26726, -000	26464, -000	26257, -000	26524, -000, -400	
Overhead shower	EcoSmart 9 l/min	26578, -000	26727, -000	26465, -000	26258, -000	26528, -000, -400	
	LowPressure		26722, -000				
Overhead shower	Standard	+ 27412, -000	+ 27446, -000	+ 27413, -000	+ 27446, -000	+ 27446, -000	
with wall connec-	EcoSmart 9 l/min	+ 27412, -000	+ 27446, -000	+ 27413, -000	+ 27446, -000	+ 27446, -000	
ion Overhead shower	Standard					· · · · · · · · · · · · · · · · · · ·	
Overhead shower with ceiling		+ 27479, -000	+ 27467, -000	+ 27479, -000	+ 27467, -000	+ 27467, -000	
connector	EcoSmart 9 I/min	+ 27479, -000	+ 27467, -000	+ 27479, -000	+ 27467, -000	+ 27467, -000	
	Size of shower head	180 mm	240 x 240 mm	220 mm	280 mm	180 x 180 mm	
	Spray face material	Plastic	Plastic	Metal	Metal	Plastic	
Features	Spray modes (I/min in the standard version)	Rain 20 l/min	Rain 18 l/min	RainAir 19 l/min	RainAir 18 l/min	Rain 17 l/min IntenseRain 16 l/min	
,	Select						
	Select						
Uniques	AirPower						
Uniques		-	•	•	•		
Uniques	AirPower	-			NEW	•	
Uniques	AirPower QuickClean		Crometta S Overhead shower 240 1jet	Croma Overhead shower 160 1jet	NEW Croma Overhead shower 280 1jet	Croma Select S Overhead shower 180 2jet	
·	AirPower QuickClean Standard		Crometta S Overhead shower 240 1jet 26723, -000	Croma Overhead shower	NEW Croma Overhead shower 280 1jet 26220, -XXX	Croma Select S Overhead shower 180 2jet 26522, -000, -400	
Uniques Overhead shower	AirPower QuickClean Standard EcoSmart 9 l/min		Crometta S Overhead shower 240 1jet 26723, -000 26724, -000	Croma Overhead shower 160 1jet	NEW Croma Overhead shower 280 1jet	Croma Select S Overhead shower 180 2jet	
Overhead shower	AirPower QuickClean Standard EcoSmart 9 l/min LowPressure		Crometta S Overhead shower 240 1jet 26723, -000 26724, -000 26725, -000	Croma Overhead shower 160 1jet 27450, -000	NEW Croma Overhead shower 280 1jet 26220, -XXX 26221, -XXX	Croma Select S Overhead shower 180 2jet 26522, -000, -400 26523, -000, -400	
·	AirPower QuickClean Standard EcoSmart 9 I/min LowPressure Standard		Crometta S Overhead shower 240 1jet 26723, 000 26724, 000 26725, 000 + 27413, 000	Croma Overhead shower 160 1jet 27450, -000 + 27412, -000	NEW Croma Overhead shower 280 1jet 26220, -XXX 26221, -XXX + 27413, -XXX	Croma Select S Overhead shower 180 2jet 26522, -000, -400 26523, -000, -400 + 27413, -000	
Overhead shower	AirPower QuickClean Standard EcoSmart 9 l/min LowPressure		Crometta S Overhead shower 240 1jet 26723, -000 26724, -000 26725, -000	Croma Overhead shower 160 1jet 27450, -000	NEW Croma Overhead shower 280 1jet 26220, -XXX 26221, -XXX	Croma Select S Overhead shower 180 2jet 26522, -000, -400 26523, -000, -400	
Overhead shower Overhead shower with wall connec- tion Overhead shower	AirPower QuickClean Standard EcoSmart 9 I/min LowPressure Standard		Crometta S Overhead shower 240 1jet 26723, 000 26724, 000 26725, 000 + 27413, 000	Croma Overhead shower 160 1jet 27450, -000 + 27412, -000	NEW Croma Overhead shower 280 1jet 26220, -XXX 26221, -XXX + 27413, -XXX	Croma Select S Overhead shower 180 2jet 26522, -000, -400 26523, -000, -400 + 27413, -000	
Overhead shower Overhead shower with wall connec- tion	AirPower QuickClean Standard EcoSmart 9 l/min LowPressure Standard EcoSmart 9 l/min		Crometta S Overhead shower 240 1jet 26723, -000 26724, -000 26725, -000 + 27413, -000 + 27413, -000	Croma Overhead shower 160 1jet 27450, -000 + 27412, -000 + 27412, -000	Croma Overhead shower 280 1jet 26220, -XXX 26221, -XXX + 27413, -XXX + 27413, -XXX	Croma Select S Overhead shower 180 2jet 26522, -000, -400 26523, -000, -400 + 27413, -000 + 27413, -000	
Overhead shower Overhead shower with wall connec- tion Overhead shower with ceiling	AirPower QuickClean Standard EcoSmart 9 l/min LowPressure Standard EcoSmart 9 l/min Standard		Crometta S Overhead shower 240 1jet 26723, 000 26724, 000 26725, 000 + 27413, 000 + 27413, 000 + 27393, 000	Croma Overhead shower 160 1jet 27450, -000 + 27412, -000 + 27412, -000 + 27479, -000	Croma Overhead shower 280 1jet 26220, -XXX 26221, -XXX + 27413, -XXX + 27413, -XXX + 27479, -000	Croma Select S Overhead shower 180 2jet 26522, -000, -400 26523, -000, -400 + 27413, -000 + 27413, -000 + 27393, -000	
Overhead shower Overhead shower with wall connec- tion Overhead shower with ceiling	AirPower QuickClean Standard EcoSmart 9 l/min LowPressure Standard EcoSmart 9 l/min Standard EcoSmart 9 l/min		Crometta S Overhead shower 240 1jet 26723, -000 26724, -000 26725, -000 + 27413, -000 + 27393, -000 + 27393, -000 + 27393, -000	Croma Overhead shower 160 1jet 27450, -000 + 27412, -000 + 27412, -000 + 27479, -000 + 27479, -000	Croma Overhead shower 280 1jet 26220, -XXX 26221, -XXX 26221, -XXX + 27413, -XXX + 27413, -XXX + 27479, -000 + 27479, -000	Croma Select S Overhead shower 180 2jet 26522, -000, -400 26523, -000, -400 + 27413, -000 + 27413, -000 + 27393, -000 + 27393, -000	
Overhead shower Overhead shower with wall connec- tion Overhead shower with ceiling	AirPower QuickClean Standard EcoSmart 9 l/min LowPressure Standard EcoSmart 9 l/min Standard EcoSmart 9 l/min Standard EcoSmart 9 l/min		Crometta S Overhead shower 240 1jet 26723, 000 26724, 000 26725, 000 + 27413, 000 + 27413, 000 + 27393, 000 + 27393, 000 + 27393, 000	Croma Overhead shower 160 1jet 27450, -000 + 27412, -000 + 27412, -000 + 27479, -000 + 27479, -000 160 mm	Crome Overhead shower 280 1jet 26220, -XXX 26221, -XXX + 27413, -XXX + 27413, -XXX + 27479, -000 + 27479, -000 280 mm	Croma Select S Overhead shower 180 2jet 26522, -000, -400 26523, -000, -400 + 27413, -000 + 27413, -000 + 27393, -000 + 27393, -000 180 mm	
Overhead shower Overhead shower with wall connec- tion Overhead shower with ceiling connector	AirPower QuickClean Standard EcoSmart 9 l/min LowPressure Standard EcoSmart 9 l/min Standard EcoSmart 9 l/min Standard EcoSmart 9 l/min Size of shower head Spray face material Spray modes (l/min in the standard		Crometta S Overhead shower 240 1jet 26723, -000 26724, -000 26725, -000 + 27413, -000 + 27413, -000 + 27393, -000 + 27393, -000 + 27393, -000 240 mm Plastic	Croma Overhead shower 160 1jet 27450, -000 + 27412, -000 + 27412, -000 + 27479, -000 + 27479, -000 160 mm Metal	Crome Overhead shower 280 1jet 26220, -XXX 26221, -XXX + 27413, -XXX + 27413, -XXX + 27479, -000 + 27479, -000 280 mm Metal	Croma Select S Overhead shower 180 2jet 26522, -000, -400 26523, -000, -400 + 27413, -000 + 27393, -000 + 27393, -000 + 27393, -000 180 mm Plastic Rain 17 l/min	
Overhead shower Overhead shower with wall connec- tion Overhead shower with ceiling connector	AirPower QuickClean Standard EcoSmart 9 l/min LowPressure Standard EcoSmart 9 l/min Standard EcoSmart 9 l/min Standard EcoSmart 9 l/min Size of shower head Spray face material Spray modes (l/min in the standard version)		Crometta S Overhead shower 240 1jet 26723, -000 26724, -000 26725, -000 + 27413, -000 + 27413, -000 + 27393, -000 + 27393, -000 + 27393, -000 240 mm Plastic	Croma Overhead shower 160 1jet 27450, -000 + 27412, -000 + 27412, -000 + 27479, -000 + 27479, -000 160 mm Metal	Crome Overhead shower 280 1jet 26220, -XXX 26221, -XXX 26221, -XXX + 27413, -XXX + 27413, -XXX + 27479, -000 + 27479, -000 280 mm Metal RainAir 15 l/min	Croma Select S Overhead shower 180 2jet 26522, -000, -400 26523, -000, -400 26523, -000, -400 + 27413, -000 + 27393, -000 + 27393, -000 + 27393, -000 180 mm Plastic Rain 17 l/min IntenseRain 16 l/min	

Available

Overhead shower 300 1jet 26238, -XXX 2 26239, -000	Raindance Select S Overhead shower 300 2jet 27378, -000, -400 27337, -000, -400 300 mm Metal Rain 17 l/min RainAir 17 l/min	Raindance Select E Overhead shower 300 3jet 26468, -000, -400 26468, -000, -400 300 x 190 mm Metal Rain 18 l/min Rain Air 18 l/min Rain Air 18 l/min	Reinfinity Overhead shower 250 3jet 26232, -000, -700 26233, -000, -700 26233, -000, -700	Rainfinity Overhead shower 360 3jet 26234, -XXX 26234, -XXX 360 mm Aluminium PowderRain20 I/min	Rainmaker Select Overhead shower 460 2jet 24005, -400, -600 24015, -400 24004, -400, -600 24014, -400 466 x 300 mm Safety glass	Rainmaker Select Overhead shower 580 3jet 24001, -400, -600 24011, -400 580 x 260 mm Safety glass
Overhead shower 300 1jet 26238, -XXX 2 26239, -000 2 26250, -000 2 26251, -000 300 x 300 mm Metal Metal	Overhead shower 300 2jet 27378, -000, -400 27337, -000, -400 300 mm Metal Rain 17 l/min	Overhead shower 300 3jet 26468, -000, -400 26468, -000, -400 300 x 190 mm Metal Rain 18 l/min Rain 18 l/min	Overhead shower 250 3jet 26232, -000, -700 26233, -000, -700 26233, -000, -700 26233, -000, -700 26233, -000, -700 26230 mm Aluminium PowderRain 20 l/min	Overhead shower 360 3jet 26234, -XXX 26234, -XXX 360 mm Aluminium PowderRain20 I/min	Overhead shower 460 2jet 24005, -400, -600 24015, -400 24004, -400, -600 24014, -400 466 x 300 mm	Overhead shower 580 3jet 24001, -400, -600 24011, -400 580 x 260 mm
Overhead shower 300 1jet 26238, -XXX 2 26239, -000 2 26250, -000 2 26251, -000 300 x 300 mm Metal Metal	Overhead shower 300 2jet 27378, -000, -400 27337, -000, -400 300 mm Metal Rain 17 l/min	Overhead shower 300 3jet 26468, -000, -400 26468, -000, -400 300 x 190 mm Metal Rain 18 l/min Rain 18 l/min	Overhead shower 250 3jet 26232, -000, -700 26233, -000, -700 26233, -000, -700 26233, -000, -700 26233, -000, -700 26230 mm Aluminium PowderRain 20 l/min	Overhead shower 360 3jet 26234, -XXX 26234, -XXX 360 mm Aluminium PowderRain20 I/min	Overhead shower 460 2jet 24005, -400, -600 24015, -400 24004, -400, -600 24014, -400 466 x 300 mm	Overhead shower 580 3jet 24001, -400, -600 24011, -400 580 x 260 mm
26239, -000 26250, -000 26251, -000 300 x 300 mm Metal	27337, -000, -400 300 mm Metal Rain 17 l/min	300 x 190 mm Metal Rain 18 l/min RainAir 18 l/min	26233, -000, -700 250 mm Aluminium PowderRain 20 l/min	360mm Aluminium PowderRain20 I/min	24015, -400 24004, -400, -600 24014, -400 466 x 300 mm	24011, -400 580 x 260 mm
26239, -000 26250, -000 26251, -000 300 x 300 mm Metal	27337, -000, -400 300 mm Metal Rain 17 l/min	300 x 190 mm Metal Rain 18 l/min RainAir 18 l/min	26233, -000, -700 250 mm Aluminium PowderRain 20 l/min	360mm Aluminium PowderRain20 I/min	24015, -400 24004, -400, -600 24014, -400 466 x 300 mm	24011, -400 580 x 260 mm
26250, -000 26251, -000 300 x 300 mm Metal	300 mm Metal Rain 17 l/min	Metal Rain 18 l/min RainAir 18 l/min	250 mm Aluminium PowderRain 20 l/min	Aluminium PowderRain20 l/min	24004, -400, -600 24014, -400 466 x 300 mm	580 x 260 mm
26251, -000 300 x 300 mm Metal	300 mm Metal Rain 17 l/min	Metal Rain 18 l/min RainAir 18 l/min	Aluminium PowderRain 20 l/min	Aluminium PowderRain20 l/min	24014, -400 466 x 300 mm	
300 x 300 mm Metal	Metal Rain 17 l/min	Metal Rain 18 l/min RainAir 18 l/min	Aluminium PowderRain 20 l/min	Aluminium PowderRain20 l/min	466 x 300 mm	
Metal	Metal Rain 17 l/min	Metal Rain 18 l/min RainAir 18 l/min	Aluminium PowderRain 20 l/min	Aluminium PowderRain20 l/min		
	Rain 17 l/min	Rain 18 l/min RainAir 18 l/min	PowderRain 20 l/min	PowderRain20 l/min	Safety glass	Safety glass
RainAir 19 l/min		RainAir 18 l/min	'			
			18 l/min RainStream 16 l/min	Intense PowderRain 18 I/min RainStream 16 I/min	Rain 18 l/min RainStream 15 l/min	RainFlow 17 l/min Rain 17 l/min MonoRain 20 l/min
-	-	-	-	-	•	-
NEW			NEW	NEW	. · · ·	
	CONSIDO					- manual and
	Raindance Select S Overhead shower 240 2jet	Raindance Select E Overhead shower 300 2jet	Rainfinity Overhead shower 250 1jet	Rainfinity Overhead shower 360 1jet	Rainmaker Select Overhead shower 460 1jet	Rainmaker Select Overhead shower 460 3jet
27623, -000			26228, -XXX	26231, -XXX		· · ·
			26229, -000, -700			
27607, -000	26466, -000, -400	27385, -000, -400	26226, -000, -700	26230, -XXX	24003, -400, -600	24007, -400, -600
	26470, -000, -400	26609, -000, -400	26227, -000, -700	20200, -XXX	24013, -400	24007, -400, -000
	26467, -000, -400	27384, -000, -400			24002, -400, -600	24006, -400, -600
	26469, -000, -400	26608, -000, -400			24012, -400	24016, -400
240 mm	240 mm	300 x 160 mm	250 mm	360 mm	466 x 270 mm	466 x 300 mm
Metal	Metal	Metal	Aluminium	Aluminium	Safety glass	Safety glass
PowderRain 18 I/min	Rain 17 l/min RainAir 17 l/min	Rain 15 l/min RainAir 15 l/min	PowderRain 16 l/min	PowderRain 23 l/min	Rain 19 l/min	Rain 18 l/min RainStream 15 l/min MonoRain 18 l/min
		•				
		-		•		

Rainmaker Select overhead showers

The new star in the shower



where it can be positioned freely anywhere in the room.

Easy cleaning: Thanks to the QuickConnect holder, the overhead shower can easily be fitted or removed for cleaning by one person – no tools required.

Exclusive: Glass surface made of safety glass and laser-cut spray nozzles. Colour and lettering are applied to the back of the glass and cannot be scratched off.

N

- Unique: Glass spray faces in impressive sizes
- Spray widths of up to 580 mm perfectly fill the large shower area
- Height-variable wall mounting based on the iBox universal for optimum spray intensity of RainFlow or RainStream
- Choice of versions with 1-3 spray types

- Generous white surfaces integrate harmoniously in the ceiling, and look light and elegant
- Easy to clean, durable and a high level of hygiene thanks to the level, hard surface in 4 mm safety glass
- New exposed/concealed installation of the single-spray overhead shower also possible with ShowerTablet Select 700. The storage surface is built in.

Rainmaker Select Overhead showers



Rainmaker Select

Overhead shower 580 3jet # 24001, -400, -600 20 l/min # 24011, -400 EcoSmart 9 l/min Basic set iBox universal

01800180 (not shown)





Rainmaker Select

Overhead shower 460 3jet with shower arm 46.1 cm # 24007, -400, -600 18 l/min

24017, -400 EcoSmart 9 l/min

Basic set iBox universal # 01800180 (not shown)

Overhead shower 460 3jet with ceiling connector 10 cm # 24006, -400, -600 23 I/min (not shown) # 24016, -400 EcoSmart 9 I/min

Basic set for overhead shower with ceiling connector # 24010180 (not shown)



Rainmaker Select Overhead shower 460 2jet with shower arm 46.1 cm # 24005, -400, -600 18 l/min # 24015, -400 EcoSmart 9 l/min

Basic set iBox universal # 01800180 (not shown)

Overhead shower 460 2jet with ceiling connector 10 cm # 24004, -400, -600 21 l/min (not shown) # 24014, -400 EcoSmart 9 l/min

Basic set for overhead shower with ceiling connector # 24010180 (not shown)





Rainmaker Select

Overhead shower 460 1jet with shower arm # 24003, -400, -600 19 l/min # 24013, -400 EcoSmart 9 l/min

Overhead shower 460 1jet with ceiling connector # 24002, -400, -600 21 l/min (not shown) # 24012, -400 EcoSmart 9 l/min

Basic set for overhead shower with ceiling connector # 24010180 (not shown)



PuraVida Overhead and side showers



PuraVida

Overhead shower 400 1jet with shower arm 39 cm # 27437, -000, -400 21 l/min # 26602, -000, -400 EcoSmart 9 l/min

Overhead shower 400 1jet with ceiling connector 10 cm # 27390, -000, -400 21 l/min (not shown) # 26603, -000, -400 EcoSmart 9 l/min





PuraVida Body shower 100 1jet # 28430, -000, -400 4.5 l/min



Rainfinity Overhead shower NEW

Micro-fine showering experience

QuickClean: Remove limescale deposits simply by

rubbing the flexible silicone nozzles

Surface Matt White



Surface chrome



More freedom to move with adjustable tilt

Three spray modes for a more personalised shower: PowderRain, Intense PowderRain and RainStream



PowderRain: Sensational showering with softly enveloping micro-droplets



PowderRain: for an effective way to rinse out shampoo

Intense



RainStream: Refreshingly powerful spray made of pearl-like droplets with a revitalising effect

Rainfinity Overhead shower



Sensational showering: Do something to truly benefit your body and soul with PowderRain. Simply wash away the tiredness and stresses of daily life with an increased number of droplets in the Intense PowderRain setting.



Practical shoulder shower: with a highquality metal body and sturdy safety-glass shelf in graphite with a 50 cm width. Wide spray surface for softly enveloping PowderRain.



Personal comfort: Adjust the angle from 10-30° for even more flexibility and a whole new dimension to showering.

- All-encompassing showering with innovative spray surface
- Adjustable tilt guarantees a comfortable showering position

Rainfinity Overhead showers



Rainfinity

Overhead shower 360 3jet with wall connector # 26234, -000, -140, -340, -670, -700, -990 28.1 l/min





Rainfinity

Overhead shower 360 1jet with wall connector # 26230, -000, -140, -340, -670, -700, -990 21 l/min





Rainfinity

Overhead shower 360 1jet # 26231, -000, -140, -340, -670, -700, -990 23.6 l/min

Ceiling connector S 10 cm # 27393, -000, -140, -340, -670, -700, -990 (not shown)

Ceiling connector S 30 cm # 27389, -000, -140, -340, -670, -700, -990 (not shown)

Shower arm square 38.9 cm # 27694, -000, -140, -340, -670, -700, -990 (not shown)







NEW

Rainfinity

Overhead shower 250 3jet with wall connector # 26232, -000, -700 25.5 l/min # 26233, -000, -700 EcoSmart 9 l/min

Basic set iBox universal # 01800180 (not shown)





Rainfinity

Overhead shower 250 1jet with wall connector # 26226, -000, -700 18.9 l/min # 26227, -000, -700 EcoSmart 9 l/min

NEW



Rainfinity

Overhead shower 250 1jet # 26228, -000, -140, -340, -670, -700, -990 16.3 l/min # 26229, -000, -700 EcoSmart 9 l/min

NEW

Ceiling connector S 10 cm

27393, -000, -140, -340, -670, -700, -990 (not shown) Ceiling connector \$ 30 cm

27389, -000, -140, -340, -670, -700, -990 (not shown) Shower arm square 38.9 cm # 27694, -000, -140, -340, -670, -700, -990 (not shown)



Rainfinity Side showers



Rainfinity

Shoulder shower 500 1jet with shower shelf # 26243, -000, -700 18.1 l/min



Raindance Rainmaker and Raindance Rainfall

The ultimate enjoyment for your customers

The Raindance Rainmaker and the Raindance Rainfall turn everyday showering into a new experience. The Raindance Rainmaker is installed flush in the ceiling. The classic shower therefore no longer exists, instead there is a room filled with wonderful rain. The spray modes are RainAir, RainAir XL, Whirl and Mix. With its horizontal rain panel, Raindance Rainfall allows greater freedom of movement and offers up to three different spray types for pampered showering: relaxing RainAir, revitalising RainFlow and massaging Whirl.

Raindance Rainmaker: Showering in a new dimension



(1) **RainAir:** Central overhead shower function with AirPower technology.

(2) RainAir XL: Full, soft rain with AirPower technology.



Whirl: Three rotating massage sprays with AirPower technology.

N

Advantages and benefits

- Installed flush in the ceiling
- Full shower rain

Also with integrated lighting

Raindance Rainmaker/Raindance Overhead showers



Raindance Rainmaker Overhead shower 600 3jet with lighting # 26117, -000 25 l/min

Overhead shower 600 3jet without lighting # 26115, -000 25 l/min (not shown) Basic set for overhead shower 600 3jet # 28412180 (not shown)





Raindance Rainmaker

Overhead shower 680/460 3jet with lighting # 28418, -000 24 l/min

Overhead shower 680/460 3jet without lighting # 28417, -000 24 l/min (not shown) Basic set for overhead shower 680/460 3jet # 28414180 (not shown)





Raindance Overhead shower 260/260 1jet

26472, -000 15 I/min # 26481, -000 EcoSmart 9 I/min Basic set for overhead shower 260/260 1jet # 26471180 (not shown)



Overhead and side showers

Raindance Rainfall Overhead showers



Raindance Rainfall Overhead shower 180 2jet # 28433, -000, -400 24 l/min







Raindance Rainfall Overhead shower 150 1jet # 26442, -000 18 l/min





Full flood jet

• For showering pleasure like being under a waterfall





Raindance Rainfall Overhead shower 150 1jet stream # 26443, -000 18 l/min



- Parallel jets of sparkling water right down to the floor
- For showering pleasure like being under a waterfall



Raindance Select E 300 3jet overhead shower



button, three sprays, great fun 1



(1) RainAir: This gentle, relaxing spray consists of large, soft drops.

(2) Rain: A spray that is strong and revitalising and perfect for washing the hair.



RainStream: Twelve jets run parallel down to the floor for a generous shower.

Easy cleaning: Jets can be cleaned effortlessly with the QuickClean function. Spray face can be taken off easily and is even dishwasher safe.

- 3 full spray types in the one overhead shower: gentle RainAir, powerful Rain and effective RainStream
- Simply switch between RainAir and Rain at the touch of a button
- Select button is easily accessible
- Easy cleaning: the metal spray face is dishwasher safe

Raindance Select E Overhead showers



Raindance Select E Overhead shower 300 3jet with shower arm 39 cm # 26468, -000, -400 22 l/min Basic set iBox universal # 01800180 (not shown)





Raindance Select E Overhead shower 300 2jet with shower arm 39 cm # 27385, -000, -400 15 l/min # 26609, -000, -400 EcoSmart 9 l/min Overhead shower 300 2jet with ceiling connector 10 cm # 27384, -000, -400 15 l/min (not shown) # 26608, -000, -400 EcoSmart 9 l/min



Raindance Select S Overhead showers



Raindance Select S Overhead shower 300 2jet with shower arm 39 cm # 27378, -000, -400 17 |/min

Overhead shower 300 2jet with ceiling connector 10 cm # 27337, -000, -400 17 l/min (not shown)





Raindance Select S

Overhead shower 240 2jet with shower arm 39 cm # 26466, -000, -400 17 l/min # 26470, -000, -400 EcoSmart 9 l/min

Overhead shower 240 2jet with ceiling connector 10 cm # 26467, -000, -400 17 I/min (not shown) # 26469, -000 EcoSmart 9 I/min



Raindance E 300 Air 1jet Overhead shower

Square, elegant, stylish



Edge: The decreasing intensity of the jet swathes the body in a gentle rain shower



Middle: Closely positioned jets make it easier to wash out shampoo

Raindance E 300 Air 1jet Overhead shower



Designed with great attention to detail: Overhead shower fits very neatly to the shower arm.



cleaning

RainAir: The improved Air technology creates large, soft drops, saves water while showering, and reduced shower dripping to a minimum.



In one unit: with the flush ceiling version with a spray face of 400 mm x 400 mm, the overhead shower merges beautifully with the ceiling.

- Single sprays adapt perfectly to the silhouette of the body for an optimised spray performance. Highest concentration in the middle for rinsing the hair, decreasing to the outside to keep the body warm
- Several versions available for fitting to the wall and ceiling, and flush-ceiling installation
- To suit any ShowerSelect finish sets and the new Metropol mixers
- Easy to clean: metal spray face is easy to remove
- Also available as EcoSmart with 9 l/min flow rate at 3 bar

Raindance E Overhead showers



Raindance E

Overhead shower 300 1jet with shower arm 39 cm # 26238, -000, -140, -340, -670, -700, -990 19 l/min # 26239, -000 EcoSmart 9 l/min

Overhead shower 300 1jet with ceiling connector 10 cm # 26250, -000, -140, -340, -670, -700, -990 19 l/min (not shown)

26251, -000 EcoSmart 9 l/min





Raindance E

Overhead shower 400/400 1jet # 26252, -000 20 l/min # 26253, -000 EcoSmart 9 l/min

Basic set for overhead shower 400/400 1jet # 26254180 (not shown)





Raindance E

Overhead shower 360 1jet with shower arm 39 cm # 27376, -000 17 l/min

Overhead shower 360 1jet with shower arm 24 cm # 27371, -000 17 I/min (not shown) Overhead shower 360 1jet with ceiling connector 10 cm

27381, -000 16 l/min (not shown)





Raindance E

Overhead shower 240 1jet with shower arm 24 cm # 27370, -000 18 I/min # 27375, -000 EcoSmart 9 I/min Overhead shower 240 1jet with ceiling connector 10 cm # 27380, -000 20 I/min (not shown) # 27383, -000 EcoSmart 9 I/min





Raindance Overhead shower

Like soft summer rain





QuickClean: Remove limescale deposits simply by rubbing the flexible silicone nozzles



Reduced splash with PowderRain: Water belongs on the body, and only on the body. So our developers have made sure that the soft micro-droplets in the PowderRain spray reduce the splash effect when showering by testing and improving it over and over again in our dedicated spray laboratory.

- Enjoy a peaceful experience in a much quieter shower
- Extraordinarily effective at rinsing out shampoo, with significantly more droplets
- Effortless cleaning with QuickClean

NEW

Raindance S Overhead showers



Raindance S

Overhead shower 300 1 jet with shower arm 39 cm # 27493, -000 18 l/min

Overhead shower 300 1jet with shower arm 46 cm # 27492, -000 18 l/min (not shown)

Overhead shower 300 1jet with ceiling connector 10 cm

27494, -000 20 l/min (not shown)





Raindance S Overhead shower 240 1jet with shower arm 39 cm # 27474, -000 18 l/min # 27461, -000 EcoSmart 9 l/min

Overhead shower 240 1jet with ceiling connector 10 cm # 27477, -000 18 I/min (not shown) # 27463, -000 EcoSmart 9 I/min







Raindance Classic Overhead shower 240 1jet with shower arm 39 cm # 27424, -000, -090 19 l/min Overhead shower 240 1jet with ceiling connector 10 cm # 27405, -000, -090 19 l/min (not shown)





NEW

Raindance S

Overhead shower 240 1jet P with shower arm 39 cm # 27607, -000 18 I/min Overhead shower 240 1jet P with ceiling connector 10 cm # 27620, -000 18 I/min (not shown)





(uuu

Raindance S Overhead shower 180 1jet with shower arm 24 cm # 27476, -000 18 l/min # 27462, -000 EcoSmart 9 l/min

Overhead shower 180 1jet with shower arm 39 cm # 27468, -000 18 I/min (not shown) Overhead shower 180 1jet with ceiling connector 10 cm # 27478, -000 18 I/min (not shown) # 27464, -000 EcoSmart 9 I/min





Raindance S Overhead shower 240 1jet P # 27623, -000 18 I/min Shower arm 38.9 cm # 27413, -000, -820 (not shown) Ceiling connector 10 cm # 27479, -000, -820 (not shown)



Croma Select overhead shower

Comfort in top form





Croma Select E 180 2jet

Croma Select S 180 2jet



Rain: flat rain from large, feel-good water drops.



IntenseRain: intensive water spray that activates and refreshes.



User-friendly: A simple touch of the Select button (from below) is all it takes to change the spray type.

N

- New design language with a large spray face of 180 mm diameter
- Available in two finishes: chrome and white/chrome
- Two different rain sprays: flat Rain spray, and refreshing, intensive IntenseRain
- Easy to change the spray types at the touch of a button
- Also available in the EcoSmart version with only 9 l/min
Croma Select E Overhead showers



Croma Select E Overhead shower 180 2jet # 26524, -000, -400 17 l/min # 26528, -000, -400 EcoSmart 9 l/min





Shower arm E 38.9 cm # 27446, -000



Ceiling connector E 10 cm # 27467, -000 Ceiling connector E 30 cm # 27388, -000 (not shown)



Croma Select S Overhead shower 180 2jet # 26522, -000, -400 17 l/min # 26523, -000, -400 EcoSmart 9 l/min





Shower arm 38.9 cm # 27413, -000, -820





Ceiling connector S 10 cm # 27393, -000, -140, -340, -670, -700, -990 Ceiling connector S 30 cm

27389, -000, -140, -340, -670, -700, -990 (not shown)



Croma E Overhead shower NEW

Royally relaxed



Croma E Overhead shower



SoftCube design: all components in one rounded look.



SoftCube design: all components in one AirPower: fuller, lighter and softer droplets for sumptuous showering.

N

- Comfortable and safe showering
- 280 mm width for all-encompassing showering
- Effortless cleaning with QuickClean

- Easy to use with Select technology
- High-end product in modern and attractive design
- Excellent value for money

Croma E Overhead showers



Croma E

Overhead shower 280 1jet # 26257, -000 18.3 1/min # 26258, -000 EcoSmart 9 1/min



Shower arm E 38.9 cm # 27446, -000





Ceiling connector E 10 cm # 27467, -000 Ceiling connector E 30 cm # 27388, -000 (not shown)

Croma Overhead showers



NEW

Croma

Overhead shower 280 1jet # 26220, -000, -140, -340, -670, -700, -990 15 l/min Overhead shower 280 1jet EcoSmart 9 l/min

26221, -000, -140, -340, -670, -700, -990 EcoSmart 9 l/min Shower arm 38.9 cm # 27413, -000, -140, -340, -670, -700, -820, -990

27413, -000, -140, -340, -670, -700, -820, -99 (not shown)

Ceiling connector 10 cm # 27479, -000, -820 (not shown)





Croma

Overhead shower 220 1jet # 26464, -000 19 I/min # 26465, -000 EcoSmart 9 I/min Shower arm 38.9 cm # 27413, -000, -820 (not shown) Ceiling connector 10 cm # 27479, -000, -820 (not shown)





Croma Overhead shower 160 1jet # 27450, -000 17 l/min

Shower arm 23 cm # 27412, -000 (not shown)

Ceiling connector 10 cm # 27479, -000, -820 (not shown)



Croma 100 Overhead showers



Croma 100 Overhead shower Multi # 27443, -000 20 l/min Shower arm 12.8 cm # 27411, -000 (not shown)





Croma 100 Overhead shower Vario # 27441, -000 22 l/min # 28462, -000 EcoSmart 9 l/min Shower arm 12.8 cm

27411, -000 (not shown)



Crometta E/Crometta S Overhead showers



Crometta E Overhead shower 240 1jet # 26726, -000 18 I/min # 26727, -000 EcoSmart 9 I/min Overhead shower 240 1jet LowPressure # 26722, -000

Shower arm E 38.9 cm # 27446, -000 (not shown) Ceiling connector E 10 cm # 27467, -000 (not shown)

Ceiling connector E 30 cm # 27388, -000 (not shown)





Crometta S

Overhead shower 240 1jet # 26723, -000 18 l/min # 26724, -000 EcoSmart 9 l/min Overhead shower 240 1jet LowPressure # 26725, -000

Shower arm 38.9 cm # 27413, -000, -820

Ceiling connector S 10 cm # 27393, -000, -140, -340, -670, -700, -990 (not shown) Ceiling connector S 30 cm

27389, -000, -140, -340, -670, -700, -990 (not shown)





Crometta Overhead showers



Crometta

Overhead shower 160 1jet # 26577, -000, -400 20 l/min # 26578, -000, -400 EcoSmart 9 l/min

Shower arm 23 cm # 27412, -000 (not shown) Ceiling connector 10 cm

27479, -000, -820 (not shown)



Crometta 85 Overhead showers



Crometta 85 Overhead shower Multi # 28425, -000 15 l/min Shower arm 12.8 cm # 27411, -000 (not shown)





Crometta 85 Overhead shower Vario # 28424, -000 18 l/min Shower arm 12.8 cm # 27411, -000 (not shown)





Crometta 85 Overhead shower 1jet # 28423, -000 Green 6 l/min Shower arm 12.8 cm # 27411, -000 (not shown)



Bodyvette Side showers



Bodyvette Body shower 1 jet # 28466, -000 6 l/min Body shower 1 jet stop # 28467, -000 6 l/min



hansgrohe Showerpipes

Selected Showerpipes at a glance

		Cron	netta	Croma			
					NEW		
		Crometta Showerpipe 160 1jet	Crometta E Showerpipe 240 1jet	Croma Showerpipe 220 1jet	Croma E Showerpipe 280 1jet	Croma Select E Showerpipe 180 2jet	
	Shower with thermostat	27264, -400	27271, -000	27185, -000	27630, -000	27256, -400	
	EcoSmart 9 l/min shower with thermostatic mixer	27265, -400	27281, -000	27188, -000	27660, -000	27257, -400	
Versions	Shower with single lever mixer	27266, -400	27284, -000	27222, -000		27258, -400	
	Bath with thermostat		27298, -000	27223, -000	27687, -000	27352, -400	
	Reno bath/shower		27289, -000	27224, -000			
	Overhead shower	Crometta Overhead shower 160 1jet	Crometta E Overhead shower 240 1jet	Croma Overhead shower 220 1jet	Croma E Overhead shower 280 1jet	Croma Select E Overhead shower 180 2jet	
Overhead shower	Size of shower head	160 mm	240 x 240 mm	220 mm	280 mm	180 x 180 mm	
	Spray modes (I/min in the standard version)	Rain 17 l/min	Rain 15 l/min	RainAir 15 l/min	RainAir 15 l/min	Rain 16 l/min IntenseRain 16 l/min	
	Hand shower	Crometta 100 Hand shower Vario	Crometta Hand shower Vario	Croma 100 Hand shower Vario	Croma Select E Hand shower Multi	Croma Select E Hand shower Multi	
Hand shower	Spray modes (I/min in the standard version)	Rain 18 l/min Massage 18 l/min	Rain 14 l/min IntenseRain 14 l/min	Rain 18 l/min Massage 18 l/min	Massage 16 l/min IntenseRain 16 l/min SoftRain 16 l/min	Massage 16 l/min IntenseRain 16 l/min SoftRain 16 l/min	
Features	Thermostat	Ecostat Universal	Ecostat 1001 CL	Ecostat Comfort	Ecostat E	Ecostat Comfort	
	Shower hose	•			•	•	
	Swivel shower arm	-		•	-	•	
	Length of shower arm	350 mm	350 mm	400 mm		400 mm	
	Height of the Showerpipe can be reduced			•			
	Select					•	
Uniques	AirPower			•	•		
	QuickClean		-		-		

		Rainc	lance		Rainfinity	Rainmaker Select
	NEW				NEW	
			e	C		
Croma Select S Showerpipe 280 1jet	Raindance Select S Showerpipe 240 1jet P	Raindance Select S Showerpipe 300 2jet	Raindance E Showerpipe 300 1jet	Raindance Select E Showerpipe 300 3jet	Rainfinity Showerpipe 360 1jet	Rainmaker Select Showerpipe 460 3jet
26790, -000	27633, -XXX	27133, -000, -400	27363, -000, -400	27127, -000, -400	26842, -000, -700	27106, -400
26794, -000			27364, -000, -400			27029, -400
26791, -000						
26792,-000						
26793, -000						
Croma Overhead shower 280 1jet	Raindance S Overhead shower 240 1jet P	Raindance Select S Overhead shower 300 2jet	Raindance E 300 Overhead shower 1jet	Raindance Select E Overhead shower 300 3jet	Rainfinity Overhead shower 360 1jet	Rainmaker Select Overhead shower 460 3jet
280 mm	240 mm	300 mm	300 x 300 mm	300 x 190 mm	360 mm	460 x 300 mm
RainAir 16 l/min	PowderRain 16 l/min	Rain 15 l/min RainAir 15 l/min	RainAir 13 l/min	Rain 16 l/min RainAir 16 l/min RainStream 19 l/min	PowderRain 19.6 l/min	Rain 27 l/min RainStream 27 l/min Mono 27 l/min
Croma Select S Hand shower Multi	Raindance Select S Hand shower 120 3jet P	Raindance Select S Hand shower 120 3jet	Raindance Select S Hand shower 120 3jet	Raindance Select E Hand shower 120 3jet	Rainfinity Hand shower 130 3jet	Raindance Select S Hand shower 120 3jet
Massage 16 l/min IntenseRain 16 l/min SoftRain 16 l/min	Rain 12 l/min Whirl 12 l/min PowderRain 12 l/min	RainAir 15 l/min Rain 15 l/min Whirl 15 l/min	RainAir 15 l/min Rain 15 l/min Whirl 15 l/min	RainAir 15 l/min Rain 15 l/min Whirl 15 l/min	PowderRain 10.6 l/min Intense PowderRain 10.6 l/min MonoRain 10.6 l/min	RainAir 15 l/min Rain 15 l/min Whirl 15 l/min
Ecostat Comfort	Ecostat Comfort	Ecostat Comfort	ShowerTablet 600	ShowerTablet Select 300		ShowerTablet Select 700
•		•	•	•		
•		•	90°		10-30°	
400 mm	460 mm	460 mm	405 mm			450 mm
-		-	•	•		■
•		-	-	-		
			-	•		
		pag	e 85		page 83	page 81

Showerpipes and shower panels

≯

Rainmaker Select 460 3jet Showerpipe

For deluxe showering pleasure



N

- Different versions with different overhead showers for complete showering pleasure in large showers
- Intuitive control concept, pleasure at the touch of a button
- Practical 700 mm wide storage shelf

- Easy to clean thanks to the large, even surfaces
- Easy installation with the thermostat, overhead and hand showers in a single system
- Ideal for modernisations, since it can be fitted to existing wall connections and for large shower areas

Rainmaker Select Showerpipes





Rainmaker Select

Showerpipe 460 3jet with thermostat

- Shower arm length 450 mm
- Rainmaker Select 460 3jet overhead shower
- Raindance Select S 120 3jet hand shower
- ShowerTablet Select 700 Universal thermostatic mixer
- # 27106, -400 27 l/min
- # 27029, -400 EcoSmart 9 l/min



Rainmaker Select

Showerpipe 460 2jet with thermostat

- Shower arm length 450 mm
- Rainmaker Select 460 2jet overhead shower
- Raindance Select S 120 3 jet hand shower
- ShowerTablet Select 700 Universal thermostatic mixer
- # 27109, -400 19 l/min
- # 27028, -400 EcoSmart 9 l/min





Complete indulgence





М

Advantages and benefits

- Completely new archetype of design
- Practical shelves with an attractive design

 Separate concealed control to give your shower a high-end look

Rainfinity Showerpipes



Rainfinity

Showerpipe 360 1jet for concealed installation Rainfinity 360 1jet overhead shower Rainfinity 130 3jet hand shower # 26842, -000, -700 19.6 l/min

Basic set for Showerpipe 360 1jet for concealed installation # 26840180 (not shown)



Raindance Select E 300 3jet Showerpipe

The complete system for all showering needs





- Complete system with overhead shower, hand shower and thermostat
- Intuitive control concept, pleasure at the touch of a button
- Installation possible on existing connections, so ideal solution for bathroom refurbishments with minimal effort
- Six spray modes: three from the overhead shower, three from the hand shower
- Overhead shower including RainStream with twelve parallel jets



Raindance Select E

Showerpipe 300 3jet with ShowerTablet Select 300 Shower arm length 380 mm

- Raindance Select E 300 3jet overhead shower
- Raindance Select E 120 3jet hand shower
- ShowerTablet Select 300 thermostatic mixer
- # 27127, -000, -400 19 l/min





Showerpipe 300 2jet with ShowerTablet Select 300 Shower arm length 380 mm

- Raindance Select E 300 2jet overhead shower
- Raindance Select E 120 3jet hand shower
- ShowerTablet Select 300 thermostatic mixer
- # 27126, -000, -400 16 l/min

27283, -000, -400 EcoSmart 9 l/min



Raindance E

Showerpipe 360 1 jet with ShowerTablet Select 300 Shower arm length 380 mm

- Raindance E 360 1jet overhead shower
- Raindance Select E 120 3jet hand shower
- ShowerTablet Select 300 thermostatic mixer
- # 27288, -000, -400 11 l/min
- # 27287, -000, -400 EcoSmart 9 l/min









Raindance Select E

Showerpipe 300 2jet EcoSmart 9 l/min with thermostat Shower arm length 393 mm • Raindance E 360 1jet overhead shower

- Raindance Select E 120 3jet hand shower
- ShowerTablet Select 300 thermostatic mixer
- # 27282, -000, -400 EcoSmart 9 l/min





Raindance E

Showerpipe 360 1jet with thermostat Shower arm length 380 mm

- Height of the Showerpipe can be reduced Raindance E 360 1jet overhead shower
- Raindance Select E 120 3jet hand shower
- Ecostat Select thermostatic mixer
- # 27112, -000, -400 15 l/min

Showerpipe 360 1jet with bath thermostat # 27113, -000, -400 20 l/min (not shown)





- Rectangular shower with shoulder width rain for full body coverage
- Full showering in the bath
- . Also ideal for renovations

- Overhead shower can be swivelled away for soaping or washing hair
- Off-centre installation possible •



Raindance Select S

Showerpipe 300 2jet with thermostat Shower arm length 460 mm Swivel shower arm

- Raindance Select S 300 2jet overhead shower
- Raindance Select S 120 3jet hand shower
- Ecostat Comfort thermostatic mixer # 27133, -000, -400 15 l/min

Quick



Raindance Select S Showerpipe 240 2jet with thermostat Shower arm length 460 mm Swivel shower arm

- Height of the Showerpipe can be reduced
- Raindance Select S 240 2jet overhead shower
- Raindance Select S 120 3jet hand shower
- Ecostat Comfort thermostatic mixer
 # 27129, -000, -400 15 l/min



У

- Overhead shower can be swivelled away for soaping or washing hair
- Off-centre installation possible



Raindance S

Showerpipe 300 1 jet with thermostat Shower arm length 460 mm Swivel shower arm

- Height of the Showerpipe can be reduced
- Raindance S 300 1jet overhead shower
- Raindance Select S 120 3jet hand shower
- Ecostat Comfort thermostatic mixer
- # 27114, -00016 l/min





- Overhead shower can be swivelled away for soaping or washing hair
- Off-centre installation possible



Raindance S

Showerpipe 240 1 jet with thermostat Shower arm length 460 mm Swivel shower arm

- Height of the Showerpipe can be reduced
- Raindance S 240 1jet overhead shower
- Raindance Select S 120 3jet hand shower
- Ecostat Comfort thermostatic mixer
- # 27115, -000 16 l/min
- # 27116, -000 EcoSmart 9 l/min

Showerpipe 240 1jet with bath thermostat # 27117, -000 17 l/min (not shown)



2

- Overhead shower can be swivelled away for soaping or washing hair
- Off-centre installation possible
- Optimal installation also on side or offset connections

All specified flow rates are based on an operating pressure of 0.3 MPa (3 bar).

Showerpipes and shower panels

Raindance Select Showerpipe

Feeling good





- Safe showering with Ecostat Comfort thermostatic mixer
- XXL Performance for an extra level of showering indulgence
- Riser pipe can be shortened to suit personal needs
- Hand shower has three spray modes: Rain, PowderRain and Whirl
- Convenient operation of the hand shower through Select technology



Raindance Select S

Showerpipe 240 1 jet PowderRain with thermostat Shower arm length 460 mm Swivel shower arm

- Raindance S 240 1jet PowderRain overhead shower
- Raindance Select S 120 3jet PowderRain hand shower
 Ecostat Comfort thermostatic mixer
- # 27633, -000, -140, -340, -670, -700, -990 16 l/min



Raindance E

Showering comfort with clear advantages





- Complete system with overhead shower, hand shower and thermostat
- Unique Showerpipe with riser pipe and thermostat made of glass
- Practical storage surface up to 600 mm long

- Easy to clean thanks to the large, even surfaces
- Can be fitted to existing connections, so ideal for bathroom refurbishments
- Also available in the EcoSmart version with only 9 l/min





Raindance E

Showerpipe 300 1jet with ShowerTablet 600 Shower arm length 390 mm • Raindance E 300 1jet overhead shower

- Raindance Select S 120 3jet hand shower
- ShowerTablet 600 Universal thermostatic mixer
- # 27363, -000 16 l/min
- # 27364, -000 EcoSmart 9 l/min







Raindance E

- Showerpipe 300 1jet with ShowerTablet 350
- Shower arm length 390 mm Raindance E 300 1jet overhead shower
- Raindance Select S 120 3jet hand shower
- ShowerTablet 600 Universal thermostatic mixer
- # 27361, -000 16 l/min
- # 27362, -000 EcoSmart 9 l/min



Croma Select 280 Air 1jet Showerpipe

Set to all-round comfort





N

- Complete system with overhead shower, hand shower and thermostat
- Select technology to change the spray type at the touch of a button
- Can be fitted to existing connections, so ideal for bathroom refurbishments
- Overhead shower swivels, so can be positioned as desired independently of the connections
- 4 spray types: 1 from the overhead shower, 3 from the hand shower
- Also available in the EcoSmart version with only 9 l/min

Croma Select S Showerpipes









Croma Select S

Showerpipe 280 1jet with thermostat Shower arm length 400 mm Swivel shower arm

Height of the Showerpipe can be reduced

- Croma 280 1jet overhead shower
- Croma Select S Multi hand shower Ecostat Comfort thermostatic mixer
- # 26790, -000 16 l/min
- # 26794, -000 EcoSmart 9 l/min
- Showerpipe 280 1jet with bath thermostat # 26792, -000 16 l/min (not shown)



Croma Select S

Showerpipe 280 1jet with single lever mixer Shower arm length 400 mm Swivel shower arm

- Height of the Showerpipe can be reduced
- Croma 280 1jet overhead shower
 Croma Select S Multi hand shower
- # 26791, -000 15 l/min



Croma Select S

Showerpipe 280 1jet Reno Shower arm length 400 mm Swivel shower arm Height of the Showerpipe can be reduced

- Croma 280 1jet overhead shower
 Croma Select S Multi hand shower
- # 26793, -000 10 l/min



Croma Select E Showerpipes





Croma Select E

Showerpipe 180 2jet with thermostat Shower arm length 400 mm Swivel shower arm

- Height of the Showerpipe can be reduced
- Croma Select E 180 2jet overhead shower
- Croma Select E Multi hand shower
- Ecostat Comfort thermostatic mixer
- # 27256, -400 16 l/min
- # 27257, -400 EcoSmart 9 l/min

Showerpipe 180 2jet with bath thermostat # 27352, -400 17 l/min (not shown)



Croma Select E

Showerpipe 180 2jet with single lever mixer Shower arm length 400 mm Swivel shower arm

- Height of the Showerpipe can be reduced
- Croma Select E 180 2jet overhead shower
 Croma Select E Multi hand shower
- # 27258, -400 16 l/min



Croma Select E

- SemiPipe Multi with thermostat
- Croma Select E Multi hand shower
- Ecostat Comfort thermostatic mixer
- # 27248, -400
 - # 27259, -400 EcoSmart 9 l/min



- The bar doubles as a handle for safe showering
- Solid attachment, ideal for hotels

Croma Select S Showerpipes





Croma Select S

Showerpipe 180 2jet with thermostat Shower arm length 400 mm Swivel shower arm

- Height of the Showerpipe can be reduced
- Croma Select S 180 2jet overhead shower
- Croma Select S Multi hand shower
- Ecostat Comfort thermostatic mixer
- # 27253, -400 16 l/min
- # 27254, -400 EcoSmart 9 l/min

Showerpipe 180 2jet with bath thermostat # 27351, -400 17 l/min (not shown)



Croma Select S

Showerpipe 180 2jet with single lever mixer Shower arm length 400 mm Swivel shower arm

- Croma Select S 180 2jet overhead shower
- Croma Select S Multi hand shower
- # 27255, -400 16 l/min



Croma Select S

- SemiPipe Multi with thermostat
- Croma Select S Multi hand shower
- Ecostat Comfort thermostatic mixer
- # 27247, -400
 - # 27249, -400 EcoSmart 9 l/min



N

- The bar doubles as a handle for safe showering
- Solid attachment, ideal for hotels

Croma E Showerpipe NEW

Plenty of room for an indulgent shower

More freedom to move: can be swivelled easily to adjust the angle





Advantages and benefits

- Convenient showering with a stable temperature thanks to the . SafetyStop and CoolContact features
- High-end product in modern and attractive design
- . Excellent value for money

- Easy to clean with QuickClean feature and removable spray disc
- Instantly switch between the overhead shower and hand shower on the bath tub's Showerpipe





SoftCube design: all elements in a

AirPower: fuller, lighter and softer droplets for sumptuous showering

Croma Select E 100 Multi: hand shower with Select technology - choose between

> Rain: perfect for rinsing shampoo out of your hair

IntenseRain: intesive water spray that activates and refreshes

TurboRain: the most powerful of all Rain sprays – for a refreshingly powerful showering experience

easily switch between the hand and overhead shower on the thermostatic mixer

Croma E Showerpipes



Croma E

Showerpipe 280 1jet with thermostat Swivel shower arm • Croma E 280 1jet overhead shower

- Croma Select E Multi hand shower
- Ecostat E thermostatic mixer
 # 27630, -000 15 l/min

27660, -000 EcoSmart 9 l/min

Showerpipe 280 1jet with bath thermostat # 27687, -000 15 l/min (not shown)



Croma Showerpipes



Croma

Showerpipe 220 1 jet with thermostat Shower arm length 400 mm Swivel shower arm

Height of the Showerpipe can be reduced

- Croma 220 1jet overhead shower
- Croma 100 Vario hand shower
- Ecostat Comfort thermostatic mixer
- # 27185, -000 15 l/min
- # 27188, -000 EcoSmart 9 l/min

Showerpipe 220 1jet with bath thermostat # 27223, -000 17 l/min (not shown)





Croma

Showerpipe 220 1jet with single lever mixer Shower arm length 400 mm Swivel shower arm

- Height of the Showerpipe can be reduced
- Croma 220 1 jet overhead shower
- Croma 100 Vario hand shower
- # 27222, -000 16 l/min





Croma

Showerpipe 220 1jet Reno Shower arm length 400 mm

- Swivel shower arm
- Height of the Showerpipe can be reduced
- Croma 220 1 jet overhead shower
- Croma 100 Vario hand shower # 27224, -000 14 l/min



5

- Easy retrofit on existing mixers
- Swivelling overhead shower

- И
- Overhead shower can be swivelled away for soaping or washing hair
- Off-centre installation possible

Croma/Crometta Showerpipes



Croma

Showerpipe 160 1jet with thermostat Shower arm length 270 mm Height of the Showerpipe can be reduced

Croma 160 1jet overhead shower

- Croma 100 Vario hand shower
- Ecostat Comfort thermostatic mixer

27135, -000 17 l/min



Croma

Showerpipe 160 1jet with single lever mixer Shower arm length 270 mm Height of the Showerpipe can be reduced • Croma 160 1jet overhead shower

- Croma 100 Vario hand shower
- # 27154, -000 16 l/min





Crometta

Showerpipe 160 1jet with thermostat

- Shower arm length 350 mm
- Height of the Showerpipe can be reduced
 Crometta 160 1jet overhead shower
- Crometta 100 Vario hand shower
- Ecostat Universal thermostatic mixer
- # 27264, -400 17 l/min
- # 27265, -400 EcoSmart 9 l/min

Showerpipe 160 1jet with single lever mixer # 27266, -400 16 l/min (not shown)



Crometta S Showerpipes



C

Crometta S

Showerpipe 240 1jet with thermostat Shower arm length 350 mm

Height of the Showerpipe can be reduced
Crometta S 240 1jet overhead shower

- Crometta Vario hand shower
- Ecostat 1001 CL thermostatic mixer
- # 27267, -000 16 l/min
- # 27268, -000 EcoSmart 9 l/min

Showerpipe 240 1jet with bath thermostat # 27320, -000 17 l/min (not shown)



Crometta S

Showerpipe 240 1jet with single lever mixer Shower arm length 350 mm Height of the Showerpipe can be reduced Crometta S 240 1jet overhead shower

- Crometta Vario hand shower
- # 27269, -000 15 l/min







Crometta S

Showerpipe 240 1jet EcoSmart 9 l/min Reno Shower arm length 350 mm

Height of the Showerpipe can be reduced • Crometta S 240 1jet overhead shower

- Crometta Vario hand shower





Crometta E Showerpipes



Crometta E

Showerpipe 240 1jet with thermostat Shower arm length 350 mm

Height of the Showerpipe can be reduced
Crometta E 240 1jet overhead shower

- Crometta Vario hand shower
- Ecostat 1001 CL thermostatic mixer
- # 27271, -000 15 l/min
- # 27281, -000 EcoSmart 9 l/min

Showerpipe 240 1jet with bath thermostat # 27298, -000 17 l/min (not shown)





Showerpipe 240 1jet with single lever mixer

- Shower arm length 350 mm Height of the Showerpipe can be reduced Crometta E 240 1jet overhead shower
- Crometta Vario hand shower
- # 27284, -000 13 l/min







Crometta E

Showerpipe 240 1jet EcoSmart 9 l/min Reno Shower arm length 350 mm

Height of the Showerpipe can be reduced • Crometta E 240 1jet overhead shower

- Crometta Vario hand shower

27289, -000 EcoSmart 9 l/min



hansgrohe Showerpanel

Made to convince customers on all fronts

Overhead, hand and side showers, | various spray types and refreshing all-body massages from the side showers: A hansgrohe | uncomplicated installation: Simply retrofit on | equipped for shower pleasure in seconds.

The fun finds its perfect complement in the

Showerpanel provides water fun all the way. | the existing connections - wall installations are not necessary. The bathroom will therefore be



- Combines overhead, hand, and/or side showers in a single system
- Water fun from all sides •
- . Up to six side showers
- Various spray types for individual showering enjoyment
- Straightforward installation with no need to integrate in the wall
- Some versions are height adjustable to suit all body sizes
- Easy to retrofit on existing connections

Raindance Showerpanel

CESSIFFICED 200 mm



Raindance

Shower panel Lift 180 2jet for exposed installation # 27008, -000, -400 17 l/min # 27003, -400 EcoSmart 9 l/min



hansgrohe Exposed thermostats

Selected exposed thermostatic mixers at a glance

			Ecostat		Ecostat E
		277	2	NEW	NEW
		Ecostat Bath thermostat 1001 CL	Ecostat Bath thermostat Universal	Ecostat Bath thermostat Comfort	Ecostat E Bath thermostat
Versions	Standard	13201, -000	13123, -000	13114, -000, -140, -340, -670, -700, -990	15774, -000
	Bath filler flow rate (I/min in the standard version)	20 l/min	20 l/min	23 l/min	18.6 l/min
	Scald protection at 40°C				
Features	Adjustable temperature limit				•
	EcoStop button				•
	Consumer control	Turn	Turn	Turn	Turn
	Shelf				
	Concealed connection for an additional user				
	Select				
Uniques	CoolContact				•
				1	
		a	20	NEW	NEW
		Ecostat Shower thermostat 1001 CL	Ecostat Shower thermostat Universal	NEW NEW Ecostat Shower thermostat Comfort	Ecostat E Shower thermostat
Versions	Standard			Ecostat	Ecostat E
Versions	Standard Scald protection at 40°C	Shower thermostat 1001 CL	Shower thermostat Universal	Ecostat Shower thermostat Comfort 13116, -000, -140, -340,	Ecostat E Shower thermostat
Versions		Shower thermostat 1001 CL 13211, -000	Shower thermostat Universal 13122, -000	Ecostat Shower thermostat Comfort 13116,-000,-140,-340, -670,-700,-990	Ecostat E Shower thermostat 15773, -000
Versions	Scald protection at 40°C	Shower thermostat 1001 CL 13211, -000	Shower thermostat Universal 13122, -000	Ecostat Shower thermostat Comfort 13116,-000,-140,-340, -670,-700,-990	Ecostat E Shower thermostat 15773, -000
Versions Features	Scald protection at 40°C Adjustable temperature limit	Shower thermostat 1001 CL 13211, -000	Shower thermostat Universal 13122, -000	Ecostat Shower thermostat Comfort 13116, -000, -140, -340, -670, -700, -990	Ecostat E Shower thermostat 15773, -000
	Scald protection at 40°C Adjustable temperature limit EcoStop button	Shower thermostat 1001 CL 13211, -000	Shower thermostat Universal 13122, -000	Ecostat Shower thermostat Comfort 13116, -000, -140, -340, -670, -700, -990	Ecostat E Shower thermostat 15773, -000
	Scald protection at 40°C Adjustable temperature limit EcoStop button Consumer control	Shower thermostat 1001 CL 13211, -000	Shower thermostat Universal 13122, -000	Ecostat Shower thermostat Comfort 13116, -000, -140, -340, -670, -700, -990	Ecostat E Shower thermostat 15773, -000
	Scald protection at 40°C Adjustable temperature limit EcoStop button Consumer control Shelf Concealed connection for an	Shower thermostat 1001 CL 13211, -000	Shower thermostat Universal 13122, -000	Ecostat Shower thermostat Comfort 13116, -000, -140, -340, -670, -700, -990	Ecostat E Shower thermostat 15773, -000

Ecostat Select	Show	erTablet	ShowerTablet Select		
	00	00	100		
Ecostat Select Bath thermostat	ShowerTablet Bath thermostat 350	ShowerTablet Bath thermostat 600	ShowerTablet Select Bath thermostat 300	ShowerTablet Select Bath thermostat 700	
13141, -000, -400	13107, -000, -400	13109, -000, -400	13151, -000, -400	13183, -000, -400	
20 l/min	20 l/min	20 l/min	20 l/min	20 l/min	
•	•	•	•	•	
Turn	Turn	Turn	Select ■	Select	
•	•		•	•	
	- 22	- 00			
Ecostat Select Shower thermostat	ShowerTablet Shower thermostat 350	ShowerTablet Thermostat 600 Universal	ShowerTablet Select Shower thermostat 300	ShowerTablet Select Thermostat 700 Universal	
13161, -000, -400	13102, -000, -400	13108, -000, -400	13171, -000, -400	13184, -000, -400	
		•			
		•		•	
— Turn	Turn	Turn	Select	Select	
	•	•	•	•	
		•		•	
_	_	_	-	-	
	•				
page 111	paţ	ge 109	page 109		

Exposed thermostatic mixers and concealed pre-fab sets

ShowerTablet Select

Select SELECT

More space for enjoyment





Generous: 700 mm wide shelf made of safety glass for more storage space.



Flexible: The ShowerTablet Select 700 is also available as a bath version.



Lots of variations: also available as a pure exposed thermostat ShowerTablet Select 300 in a width of 300 mm for shower and bath.

N

- Exposed thermostat that controls a single-spray overhead shower via concealed installation (G¹/₂)
- Optical highlight that also blends harmoniously with large showers
- Functions change easily at the touch of a button, symbols easy to understand
- All Select elements can be reached easily from the front
- More than one function can be selected at the same time



Intuitive: Thanks to the Select button and temperature control, control is intuitive and easy from the front.



User-friendly: The desired temperature can be set precisely with the handy turn control.



Easy to use: When switched on, the control button is raised – so the active function can be identified at a glance.



Clear: Easy to understand, abrasion-resistant symbols make control easier.



Safe: The insulated body with rounded corners protects against heat and knocks.



Attractive: The unique design makes the ShowerTablet Select 300 an eye-catcher in the bathroom.



Practical: The level surface is made of glass and offers plenty of space for toiletries.



Easy cleaning: The housing is sealed to keep dirt out, and the smooth surface is easy to clean.

- The active function can be recognised immediately by the raised control button
- Level surface up to 700 mm wide made of safety glass with space for shower utensils
- Easy to clean: thanks to the smooth glass surface that is resistant to chemical cleaning agents

ShowerTablet 350

Rethinking convenience and design



Shower thermostat



Generous: shelf up to 600 mm wide made of safety glass for more storage space.



Practical: the ShowerTablet is a exposed thermostat that controls the overhead shower by means of a concealed installation.



Flexible: also available as a bath version.

- High-quality surface made of shatterproof safety glass reflects quality
- Shelf made of strong, solid material resistant to scratching
- Matching the new Raindance E overhead showers in looks and technology
- Easy to combine with any overhead shower in chrome and white/chrome
- Practical 600 mm wide storage shelf
ShowerTablet Select/ShowerTablet Thermostatic bath mixers



ShowerTablet Select Bath thermostat 700 for exposed installation # 13183, -000, -400





ShowerTablet Select Bath thermostat 300 for exposed installation # 13151, -000, -400





ShowerTablet Bath thermostat 600 for exposed installation # 13109, -000, -400







ShowerTablet Bath thermostat 350 for exposed installation # 13107, -000, -400



ShowerTablet Select/ShowerTablet Thermostatic shower mixers



reddet award 2015







ShowerTablet Select Thermostat 700 universal for exposed installation for 2 functions # 13184, -000, -400





0.0









Thermostat 600 universal for exposed installation for 2 functions # 13108, -000, -400

Basic set for ShowerTablet thermostat 600 universal for exposed installation for 2 functions # 13129180









Ecostat E NEW

Safe showering for all ages





Ecostat E Shower thermostat



CoolContact: cools the thermostatic mixer's housing for comfortable and safe showering.



SafetyStop: prevents accidental temperature settings exceeding 40°C.

N

- Comfortable and safe showering with CoolContact
- High-end product in modern and attractive design
- Excellent value for money

NEW

Ecostat Thermostatic bath mixers



Ecostat Select Bath thermostat for exposed installation # 13141, -000, -400





Ecostat Bath thermostat universal for exposed installation # 13123, -000





Bath thermostat for exposed installation

Ecostat Bath thermostat 1001 CL for exposed installation # 13201, -000



Ecostat E

15774, -000

Ecostat Thermostatic shower mixers



Ecostat Select Shower thermostat for exposed installation # 13161, -000, -400





Ecostat Shower thermostat universal for exposed installation # 13122, -000



Ecostat E Shower thermostat for exposed installation # 15773, -000





Ecostat Shower thermostat 1001 CL for exposed installation # 13211, -000



Ecostat Bath thermostat Comfort for exposed installation # 13114, -000, -140, -340, -670, -700, -990





Ecostat Bath thermostat Comfort Care for exposed installation with extra long handles # 13115, -000





Ecostat Shower thermostat Comfort for exposed installation # 13116, -000, -140, -340, -670, -700, -990





Ecostat Shower thermostat Comfort Care for exposed installation with extra long handles # 13117, -000

Raindance Shower systems



Croma Shower systems



Crometta Shower systems



N

Advantages and benefits

- Two products combined in one
- Matched in looks and function
- Less expensive than purchasing separately

- Easy order process
- Easy to store

Exposed thermostatic mixers and concealed pre-fab sets



Ecostat Under-basin thermostat for exposed installation # 15346, -000



A Rest

- Easy to connect to existing valves, e.g. under the basin
- Provides a constant temperature and consistent flow even with fluctuating cold water pressure
- Safety e.g. in nursery schools, hospitals or hotels
- Safe for thermal disinfection

hansgrohe Concealed finish sets

Selected concealed pre-fab sets at a glance

		Ecostat S	Ecostat E	Ecostat Square	ShowerSelect S
		NEW	e e	NEW	NEW
Versions	Surface glass				
VEISIONS	Variants incl. shower support				
	Thermostat solution for 1 function	15757, -000	15707, -000	15712, -000	15744, -000
	Thermostat solution for 2 functions	15758, -000, -140, -340, -670, -700, -990	15708, -000	15714, -000, -140, -340, -670, -700, -990	15743, -000, -140, -340, -670, -700, -990
Thermostat	Thermostat solution for 3 functions				15745, -000 + 15741, -000
	Thermostat solution for 4 functions				15745, -000 + 15742, -000
	Thermostat solution for 5 functions				
Mixer	Mixer solution for 1 function				1 <i>5747,</i> -000
	Mixer solution for 2 functions				15748, -000
	Scald protection at 40°C				
	Adjustable temperature limit		•	•	-
Features	Consumer control	Turn	Turn	Turn	Select
	Based on iBox universal				
For the entire	range, turn to	page 134	page 133	page 133	page 131

ShowerSelect	ShowerSelect Glass	RainSelect		PuraVida
NEW		NEW		
•		•		
15762, -000	15737, -400, -600			15775, -000, -400
1 <i>57</i> 63, -000, -140, -340, -670, -700, -990	15738, -400, -600	15355, -000, -400, -600	15380, -000, -140, -340, -670, -700, -990	15771, -000, -400
15764, -000 + 15760, -000	15736, -400, -600 + 15734, -400, -600	15356, -000, -400, -600	15381, -000, -700	15777, -000, -400
15764, -000 + 15761, -000	15736, -400, -600 + 15735, -400, -600	15357, -000, -400, -600	15382, -000, -140, -340, -670, -700, -990	
		15358, -000, -400, -600	15384, -000, -700	
15767, -000				
15768, -000				
				•
•	•	•		-
Select	Select	Select	Select	Turn
page 130	page 129	pag	page 133	

Price

RainSelect



Elegant new look



The RainSelect thermostatic mixer's shape adds modern elegance to the bathroom. The new slim design enables easy wall installation to mainstain an impressively

delicate look and feel. This installation advancement allows for completely new design options, particularly in the matte white finish. Shower control has never been more

seamless with up to five functions to control the innovative and intuitive Select technology.



RainSelect

Thermostat for 4 functions



- Range of options available, including shower version with up to 5 functions and a bath bersion with 2 functions
- Convenient: Select technology with large, soft-click buttons make it easy for anyone to operate
- Design: Sleek, linear, rectangular design is ideal for large showers, utilsing the space well
- Durable: Icons on the select buttons are wear-resistant thanks to clever finshing

RainSelect Thermostats



RainSelect

Thermostat for concealed installation for 2 functions # 15380, -000, -140, -340, -670, -700, -990 Basic set for 2 functions

15310180 (not shown)





RainSelect

Thermostat for concealed installation for 3 functions # 15381, -000, -700 Basic set for 3 functions





RainSelect

Thermostat for concealed installation for 4 functions # 15382, -000, -140, -340, -670, -700, -990 Basic set for 4 functions

15312180



NEW

RainSelect

Thermostat for concealed installation for 5 functions # 15384, -000, -700 Basic set for 5 functions # 15313180



RainSelect

Change over to elegance



The shape of the RainSelect creates an unknown elegance in the bathroom. The new installation method facilitates thin attachments to the wall, and delights with its filigree, relief-

like appeal. This opens up a whole variety of new design options. However, the RainSelect also has much to offer in the way of functionality: It allows up to 5 functions to use the innovative and intuitive Select technology. Furthermore, a holder is integrated for the hand shower.







Version in chrome with metal buttons



Black/chrome or white/chrome design with glass buttons

Basic set for 5 functions



RainSelect is available in 3 different versions to suit any desired design.

- Individual: water volume control offers personal settings, above all for closebody showering with the hand shower
- Cleaning: easy thanks to the separate shut-off function
- Tidy looks: on the wall for a timeless bathroom ambience in the shower area
- Reliable planning: only a single object needs to be planned
- Universal application: suits any Rainmaker Select or other existing multi-spray overhead shower

Control for greater showering pleasure



Touch of button: thanks to Select, choosing a function is as easy as using a light switch.



Button size: large button (70 mm x 70 mm) with clearly legible lettering.



Temperature setting: clear symbols and distinct hot/ cold display for easy use.



SafetyStop function: prevents accidental temperature settings exceeding 40°C.



Volume control: precise control of the flow amount, which helps to save water.



Cleaning: switches off quickly to make cleaning easier for the users.



FixFit holder: free choice of hand shower and hose.



Thickness: narrow 90 mm band with a metal frame and low installation height of 16.5 mm.

RainSelect Thermostats





RainSelect Thermostat for concealed installation for 2 functions with integrated shower holder # 15355, -000, -400, -600

Basic set for 2 functions # 15310180 (not shown)







RainSelect Thermostat for concealed installation for 3 functions with integrated shower holder

15356, -000, -400, -600 Basic set for 3 functions # 15311180 (not shown)







RainSelect

Thermostat for concealed installation for 4 functions with integrated shower holder # 15357, -000, -400, -600

Basic set for 4 functions # 15312180 (not shown)







RainSelect

Thermostat for concealed installation for 5 functions with integrated shower holder # 15358, -000, -400, -600

T T . O-N

Basic set for 5 functions # 15313180 (not shown)

-





Thermostat for concealed installation for 2 functions bath tub # 15359, -000, -400, -600

Basic set for 2 functions bath tub # 15314180 (not shown)





hansgrohe concealed finish sets based on the iBox universal

Concealed installation overview of functions





ShowerSelect Thermostat



ShowerSelect Thermostat for concealed installation for 1 function # 15762, -000

ShowerSelect Glass Thermostat for concealed installation for 1 function # 15737, -400, -600

1 function



ShowerSelect Thermostat



ShowerSelect S Thermostat for concealed installation for 1 function # 15744, -000

ShowerSelect Mixer



ShowerSelect Mixer for concealed installation for 1 function # 15767, -000

Ecostat Thermostat



Ecostat Square Thermostat for concealed installation for 1 function # 15712, -000



Ecostat E Thermostat for concealed installation for 1 function # 15707, -000 ShowerSelect Mixer



ShowerSelect S Mixer for concealed installation for 1 function # 15747, -000

Ecostat Thermostat



Ecostat S Thermostat for concealed installation for 1 function # 15757, -000 You will be able to satisfy any of your customers' requirements – and help them keep to their budgets – with hansgrohe's complete concealed range for between one and four functions. The choice starts with the operation: are the showers and spray types to be controlled conventionally by turning, or with complete ease at the touch of a button? Your customers also have complete freedom of design: the ShowerSelect is now also available

2 functions

in a round design and as a mixer. Ecostat thermostats are available as a circle, and now also as a square with rounded corners. Plenty of options for attractive installations that blend beautifully with the bathroom.



ShowerSelect Thermostat



ShowerSelect Thermostat for concealed installation for 2 functions # 15763, -000, -140, -340, -670, -700, -990

ShowerSelect Glass Thermostat for concealed installation for 2 functions # 15738, -400, -600



ShowerSelect Thermostat for concealed installation for 2 functions with hose connection and shower holder # 15765, -000



ShowerSelect Thermostat

S TI fc

ShowerSelect S Thermostat for concealed installation for 2 functions # 15743, -000

ShowerSelect Mixer



ShowerSelect S Mixer for concealed installation for 2 functions # 15748, -000

ShowerSelect Mixer



ShowerSelect Mixer for concealed installation for 2 functions # 15768, -000

Ecostat Thermostat



Ecostat Square Thermostat for concealed installation for 2 functions # 15714, -000, -140, -340, -670, -700, -990



Ecostat E Thermostat for concealed installation for 2 functions # 15708, -000

Ecostat Thermostat



Ecostat S Thermostat for concealed installation for 2 functions # 15758, -000



3 functions



ShowerSelect



ShowerSelect Valve for concealed installation for 3 functions # 15764, -000

ShowerSelect Glass Valve for concealed installation for 3 functions # 15736, -400, -600



ShowerSelect Thermostat HighFlow for concealed installation # 15760, -000

ShowerSelect Glass Thermostat HighFlow for concealed installation # 15734, -400, -600

Ecostat Thermostat



PuraVida Shut-off/diverter valve iControl for concealed installation

for 3 functions # 15777, -000



Ecostat E Thermostat HighFlow for concealed installation # 15706, -000 Ecostat E

Thermostat for concealed installation # 15705, -000

ShowerSelect



ShowerSelect S Valve for concealed installation for 3 functions # 15745, -000



ShowerSelect S Thermostat HighFlow for concealed installation # 15741, -000

Ecostat Thermostat



Shut-off/diverter valve S Trio/Quattro for concealed installation # 15932, -000



Ecostat S Thermostat HighFlow for concealed installation # 15756, -000

Ecostat S Thermostat for concealed installation # 15755, -000



Shut-off valve S for concealed installation # 15972, -000



4 functions



ShowerSelect



ShowerSelect Valve for concealed installation for 3 functions # 15764, -000

ShowerSelect Glass Valve for concealed installation for 3 functions # 15736, -400, -600



ShowerSelect Thermostat HighFlow for concealed installation for 1 function and additional outlet # 15761, -000

ShowerSelect Glass

Thermostat HighFlow for concealed installation for 1 function and additional outlet # 15735, -400, -600

Ecostat Thermostat



PuraVida Shut-off/diverter valve iControl for concealed installation for 3 functions # 15777, -000

Ecostat E



Thermostat HighFlow for concealed installation # 15706, -000 Ecostat E Thermostat for concealed installation # 15705, -000



PuraVida Shut-off valve for concealed installation # 15978, -000, -400

ShowerSelect



ShowerSelect S Valve for concealed installation for 3 functions # 15745, -000



ShowerSelect S Thermostat HighFlow

for concealed installation for 1 function and additional outlet # 15742, -000

Ecostat Thermostat



Shut-off/diverter valve S Trio/Quattro for concealed installation # 15932, -000



Shut-off valve S for concealed installation # 15972, -000



Ecostat S Thermostat HighFlow for concealed installation # 15756, -000



Shut-off valve S for concealed installation # 15972, -000

ShowerSelect Concealed finish sets

Operation in all its tremendous variety



ShowerSelect ShowerSelect S Thermostat for 2 functions Mixer for 2 functions Escutcheon size 155 mm x 155 mm Escutcheon diameter 150 mm Three different attractive finishes: Solutions available for chrome, white glass and black glass one or two function/s Solutions available for 1-4 functions honsgrohe honsgrohe Two designs for every taste and bathroom Easy to operate thanks to intuitive Select technology Clearly legible temperature setting promotes easy and intuitive use Comfortable handle - for easy operation

- Constant water temperature even with fluctuating water pressure
- Temperature limited at 40°C, a higher temperature can be set by touching the button on the underside of the handle
- Safe for thermal disinfection
- Plastic escutcheon and metal handle
- N

- Individual choice: 2 different technologies – thermostat or mixer
- Convenient: easy operation thanks to various button combinations for any showering situation
- Button durability: permanently abrasionproof printing
- Savings: thanks to the recommended operating pressure of the Select valves of 0.1 to 0.5 MPa max. 1 MPa
- Design: available square or round for any taste, style or shower type

- For pipes with stable water pressure
- Unique product: Mixer technology with a new handle design, so it can be used with any mixer and shower line
- Easy temperature adjustment
- The depth of the metal handle does not depend on the installation depth of the iBox universal
- Fluctuating water pressures are no problem for the high quality hansgrohe cartridges

ShowerSelect Thermostat with FixFit and Porter



Control the shower with ease



Thermostat with FixFit and Porter Escutcheon size 155 mm x 188 mm



- Tidy looks on the wall for a timeless bathroom ambience in the shower area
- High planning reliability: installation based on the iBox universal
- Minimum effort: no need to drill a separate FixFit and holder

Lots of advantages – lots of benefits



The ShowerSelect finish set for 2 functions received not only the "Design Plus Award" and the "iF Award 2014", but also the award of the ZVSHK, the German Central Association Plumbing, Heating and Air Conditioning, for excellent design for users with restricted mobility.



Intuitive: Easy-to-use Select buttons for intuitive, comfortable control – even for those with restricted mobility.



Clear: Easy to understand, abrasion-resistant symbols make control easier.



Easy to use: Can be controlled using an elbow or fist thanks to the button extension that is included in the box. Installing the optional button extension makes use possible with some restricted freedom of movement.



User-friendly: The desired temperature can be set precisely with the user-friendly handle.



Easy cleaning: The flush-fit buttons leave a flat surface that is easy to clean.



Attractive: The rectangular shape blends perfectly with a tiled bathroom and will also go in many modern bathroom designs.



Economical: The easy-to-push button encourages the user to switch the water off frequently, which helps to save water.



User-friendly: The functions can all be used at the same time - for even greater shower pleasure.

N



- Showering pleasure: high level of comfort by simultaneously setting several functions
- Design options: 3 finishes: chrome, white glass and black glass – attractive to new target groups
- Savings: functions can be switched off easily and quickly to save water
- Easy to use: fast, inexpensive renovations possible by simply replacing the existing finish sets

ShowerSelect Glass Thermostats



ShowerSelect Glass Thermostat for concealed installation for 1 function # 15737, -400, -600





ShowerSelect Glass Thermostat for concealed installation for 2 functions # 15738, -400, -600





ShowerSelect Glass Thermostat HighFlow for concealed installation # 15734, -400, -600





ShowerSelect Glass Thermostat HighFlow for concealed installation for 1 function and additional outlet # 15735, -400, -600





ShowerSelect Glass Valve for concealed installation for 3 functions # 15736, -400, -600

rd 2015





Basic set iBox universal # 01800180

N

- Elegant glass surface as a visual highlight
- Flush-fit buttons in the same glass blend seamlessly with the finish set
- The print on the buttons is permanent and will not rub off
- Suitable button combination already in place, special solutions available on request.
- Perfect interplay between the glass surface and shower partitions, mirrors and windows plus the new Rainmaker Select overhead showers for optimum integration in the bathroom
- Select technology for easy control at the touch of a button
- Easy installation based on the iBox universal
- Matches coloured push plates and designer wall-hung WCs



White and black glass: modern, stylish, high-end and elegant - a visual highlight in the bathroom that can be perfectly matched with chrome products and goes well with many furnishings.

ShowerSelect Thermostats



ShowerSelect Thermostat for concealed installation for 1 function # 15762, -000





ShowerSelect Thermostat for concealed installation for 2 functions # 15763, -000, -140, -340, -670, -700, -990





ShowerSelect

Thermostat for concealed installation for 2 functions with hose connection and shower holder # 15765, -000





ShowerSelect Valve for concealed installation for 3 functions # 15764,-000







ShowerSelect Thermostat HighFlow for concealed installation # 15760, -000





DESIGN PLUS mile ISH нı

ShowerSelect Thermostat HighFlow for concealed installation for 1 function and additional outlet





ShowerSelect Mixer for concealed installation for 1 function # 15767, -000





ShowerSelect Mixer for concealed installation for 2 functions # 15768, -000





Basic set iBox universal # 01800180



ShowerSelect S Thermostats



ShowerSelect S Thermostat for concealed installation for 1 function # 15744, -000





ShowerSelect S Thermostat for concealed installation for 2 functions # 15743, -000, -140, -340, -670, -700, -990

NEU





ShowerSelect S Valve for concealed installation for 3 functions # 15745, -000



ShowerSelect S Thermostat HighFlow for concealed installation # 15741, -000





ShowerSelect S Thermostat HighFlow for concealed installation for 1 function and additional outlet # 15742, -000





ShowerSelect S Mixer for concealed installation for 1 function # 15747, -000





ShowerSelect S Mixer for concealed installation for 2 functions # 15748, -000





Basic set iBox universal # 01800180

Ecostat concealed finish sets

Established technology in a new design



Ecostat Square: Thermostat in a square design with rounded corners.



Easy to use: Unique identification of the functions makes handling easier.



Clear: Larger print for even easier legibility - and intuitive use.

Gar

Ecostat S: Thermostat in a round design.



Safe: Ergonomic handles fit perfectly in the hand, and are also easy to use with soapy hands.

N

- Convenient: easy to operate by turning the handle to choose between hand and overhead shower and to control the amount of water
- Safe and easy control thanks to sizeoptimised handles
- Design options: 3 design options to suit any bathroom and spray form
- User friendly: thanks to the precise control of the water temperature
- Pleasant: constant water temperature thanks to thermostat technology

Ecostat Square Thermostats



Ecostat Square Thermostat for concealed installation for 1 function # 15712, -000





Ecostat Square Thermostat for concealed installation for 2 functions # 15714, -000, -140, -340, -670, -700, -990





Basic set iBox universal # 01800180

PuraVida/Ecostat E Thermostats



PuraVida Thermostat for concealed installation with shut-off valve # 15775, -000, -400





PuraVida Thermostat for concealed installation with shut-off/diverter valve # 15771, -000, -400





Basic set iBox universal # 01800180



Ecostat E Thermostat for concealed installation for 1 function # 15707, -000





Ecostat E Thermostat for concealed installation for 2 functions # 15708, -000





Ecostat E Thermostat HighFlow for concealed installation # 15706, -000



Ecostat S Thermostats



Ecostat S Thermostat for concealed installation for 1 function # 15757, -000



Ecostat S Thermostat for concealed installation for 2 functions # 15758, -000, -140, -340, -670, -700, -990





Ecostat S Thermostat for concealed installation # 15755, -000 Thermostat HighFlow for concealed installation # 15756, -000



Basic set iBox universal # 01800180

Shut-off and diverter valves



PuraVida Shut-off/diverter valve iControl for concealed installation for 3 functions # 15777, -000





Basic set iBox universal # 01800180



Shut-off/diverter valve S Trio/Quattro for concealed installation # 15932, -000



Shut-off valves



PuraVida Shut-off valve for concealed installation # 15978, -000, -400





Metris Shut-off valve E for concealed installation # 31677, -000





()

Shut-off valve S for concealed installation # 15972, -000 Exposed thermostatic mixers and concealed pre-fab sets



Logis Shut-off valve for concealed installation # 71970, -000



(they

Logis Classic Shut-off valve for concealed installation # 71976, -000



SHOWER PLANNING, ASSEMBLY AND INSTALLATION

1

ALL Y

Information on exposed and concealed installations and exposed and concealed solutions for 1 to 5 functions

Installation information

Installation options for any bathroom desire

Each bathroom has its own needs there is a suitable installation option for every single one. The iBox universal is a multipurpose product for concealed solutions. It | control as a pre-fab set in the five new |

disappears into the wall as tap technology and can be combined with all standard and thermostatic mixer solutions. The RainSelect

FinishPlus surface finishes and the practical sBox hose coiling system for the bath tub are all new. You will find examples of the various installation types from page 148 onwards.



RainSelect: The new finish set combines exclusive technology in a single object.



iBox universal: The multi-talent is the perfect concealed solution. The mixer technology is hidden away behind the wall.



sBox Tub: Practical hose coiling system for a tidy look and more convenience.



Exposed/concealed installation for the shower: Options for exposed or concealed shower installation in many individual designs.



Showerpipes: Can be fitted to existing wall connections, which makes it ideal for modernising large shower areas.



Exposed/concealed installation bath: Flexible options for exposed or concealed installation on the bath.



RainSelect

Basic installation for the new type of shower control

RainSelect is the shower control solution for the exclusive bathroom interior. A range of attachment options facilitate installation in the most diverse shower and bath areas. The thermostat is attached to the usual standard connections, and can be combined with Rainmaker Select and any existing single or multi-spray overhead shower. The integration of thermostat, shower holder, hose connection and control of up to five functions including volume control in a neat object makes planning safe and easy. The basic set is easy to install, and is also used as a template for installation.



All basic sets are attached to G³/₄ standard connections.

Dimension drawing of basic set.

Installation options for the RainSelect basic set





Installation directly on the wall



Installation in front of the wall; here with variable spacers on hanger bolts M 10



Installation on carrier system

iBox universal

The universal basis for all concealed installation solutions

With the iBox universal, the mixer | technology is concealed in the wall. This not only looks good, but also creates more space and thus greater shower pleasure. Another | shower system. As the basic set for any

advantage is the flexibility of the system and | design. The iBox universal may be installed before the decision has been made for a

hansgrohe standard and thermostatic solutions, it is easy to change or upgrade at any time.



Concealed installation: The basic set disappears completely into the wall. Mixers and shower finish sets from various ranges can be fitted to it.



Over the long term: The basic set is retained when the bathroom is refurbished. The functions block and finish set can then be easily replaced.

Shower planning



iBox universal #01800180

iBox universal: one for all



N

Advantages and benefits

- One basic set for 19 function solutions
- Suitable for over 200 hansgrohe and AXOR finish sets
- Pre-installation enhances decision making flexibility for mixers
- An attractive bathroom, as bulky technology is out of sight behind the wall
- Greater freedom of movement when showering
- Easy to replace with new mixers or finish set designs when renovating
- Concealed installation solutions tried and tested millions of times

Advantages and benefits specifically for project activities

- The iBox universal offers a high level of flexibility and lots of design options
- The iBox is suitable for use in private or public facilities and complies with all the main international standards
- One basic set for all solutions, simplifying project planning
- Covers any solution with up to 4 functions

iBox universal: the all-rounder with many strengths



Rotation-symmetrical installation

- Symmetrical construction; all the connections are the same
- It is important that cold water is connected on the right and hot water on the left
- The lower outlet has priority for bath mixersEither the upper or lower outlet can be

connected for shower mixers



Safe and economical

- Basic set includes only the connection block
- The valuable functions block is supplied later and mounted with the finish set
- Prevents problems like theft, dirt and frost damage occuring during the building phase and expensive warehousing becomes unnecessary



Many installation types

- Coordinated with to all the standard installation systems, connection types and mixers
- Patented flexible adjustment ring
- Attachment options on 2 levels and G³/₄ connections for universal installation possibilities
- Also suitable for stronger wall constructions and dry wall installations as well as for prefabricated houses



Perfect moisture protection

 Sealing sleeves on all 4 connections, sealing sleeve under the tiles and the carrier escutcheon that seals against splashes perfectly protect the masonry against moisture on all sides



Integrated safety combination

 Used in conjunction with Exafill baths with an outflow and overflow mixer, it eliminates the need for an external pipe breaker on concealed installation single lever bath mixers: lower installation costs and fewer functional parts in the wall



Solutions for walls that are very deep or very shallow

- If the iBox universal is too deep in the wall, the basic set extension is inserted between the connection and functions block
- The extension set provides safety right up to the wall and perfectly protects the masonry against moisture
- The standard body of the iBox universal has become flatter and is therefore even more suitable for walls with shallow installation depths



Low noise levels

- Brass bodies on seals ensure that the noise of water-bearing parts is transferred to the masonry
- The carrier escutcheon is screwed to the housing of the iBox universal and not to the functions block, which means that the noise cannot be transmitted to the tiles



Easy rinsing

 Flush block included and can be mounted in various different positions. This means that pipes can be flushed through to the end just in front of the wall, as per DIN 1988/ EN 1717 part 2



Collar extension

- Thanks to the extension, even shallow installation depths are no longer a problem
- The extension collar means that the iBox can be installed even in narrow walls

Installation options and dimension drawings iBox universal



Installation directly on the wall





Installation in front of the wall; here with variable spacers on hanger bolts M 10



Installation on carrier system







Installation on prefab house mounting panels or prefab shell



Installation directly in the wall





Installation with mounting rail set







- Even faster, safer and more convenient installation of the iBox universal
- No more cumbersome use of a spirit level
- Easier installation for square pre-fab sets, at the perfect right angle
- Helps with tiling
- The installation aid is simply fitted to the iBox universal
Technical details, assembly tips and installation information



iBox universal, Front and side views

#01800180 Tips for raw installation The basic set can be fitted to suit the structural Operating pressure: max. 1 MPa Fit the basic set with the hot water connection on the conditions. The iBox universal is suitable for both bath Recommended operating pressure: 0.1-0.5 MPa left and the cold water connection on the right. and shower installation. With single lever basin mixers, 1.6 MPa (1 MPa = Test pressure: Installation depth: 80 mm to 108 mm. the lower outlet (outlet 1) has priority. With shower 10 bar = 147 psi) installations, the outlet that is not required needs to be Hot water temperature: max. 80 °C stopped with a plug. Recommended hot water 65 °C Extension set 25 mm for too deep installation: The rotation-symmetrical base unit of the iBox universal temperature: Connection dimensions: G3⁄4 #13595000 can be used horizontally or vertically. Connections: cold right, warm left Extension set 22 mm for too low installation depths: Exception: installation of basin mixers with safety Free flow at: 0.3 MPa #13596000 for rosettes 170 mm diameter combinations; only vertical installation is possible here. Bath mixer outlet bath: 31 l/min #13597000 for rosettes 150 mm diameter Bath mixer outlet shower: 24 I/min # 15597000 for PuraVida measuring 155 x 155 mm Shower mixer 32 I/min #13593000 for ShowerSelect Thermostat: 43 l/min # 13601000 for ShowerSelect including FixFit Thermostat with shut-off valve: 26 I/min and holder # 13604000 for ShowerSelect glass Thermostat with shut-off and change-26 I/min over valve: Thermostat Highflow: 48 l/min DVGW, SVGW Test mark:

Flushing

Complete installation as per DIN 1988/EN 1717, part 2, Flushing. The arrows on the flush block indicate which inlet is connected to which outlet pipe, for instance cold water to outlet 1 and hot water to outlet 2. If only outlet 1 is required, then the flush block needs to be rotated by 90° after the first flush.



Tips for the bath tub



iBox universal in combination with Exafill bath filler with outlet and overflow fitting:

switch off water to the Exafill during the construction stage!

Raw installation:

install iBox universal
Lay pipes to Exafill and block (metal plug)
Flush and press pipe system



Place bath:

- 1. Switch off water
- 2. Install bath with Exafill and connect to mains water

Shower plannir

- 3. Flush pipe to Exafill with sample filler necks and check for leaks
- 4. Switch off water at floor level
- 5. Remove flush block
- 6. Insert plug (A) in outlet for Exafill
- 7. Fit flush block
- 8. Switch on water

Practical hose coiling system for added convenience

Our sBox creates relaxed feel-good moments in the bath tub. The innovative shower hose solution has many smart benefits, such as an easy-access hose that offers plenty of freedom to move and convenient access to the hand shower at all times. The neatly rolled up shower hose looks attractive and the smooth surfaces are easy to clean and available in two flange designs. Hand showers are sold separately, with free choice of placement along the bath tub rim and the option of a tiled surface installation to enable you to furnish your bathroom however you like.

The sBox bath tub pre-fab set



N

Advantages and benefits

- Concealed shower hose improves the appearance of the bath tub
- Choice of two attractive designs
- More flexibility with a long hose (1.45 m)

The sBox bath tub installation options



Installation example: tiled surface installation.

- Can be mounted on the bath tub rim or edge of the tiles
- Easy, hassle-free installation in two steps
- Extremely low maintenance, so very few complaints
- Suitable for all age groups and needs
- For easy and neat tiled surface installation, we recommend the original hansgrohe installation bracket (# 28021, -000) and plate (# 28016, -000)



- More freedom to move in the bath tub
- Position it anywhere along the bath tub rim
- Optimised workflow with two-step installation: basic and pre-fab sets

Exposed installation 1 function:

ShowerTablet 350 exposed thermostat with Raindance Select S 120/Unica 'E shower set



Shower planning

Concealed installation 1 function:

ShowerSelect concealed thermostat with Raindance Select S 120 3jet shower set



Concealed installation 2 functions:

ShowerSelect concealed thermostat with single-spray Rainmaker Select 460 1jet overhead shower and Raindance Select S 120 3jet hand shower



Concealed installation 2 functions:

ShowerSelect concealed thermostat with Rainfinity 360 1jet overhead shower and Rainfinity 100 1jet manual shower



Concealed installation 2 functions:

ShowerSelect S concealed thermostat with Croma 280 Air 1jet overhead shower, Unica 'Comfort shower bar and foot support





Exposed/concealed installation 2 functions:

ShowerTablet Select 700 exposed/concealed thermostat with single-spray Rainmaker Select 460 1jet overhead shower and Raindance Select S 120 3jet hand shower



Concealed installation 3 functions:

RainSelect concealed thermostat for 3 functions, Rainmaker Select 460 2jet overhead shower and Raindance Select S 120 3jet hand shower



Shower planning

Concealed installation 3 functions:

RainSelect concealed thermostat with Rainfinity 360 1 jet overhead shower, Rainfinity shoulder shower and Rainfinity 130 3 jet hand shower



Concealed installation 3 functions:

ShowerSelect concealed thermostat with two-spray Rainmaker Select 460 2jet overhead shower and Raindance Select S 120 3jet hand shower



Concealed installation 3 functions:

Ecostat S concealed thermostat with two-spray Raindance Rainfall 2jet overhead shower and Raindance Select S 120 3jet hand shower



Concealed installation 4 functions:

RainSelect concealed thermostat with three-spray Rainmaker Select 460 3 jet overhead shower and Raindance Select S 120 3 jet hand shower



Shower planning

Concealed installation 4 functions:

RainSelect concealed thermostat with Rainfinity 360 3jet overhead shower and Rainfinity 130 3jet hand shower



Concealed installation 4 functions:

ShowerSelect concealed thermostat with three-spray Rainmaker Select 580 3jet overhead shower and Raindance Select S 120 3jet hand shower



Concealed installation 5 functions:

RainSelect concealed thermostat with three-spray Rainmaker Select 580 3jet overhead shower, Raindance Select S 120 3jet hand shower and PuraVida 100 side showers



Installation ShowerTablet Select 700

The new ShowerTablets are the first hansgrohe exposed thermostats that also control a single-spray overhead shower on a $G^{1/2}$ wall connection. And with absolute ease at the touch of a button on the ShowerTablet Select 700. The innovative surface-concealed installation is a genuine highlight, in both technology and visual appeal. The 700 mm wide storage shelf also offers space for all paraphernalia and can be cleaned easily thanks to its high-quality glass surface.



ShowerTablet Select Thermostat 700 universal for exposed installation for 2 functions # 13184, -000, -400

Exposed/concealed installation for 2 functions: The ShowerTablet Select 700 is installed on commercially available connections (G $\frac{1}{2}$). The specified measurements are the distance between the hot and cold pipes and the connection for the supply line to the overhead shower. The overhead shower itself can be placed anywhere in the shower area.



Installation ShowerTablet 600 Universal shower thermostat

The ShowerTablet 600 Universal shower thermostat also uses a concealed installation ($G^{1/2}$) to control a single-spray overhead shower. However, contrary to the

ShowerTablet Select 700, a basic set is required. The turning knobs on the front make it user friendly, and it has a 600 mm wide shelf.



Rainmaker Select – installation on a wall

The Rainmaker Select overhead shower can be fitted on a wall using the iBox universal. It is suitable for large shower areas, and can

be fitted to existing wall connections. This makes it ideal for bathroom modernisations.





Rainmaker Select Overhead shower 460 3 jet with shower arm 46.1 cm # 24007, -400, -600

Rainmaker Select Overhead shower 580 3jet # 24001, -400, -600

Wall mounting

Please consider in your plans the size and design of the shower cubicle, and the outlet angles and reaches of each spray type.

All dimensions in mm



Rainmaker Select – installation on the ceiling

Alternatively, the Rainmaker Select overhead shower can also be applied to the ceiling.



Rainmaker Select

Overhead shower 460 3jet with ceiling connector 10 cm # 24006, -400, -600

Ceiling mounting

Please consider in your plans the size and design of the shower cubicle, and the outlet angles and reaches of each spray type. A separate basic set #240100180 is required for the installation.

All dimensions in mm



Exposed installation Showerpipe:

Rainmaker Select 460 3jet Showerpipe



Shower planning

Showerpipe concealed installation:

RainSelect concealed thermostat with Rainfinity 360 1jet Showerpipe



Round tube Showerpipes – flexible in height

Regardless of the height of the room and the water connections, a number of round tube Showerpipes can always be placed in the optimum position. The round tube can only be cut to the right length on the underside, which means that individual customer requirements can also be met.



Versatile positioning

The swivelling spray makes the Showerpipes extremely versatile – perfect for use in any bath or shower situation.

Bath installation



Showerpipes can easily be installed on the front or long side of the bath, according to the positions of the water connections. The overhead shower can also be aligned individually.

Shower installation



Often, the existing water connections are not positioned in the middle of a shower. Thanks to the swivelling shower arm, the head shower can still be placed in the middle of the shower after installation.

Exposed installation bath:

ShowerTablet Select 700 exposed thermostat bath with Raindance Select S 120 3jet hand shower

Components

Mixers

(A) ShowerTablet Select Bath thermostat 700 for exposed installation # 13183, -000

Showers (B) Raindance Select S Hand shower 120 3jet # 26530, -000 Shower holder Porter S # 28331, -000 Isiflex Shower hose 125 cm # 28272, -000

© Flexaplus S

Legend

Legend

3

1 🔳 RainAir

Whirl

2 Rain

1 Shower outflow

2 Bath outflow

Complete set waste and overflow set for standard bath tubs # 58150, -000

Flow diagram

ShowerTablet Select

Bath thermostat 700 for exposed installation # 13183, -000



Flow diagram

Raindance Select S Hand shower 120 3jet







Exposed/concealed installation bath:

ShowerTablet 600 exposed/concealed thermostat with Raindance Select S 120 3jet hand shower

Components

Mixers

(A) ShowerTablet

Bath thermostat 600 for exposed installation # 13109, -400

Basic set for ShowerTablet thermostat 600 universal for exposed installation for 2 functions # 13129180

Showers (B) Raindance Select S Hand shower 120 3jet # 26530, -400 Shower holder Porter S # 28331, -000 Isiflex

Shower hose 125 cm # 28272, -000

© Exafill

Complete set bath filler, waste and overflow set for standard bath tubs # 58123, -000



Shower planning

9 12 15 18 21 24 27 30 0,2 0,3 0,4 0,5

5.0

4.5 4.0

3,5

3.0

2,0

1,5

1,0

0,5

0,0

Legend

(3)

2 III Rain

-2,5 jg

Flow diagram **Raindance Select S** Hand shower 120 3jet # 26530, -400

0,50

0,45

0,40 0,35

0.30

0,20

0,15

0,10

0,05

0,00

Q = I/min 0 3 6 Q = I/sec 0 0,1

₩ 0,25

Bath tub rim concealed installation:

sBox Bath

Components

Mixers

(A) Metropol

Single lever bath mixer for concealed installation with lever handle and integrated security combination according to EN1717 # 32546, -000 Basic set iBox universal

01800180

B sBox

Finish set square # 28010, -000

sBox

Rim and tile mounted bath basic set # 13560180

Showers C Raindance Select E Hand shower 120 3jet # 26520, -000

D Exafill S

Complete set bath filler, waste and overflow set for standard bath tubs # 58113, -000

Hoor Hoor

Flow diagram

Raindance Select E Hand shower 120 3jet



Tile mounted concealed installation:

sBox Bath

Components

Mixers

(A) Metropol

- Single lever bath mixer for concealed installation with lever handle and integrated security combination according to EN1717 # 32546, -000
- Basic set iBox universal # 01800180

(B) sBox

Finish set square # 28010, -000

sBox

Rim and tile mounted bath basic set # 13560180

- (E) Installation plate for tile mounted installation # 28016, -000
- (F) Mounting angle for installation plate for tile mounted installation # 28021, -000

Showers

(C) Raindance Select E Hand shower 120 3jet # 26520, -000

D Exafill S

Complete set bath filler, waste and overflow set for standard bath tubs # 58113, -000





Raindance Select E Hand shower 120 3jet



3

Concealed installation bath:

Focus single lever bath mixer concealed with Unica 'Comfort shower set



Concealed installation bath:

RainSelect concealed thermostat bath for 2 functions with Raindance Select S 120 3jet hand shower

Components

Mixers

(A) RainSelect

Thermostat for concealed installation for 2 functions bath tub # 15359, -400

RainSelect

Basic set for 2 functions bath tub # 15314180

Showers (B) Raindance Select S Hand shower 120 3jet # 26530, -400 Isiflex

Shower hose 125 cm # 28272, -000

© Flexaplus S

Complete set waste and overflow set for standard bath tubs # 58150, -000



Flow diagram

0,05

0,00 Q = I/min 0 3 6Q = I/sec 0 0,1

Raindance Select S Hand shower 120 3jet # 26530, -400 0,50 0,45 0,40 0,35 0,30 ₩ 0,25 0,20 0,15 0.10



5,0

4,5

4,0

3,5

3,0

2,0

1,5

1.0

0,5 0.0

9 12 15 18 21 24 27 30 0,2 0,3 0,4 0,5

BATH MIXERS

The perfect product for every style

hansgrohe bathroom mixers

Stylish choices for an individual dream bathroom

Everybody's own personal style and taste is reflected in the hansgrohe tap ranges, from Modern or Classic to Avantgarde, and

from geometric right through to curvy shapes. This broad range gives your customers the chance to reflect their personality in their accessories.

bathroom. We even provide matching bath and shower mixers as well as coordinated accessories.



Elegant mixers for more sensuality in the bathroom. From page 188.

Metropol Classic



Exclusive elegance for a bathroom full of harmony. From page 194.

Metris Classic



Decorative lines for an elevated ambience. From page 198.

Logis Classic



Classic charisma that elegantly completes the bathroom. From page 200.



Perfect geometric design for pure fascination. From page 206.

Metris S



Large areas add a timeless elegance to the bathroom. From page 220.

Talis Select S/Talis S



Sleek, natural shape with seamless operation at the touch of a button

Novus



Flowing figures and harmonious haptics. From page 240.





Adds a touch of simplicity to the modern bathroom. From page 216.





Pioneering style that also sets standards with operation at the touch of a button. From page 222.

Focus



Dynamic design emanates freshness and lightness. From page 236.

Logis



New products - for the bathroom with character

Fresh shapes and finishes

Your bathroom is somewhere that you should feel at home. As a place of relaxation, it needs to appeal to all the senses, not just be 🕴 clear character to surfaces and our new taps 🕴 room with style, quality and function.

and flooring made of premium materials add

aesthetically pleasing. Seamless wall panels | accentuate the bold look of a customised bathroom. hansgrohe products enrich your



sBox Bath: Practical hose coiling system; fast, convenient and safe installation



FinishPlus: Satisfies the need for personal fulfilment and design freedom with five new and premium finishes. Available in the Metropol and Talis E tap ranges and additional products. There's a solution for every budget with broad spectrum of prices across the tap ranges.

Talis E FinishPlus: Add elegance with the Talis E range in five new finishes. With the exquisite metallic colours brushed black chrome, brushed bronze and polished gold optic or with the current matte trend colours of matte white and matte black.















Metropol FinishPlus: With five new high-end finishes, hansgrohe offers a variety of design options alongside chrome: matte black, matte white, brushed black chrome, brushed bronze and polished gold optic for a premium look, with sleek and elegant accents.



Simple and convenient

Technologies – simple yet ingenious



N

Advantages and benefits

- EcoSmart technology limits flow to 5 l/min, saving water and energy
- QuickClean for easy cleaning and long-lasting mixers
- AirPower for a full and soft water spray

- Compliant with the German drinking water regulations TrinkwV of 2013
- Various designs and styles the perfect mixer for every taste
- Five year warranty
Scan the code and learn more about our technologies.



SELEC

Select: easy operation at the touch of a button

Buttons not levers – the new form of convenience at the wash basin. The mechanical Select push button simplifies day-to-day routines like shaving and brushing your teeth.



Advantages and benefits

- Easy operation suitable for all ages
- Temperature can be pre-set
- Can also be operated with an arm or elbow

QuickClean: rubbing away limescale in moments

QuickClean means flexible silicone inserts on the aerators. Dirt and limescale deposits can be simply rubbed off with your finger – low effort with no need to use cleaning products, extending you shower's lifespan.





۸dv

- Fast and easy cleaning
- Long lifetime and functionality

Something to suit every customer

Technologies – how to get the best use out of them

ComfortZone: complete freedom to move

Whether you want more elbow room when washing your hands, a comfortable way to wash your hair or just fill containers, the higher the tap, the more flexible your options become. We call the space between the tap and the ceramics the ComfortZone because you can use it however you like.



The right installation for every purpose



Mixer behind free standing exposed basin or Wash bowl with exposed mixer. behind wash bowl.



Mixer for built-in basin.





Wash bowl with wall mixer.



Wall-hanging wash basin with exposed mixer.





Advantages and benefits

Scan the code and learn more

about our technologies

- The optimum tap height for all needs
- The perfect combination of tap and basin
- ComfortZone Configurator: pro.hansgrohe-int.com/ comfortzone-test

The right mixer for every washbasin

ComfortZone test everything perfectly coordinated

The higher the tap, the more flexible the space. However, if a wash basin and tap do not match up properly it can result in conditions, the test reveals just how well manufacturers.

splashback. To avoid this, we developed the ComfortZone test. Carried out under realistic

customers' taps work in combination with conventional wash basins from leading

hansgrohe



How the ComfortZone test works

1. Free space test

Is there enough of a gap in the combination of mixer and wash basin? A test sphere is positioned between the mixer and wash basin to check how easy and comfortable it is to wash the hands.

2. Spray test

Is there any splashing when the mixer is turned on? The mixer is opened and closed several times under different water pressures. Between tests, the splashes are analysed and the wash basin rubbed dry.

3. Practical test

Is there any splashing when washing the hands? A standardised hand model is passed under the water flow and the splashes outside of the basin analysed.

Free PDF: the results from over 12,000 combinations

Utilise our knowhow from thousands of tests: As a professional partner we provide you with exclusive access to the findings from the

series of tests. This overview of all tested mixer and wash basin combinations provides a sound basis for your recommendations. The | comfortzone-test

PDF files with all the test findings are available free of charge at pro.hansgrohe-int.com/

- Reliable test procedure on the wash basins of leading manufacturers, fitted in accordance with the instructions
- Recommendations from over 12,000 tested mixer wash basin combinations available online for planning - constantly expanded and updated
- The certainty that wash basin and mixer harmonise without annoying splashes

Easy and efficient

Technologies – saving water made easy

EcoSmart: water and energy savings

Thanks to EcoSmart technology's aeration, our basin taps consume just 5 l/min of water. This saves warm water and energy. All of our basin taps have achieved level A in the home sector: the best possible result.



How much water can be saved is calculated by the savings calculator at: http://pro.hansgrohe-int.com/savings-calculator

Eco Smart

Advantages and benefits

- Water consumption as low as 5 l/min
- Air enriched water for a full, sparkling spray
- Reduced consumption means both less energy needs and less CO₂ emissions
- Lower water and energy consumption for double efficiency

LowFlow: mixers for minimal flow rates

Saving water and energy are important criteria for attaining building certification, e.g. LEED or BREEAM. So, we designed the LowFlow cartridges; they have a water flow rate of just 3.5 l/min.



Ν

- Savings in water and energy
- Certification advantages especially for projects
- Precise temperature setting despite low flow rate

Scan the code and learn more about our technologies.



Air Powe

AirPower: for water in all of its fullness

AirPower works by drawing in air via the spray outlet. This enriches the inflowing water with air, making the water jet fuller, lighter and softer – this is how AirPower achieves a high spray volume with less water.



Advantages and benefits

- Fuller, lighter, softer drops for a pleasant water spray
- Less risk of splashing
- High efficiency helps to reduce water consumption

CoolStart: Hot water when you really need it

On standard taps the continuous flow heater or circulation pump starts up immediately when the handle is in the middle position, but with CoolStart taps the hot water is only added when the lever is moved to the left. This cuts down on energy needs, CO₂ emissions and costs.



Cool Start

- Basic setting enables only cold water to flow
- Potential for water, energy and financial savings
- Special user ergonomics (the lever only needs to be moved to the left for hot water)

hansgrohe Avant-garde and Classic bathroom taps

Selected taps at a glance

		Logis Classic	Metris Classic	Metropol Classic	PuraVida
		S			
Basin mixer					
	Pillar tap	71135, -000 71136, -000			
	With pop-up waste set	, 1100, 000	31075, -000	31300, -000, -090	15074, -000, -400
Standard	with Push-Open waste set				15070, -000, -400 15075, -000, -400
ComfortZone 70-110	Without waste set		31077, -000	31301, -000, -090	15075,-000,-400
0-110	For open water heaters		010, 7, -000		
	LowFlow				
	CoolStart				
Taller models ComfortZone 130-260	With pop-up waste set	71270, -000	31078, -000	31303, -000, -090 31302, -000, -090	
	with Push-Open waste set	71272, -000			15072, -000, -400 15081, -000, -400
	Without waste set				
With swivel spout	With pop-up waste set				
	with Push-Open waste set				
	Without waste set				
loor standing					
3-hole			31073, -000	31331, -000, -090 31307, -000, -090 31305, -000, -090 31330, -000, -090 31306, -000, -090 31304, -000, -090	15073, -000, -400 15063, -000
Wall mounting					15084, -000, -400 15085, -000, -400
Bidet					
			31275, -000	31320, -000, -090	15270, -000, -400
Bath					
	Exposed	71240, -000	31478, -000	31340, -000, -090	15472, -000, -400
	concealed		31485, -000	31345, -000, -090	15445, -000, -400
	With safety combination				15447, -000, -400
loor standing				31445, -000, -090	15473, -000, -400
P-hole					15400 000 100
3-hole				31441, -000, -090	15432, -000, -400
l-hole				31449, -000, -090 31315, -000, -090	15446, -000, -400
ath filler			13413, -000	13425, -000, -090	15412, -000, -400
Shower	T				
	Exposed	71260, -000	31672, -000 31676, -000	31360, -000, -090 31365, -000, -090	15672, -000, -400
	concealed				15665, -000, -400



PuraVida

Sensuous poetry of purity and clarity



PuraVida 110



Attractive: PuraVida emanates a special elegance and integrates perfectly in the bathroom, harmonising with white ceramics.



Complete in itself: Here pure elegance can be seen in all of the details. Moreover, the overhead shower is ergonomically shaped to completely cover the user's shoulders.

Emotionally appealing: The DualFinish surface unites white and chrome in a harmony of quality.

N

- Breadth of range to enable complete, coordinated bathroom design
- Sculptured look from the harmonious unity of body and spout
- Flat pin handle with joystick cartridge
- Visible quality in the precise contoured lines

- Clear laminar jet and adjustable spray angle
- DualFinish surface with precise edges between chrome and white
- Scratch resistant powder coating

PuraVida Basin



PuraVida Single lever basin mixer 240 for washbowls with push-open waste set # 15072, -000, -400





PuraVida Single lever basin mixer 200 with push-open waste set # 15081, -000, -400





PuraVida Single lever basin mixer 110 with push-open waste set # 15070, -000, -400 Single lever basin mixer 110 with pop-up waste set # 15074, -000, -400





PuraVida Single lever basin mixer 100 for hand washbasins with push-open waste set # 15075, -000, -400





PuraVida Electronic basin mixer with temperature control battery operation # 15170, -000, -400 Electronic basin mixer with temperature control

mains connection 230 V # 15172, -000





PuraVida 3-hole basin mixer 100 with push-open waste set # 15073, -000, -400 3-hole basin mixer 100 with pop-up waste set # 15063, -000





PuraVida Single lever basin mixer for concealed installation wall-mounted with spout 22.5 cm # 15085, -000, -400

Basic set for single lever basin mixer for concealed installation wall-mounted # 13622180 (not shown)





PuraVida Single lever basin mixer for concealed installation wall-mounted with spout 16.5 cm # 15084, -000, -400

Basic set for single lever basin mixer for concealed installation wall-mounted # 13622180 (not shown)



Avantgarde and Classic

PuraVida Bidet



PuraVida Single lever bidet mixer with pop-up waste set # 15270, -000, -400



PuraVida Bath



PuraVida 3-hole rim mounted single lever bath mixer # 15432, -000, -400

Basic set for 3-hole rim mounted single lever bath mixer # 13437180 (not shown)





PuraVida 4-hole rim mounted bath mixer # 15446, -000, -400 Basic set for 4-hole rim mounted bath mixer

13444180 (not shown)





PuraVida Single lever bath mixer for exposed installation # 15472, -000, -400





sBox Finish set oval # 28020, -000

Rim and tile mounted bath basic set # 13560180 (not shown)

Installation plate for tile mounted installation # 28016, -000 (not shown)

Mounting angle for installation plate for tile mounted installation # 28021, -000 (not shown)



PuraVida Single lever bath mixer for concealed installation # 15445, -000, -400 Single lever ba th mixer for concealed installation with integrated security combination according to EN1717 # 15447, -000, -400





PuraVida Bath spout # 15412, -000, -400





PuraVida Single lever bath mixer floor-standing

15473, -000, -400 Basic set for mixers floor-standing





PuraVida Shower



PuraVida Single lever shower mixer for exposed installation # 15672, -000, -400





PuraVida Single lever shower mixer for concealed installation # 15665, -000, -400





PuraVida Thermostat for concealed installation with shut-off valve # 15775, -000, -400





PuraVida Thermostat for concealed installation with shut-off/diverter valve # 15771, -000, -400





Basic set iBox universal # 01800180



PuraVida Shut-off valve for concealed installation # 15978, -000, -400



PuraVida Showers



PuraVida

Overhead shower 400 1jet with shower arm 39 cm # 27437, -000, -400 21 l/min # 26602, -000, -400 EcoSmart 9 l/min

Overhead shower 400 1jet with ceiling connector 10 cm # 27390, -000, -400 21 l/min (not shown)







PuraVida

Hand shower 3jet # 28557, -000, -400 16 l/min # 28567, -000, -400 EcoSmart 9 l/min





PuraVida Baton hand shower 120 1jet # 28558, -000, -400 16 l/min # 28568, -000, -400 EcoSmart 9 l/min





PuraVida Body shower 100 1jet

28430, -000, -400 4.5 l/min





Accessories



PuraVida Liquid soap dispenser # 41503, -000





PuraVida Toothbrush tumbler # 41504, -000



PuraVida Soap dish # 41502, -000



PuraVida Towel hook # 41501, -000

()



PuraVida Roll holder with cover # 41508, -000





PuraVida Spare roll holder # 41518, -000



PuraVida Toilet brush with tumbler wall-mounted # 41505, -000



)



PuraVida Towel holder twin-handle # 41512, -000





PuraVida Grab rail # 41513, -000





PuraVida Bath towel rail # 41506, -000



Metropol Classic

A world full of elegance and harmony





Versatile: Handles available in the 3 versions (1) cross handle, (2) lever and (3) zero handle for 3-hole mixers.



Elegant: Delicate gold accents are elegance and add value to the room.



Harmonious: Metropol Classic combines sophisticated gold-coloured details with polished chrome finishes, resulting in a range of alluringly elegant fittings.

N

- Elegant mixer line that will add value to any bathroom
- 3 handle options for different bathroom ambiances cross handle, zero handle and lever handle
- 3 different basin mixer heights for individual free space
- Automatic flow limit to 5 l/min thanks to EcoSmart technology
- Easy to clean thanks to QuickClean technology

Metropol Classic Basin



Metropol Classic Single lever basin mixer 260 with lever handle for washbowls with pop-up waste set # 31303, -000, -090





Metropol Classic 3-hole basin mixer 160 with lever handles and pop-up waste set # 31331, -000, -090





Metropol Classic Single lever basin mixer 160 with lever handle for washbowls with pop-up waste set # 31302, -000, -090





Metropol Classic 3-hole basin mixer 160 with cross handles and pop-up waste set # 31307, -000, -090





Metropol Classic Single lever basin mixer 110 with lever handle and pop-up waste set # 31300, -000, -090

Single lever basin mixer 110 with lever handle without waste set # 31301, -000, -090





Metropol Classic 3-hole basin mixer 160 with zero handles and pop-up waste set # 31305, -000, -090





Metropol Classic 3-hole basin mixer 110 with lever handles and pop-up waste set # 31330, -000, -090





Metropol Classic 3-hole basin mixer 110 with cross handles and pop-up waste set # 31306, -000, -090





Metropol Classic 3-hole basin mixer 110 with zero handles and pop-up waste set # 31304, -000, -090



Metropol Classic Bidet



Metropol Classic Single lever bidet mixer with lever handle and pop-up waste set # 31320, -000, -090



Metropol Classic Bath





Metropol Classic Single lever bath mixer for exposed installation with lever handle # 31340, -000, -090



Metropol Classic Single lever bath mixer for concealed installation with lever handle # 31345, -000, -090





Metropol Classic Bath spout # 13425, -000, -090





Metropol Classic Single lever bath mixer floor-standing with lever handle

31445, -000, -090 Basic set for mixers

floor-standing # 10452180 (not shown)





Metropol Classic 4-hole rim mounted bath mixer with lever handles # 31441, -000, -090







Metropol Classic 4-hole rim mounted bath mixer with zero handles

D. C.





sBox Finish set square # 28010, -000, -140, -340, -670, -700, -990

Rim and tile mounted bath basic set # 13560180 (not shown)

Installation plate for tile mounted installation # 28016, -000 (not shown)

Mounting angle for installation plate for tile mounted installation # 28021, -000 (not shown)



Metropol Classic Shower



Metropol Classic Single lever shower mixer for exposed installation with lever handle # 31360, -000, -090





Metropol Classic Single lever shower mixer for concealed installation with lever handle # 31365, -000, -090



Metropol Classic Additional products



Raindance Classic Overhead shower 240 1 jet with shower arm # 27424, -000, -090 19 1/min Overhead shower 240 1 jet with ceiling connector # 27405, -000, -090 19 1/min (not shown)





Raindance Classic Hand shower 100 3jet # 28548, -000, -090 17 l/min





Metris Classic

Modern classic with elegant design



Elegant: The brilliant and smooth surface of the mixers presents highlights of luxury in every bathroom.

Classical: The elegant design with discreetly shaped handle and spout emanate high quality and pleasure.

N

- Balanced, minimal design with unpretentious classical elegance
- Very slender and easy to operate thanks to the M1 cartridge
- Easy to clean: thanks to the exclusive, long-lasting chrome surface
- Automatic flow limit to 5 l/min thanks to EcoSmart technology
- Connected via temperature-resistant, taste- and odour-neutral PEX hoses
- With scald protection for added safety

Metris Classic Basin/bidet



Metris Classic Single lever basin mixer 250 for washbowls with pop-up waste set # 31078, -000



Metris Classic Bath



Metris Classic Single lever basin mixer 100 with pop-up waste set # 31075, -000 Single lever basin mixer 100 without waste set # 31077, -000





Metris Classic 3-hole basin mixer 100 with pop-up waste set # 31073, -000





Metris Classic Single lever bidet mixer with pop-up waste set # 31275, -000





Metris Classic Single lever bath mixer for exposed installation # 31478, -000



Metris Classic Single lever bath mixer for concealed installation # 31485, -000



Metris Classic Bath spout # 13413, -000





sBox Finish set square # 28010, -000, -140, -340, -670, -700, -990

Rim and tile mounted bath basic set # 13560180 (not shown)

Installation plate for tile mounted installation # 28016, -000 (not shown)

Mounting angle for installation plate for tile mounted installation # 28021, -000 (not shown)



Avantgarde and Classic

Metris Classic Shower



Metris Classic Single lever shower mixer for exposed installation # 31672, -000





Metris Classic Single lever shower mixer for concealed installation # 31676 -000





Basic set iBox universal # 01800180

Logis Classic

The perfect blend of elegance and functionality



Logis Classic

- Elegant design with classic elements •
- Basic shape adapted to the basin . for harmonious integration
- Easy to clean: thanks to the clear cylindrical shapes
- Swivel range limited for easier handling

- Long-lasting ceramic valves in the entire range
- Automatic flow limit to 5 l/min thanks to EcoSmart technology
- Also available as low-pressure versions
- hansgrohe quality at entry-level prices

Logis Classic Basin



Logis Classic 2-handle basin mixer 150 with pop-up waste set # 71270, -000

2-handle basin mixer 150 with push-open waste set # 71272, -000



Logis Classic Bath



Logis Classic 2-handle bath mixer for exposed installation # 71240, -000



Logis Classic Shower



Logis Classic 2-handle shower mixer for exposed installation # 71260, -000





Logis Classic

without waste set

without waste set

Air Pow

71135, -000

Pillar tap 70 for cold water

Pillar tap 70 for hot water

71136, -000 (not shown)

Comfort Comfort

Logis Classic Shut-off valve for concealed installation # 71976, -000



Accessories



Logis Classic Liquid soap dispenser # 41614, -000





Logis Classic Toothbrush tumbler # 41618, -000



Logis Classic Soap dish # 41615, -000



()

Logis Classic Towel hook # 41611, -000



Logis Classic Roll holder with cover # 41623, -000





Logis Classic Roll holder without cover # 41626, -000





Logis Classic Spare roll holder # 41617, -000



Logis Classic Toilet brush with tumbler wall-mounted # 41632, -000





Logis Classic Towel holder twin-handle # 41612, -000





-

Ge



6 -10

Logis Classic Bath towel rail # 41616, -000





hansgrohe modern bathroom taps

Selected taps at a glance

		Logis	Novus	Focus	Talis S Talis	Talis S
			F	5	K	F
Basin mixer		71120, -000				
Standard ComfortZone 70-110	Pillar tap	71121, -000		31130, -000	13132, -000	72017, -000
	With pop-up waste set	71100, -000 71070, -000 71222, -000	71030, -000 71020, -000	31607, -000 31730, -000	32040, -000 32020, -000	72020, -000 72010, -000
	with Push-Open waste set	71107, -000 71077, -000		31604, -000		72011,-000
	Without waste set	71101, -000 71071, -000 71221, -000	71031, -000 71021, -000	31517, -000 31733, -000	32041, -000 32031, -000	72021, -000 72012, -000
70-110	For open water heaters	71074, -000	71036, -000	31132, -000	32032, -000	72016,-000
	LowFlow	71078, -000	71034, -000 71024, -000	31603,-000 31513,-000 31951,-000 31952,-000		72024,-000 72025,-000 72015,-000 72018,-000
	CoolStart	71102, -000 71103, -000 71072, -000 71073, -000	71032, -000 71022, -000	31621, -000 31539, -000		72022, -000 72023, -000 72013, -000 72014, -000
Taller models ComfortZone 130-260	With pop-up waste set	71090, -000	71123, -000	31531, -000 31608, -000		72031, -000 72115, -000 72113, -000
	with Push-Open waste set				32080, -000	
	Without waste set	71091, -000	71124, -000	31532, -000 31518, -000		72032, -000 72116, -000 72114, -000
With swivel spout	With pop-up waste set with Push-Open waste set	71130, -000	71126, -000	31609, -000	32084, -000 32070, -000 32082, -000	72105, -000
	Without waste set	71131,-000	71128, -000	31519, -000		
Floor standing			711.40.000			70100.000
3-hole		71133, -000	71140, -000			72130, -000 72110, -000
Wall mounting Bidet		71225, -000	71127, -000	31923, -000		72111,-000
Blaer		71204, -000 71200, -000	71142, -000	31920, -000 31922, -000	32240, -000	72200, -000
Bath	T	71400, -000			32440, -000	
	Exposed	71243, -000	71040, -000	31940, -000	32420, -000	72400, -000
	concealed	71405, -000	71045, -000	31945, -000	32475, -000	72405, -000
	With safety combination	71407, -000	71046, -000	31946, -000	32477, -000	72406, -000
Floor standing						72412, -000
2-hole						72416, -000
3-hole		71310, -000				72415, -000
4-hole						72418, -000
Bath filler		71410, -000	71320, -000	13414, -000	13414, -000	72410, -000
Shower		71600, -000	710/0 000		32640, -000	70/00 000
	Exposed	71263, -000 71605, -000	71060, -000	31960, -000	32620, -000	72600, -000 72605, -000
	concealed	71607, -000	71065, -000	31965, -000	32675, -000	72607, -000
For the entire range,	turn to	page 244	page 240	page 236	page 234	page 230

	NEW				NEW		
Talis Select S	Talis E	Talis Select E	Metris S	Metris	Metropol with lever handle	Metropol with loop handle	Metropol Select
	E				M.	Aller.	
	71706, -000			31166, -000	32501, -000		
72042, -000 72040, -000	71710, -XXX 71700, -000	71750, -000	31060, -000	31080, -000 31088, -000	32506, -000	74506, -000	
	71711, -000 71701, -000				32507, -XXX 32502, -000 32500, -XXX	74507, -000 74502, -000 74500, -000	32571, -000 32570, -000
72043, -000 72041, -000	71712, -XXX 71702, -000	71751, -000	31068, -000	31084, -000 31186, -000			
	71707, -000			31074, -000			
	71715, -000 71705, -000		31063, -000 31015, -000 31016, -000	31203, -000 31204, -000			
	71713, -XXX 71714, -XXX 71703, -000 71704, -000			31121, -000	32508, -000 32503, -000		
72044, -000	71716, -XXX 71754, -XXX	71752, -000	31022, -000 31021, -000	31082, -000 31087, -000 31183, -000			
				31187, -000	32512, -XXX 32511, -XXX	74512, -000 74511, -000	32572, -000
72045, -000	71717, -XXX 71755, -000	71753, -000	31023, -000 31026, -000	31184, -000 31081, -000 31185, -000			
			31159, -000				
			31161, -000				
					32530, -000	74530, -000	
	71733, -XXX			31083, -000	32515, -XXX 32514, -000	74515, -000 74514, -000	
	71732, -000 71734, -XXX		31162, -000 31163, -000	31085, -000 31086, -000	32525, -000 32526, -XXX	74525, -000 74526, -000	
72202, -000	71720, -XXX		31261, -000	31280, -000	32520, -XXX	74520, -000	
	71721,-000						
	71740, -XXX		31460, -000	31480, -000	32540, -XXX	74540, -000	
	71745, -000		31465, -000	31493, -000 31454, -000	32545, -XXX	74545, -000	
	71474, -000		31466, -000	31487, -000 31451, -000	32546, -XXX	74546, -000	
				31471, -000	32532, -XXX 32531, -000	74532, -000	
					32548, -000	74548, -000	
	71747, -000 71730, -000			31190, -000	32550, -000	74550, -000	
	71748, -XXX		31446, -000 31447, -000	31442, -000	32552, -000	74552, -000	
	71410, -000		14420, -000	31494, -000	32542, -000 32543, -XXX	32543, -000 32542, -000	
				01/02	00710	7,612	
	71760, -XXX		31660, -000	31680, -000 31685, -000	32560, -XXX	74560, -000	
	71765, -XXX		31665, -000	31456, -000	32565, -XXX	74565, -000	
page 230	page	222	page 220	page 216		page 206	



The new form of fascination





Metropol 110 Metropol Select 110



Appealing: Geometric design language takes up the design of the bathroom to create a pleasant atmosphere.



Impressive: Metropol mixers also create an exclusive effect when used as free-standing items.



Elegant: The open handle design adds lightness and exclusivity into the shower.

N

- Perfect geometric design language for a timeless bathroom design
- Minimalistic yet intuitive Select button for easy operation
- Design freedom thanks to the wide range of options: various spout lengths and 3 handles for washbasins. Also various installation options for washbasins and baths.
- ComfortZone hand washing made easy thanks to the various height options

Metropol FinishPlus

Tangible personal fulfilment

With Metropol, you are choosing a tap range with an unforgettably characteristic look thanks to its precise geometric shape and clear lines. The five new high-end FinishPlus surface finishes provide the necessary design freedom for a uniquely individual bathroom; the brushed black chrome, brushed bronze and polished gold metallic finishes take the classic and premium chrome look to a whole new level. The exquisite metallic colours add a touch of modern elegance. And, the matte white and matte black options will seamlessly blend with modern architecture.



670 Matte black: Getting back to basics with black and white contrasts.



700 Matte white: Cheeky, unconventional freshness.



340 Brushed black chrome: Cool and linear with geometric shapes.



140 Brushed bronze: Soft natural tones and subtle nuances.



990 Polished gold optic: Glamorous look for aesthetic extravagance.



000 Chrome: Timeless classic paired with dainty elegance.

Modern

N

- Extensive range to suit any design preference: five new finishes and matching complementary products
- Immediate availability: easy ordering process as products are kept in stock
- Same price for all new finishes to make ordering simple

Metropol Basin



Metropol Single lever basin mixer 260 with lever handle for washbowls with push-open waste set # 32512, -000, -140, -340, -670, -700, -990





Metropol

Single lever basin mixer 110 with lever handle and push-open waste set # 32507, -000, -140, -340, -670, -700, -990

Single lever basin mixer 110 with lever handle and pop-up waste set # 32506, -000

Single lever basin mixer 110 CoolStart with lever handle and push-open waste set # 32508, -000 (not shown)





Metropol Single lever basin mixer 260 with loop handle for washbowls with push-open waste set # 74512, -000





Metropol

Single lever basin mixer 110 with loop handle and pop-up waste set # 74506, -000

Single lever basin mixer 110 with loop handle and push-open waste set # 74507, -000





DESIGN AWARD



Metropol Basin mixer 260 Select with push-open waste set # 32572, -000





Metropol Basin mixer 110 Select with push-open waste set # 32571, -000





E 2018

Metropol Single lever basin mixer 100 with lever handle and push-open waste set # 32502, -000

Single lever basin mixer 100 CoolStart with lever handle and push-open waste set # 32503, -000 (not shown)





Metropol Single lever basin mixer 100 with loop handle and push-open waste set # 74502, -000





DESIGN



Metropol Basin mixer 100 Select with push-open waste set # 32570, -000



Metropol Basin



NEW

Metropol



DESIGN

Metropol

Single lever basin mixer 100 with lever handle for hand washbasins with push-open waste set # 32500, -000, -140, -340, -670, -700, -990

Single lever basin mixer 100 with lever handle for hand washbasins for cold water # 32501, -000 (not shown)



Single lever basin mixer 100 with loop handle for hand washbasins with push-open waste set # 74500, -000





Metropol Single lever basin mixer 230 with lever handle and push-open waste set # 32511, -000, -140, -340, -670,



Metropol Single lever basin mixer 230 with loop handle and push-open

waste set # 74511, -000





Metropol 3-hole basin mixer 160 with lever handles and push-open waste set # 32515, -000, -140, -340, -670, 700, 990





Metropol 3-hole basin mixer 160 with loop handles and push-open waste set # 74515, -000





Metropol 3-hole basin mixer 110 with lever handles and push-open waste set # 32514, -000





Metropol 3-hole basin mixer 110 with loop handles and push-open waste set # 74514, -000



Metropol Basin



Metropol

Single lever basin mixer for concealed installation wall-mounted with lever handle and spout 22.5 cm # 32526, -000, -140, -340, -670, -700, -990

Single lever basin mixer for concealed installation wall-mounted with lever handle and spout 16.5 cm # 32525, -000 (not shown)

Basic set for single lever basin mixer for concealed installation wall-mounted # 13622180 (not shown)





Metropol

Single lever basin mixer floor-standing with lever handle without waste set # 32530, -000

Basic set for mixers floor-standing # 10452180 (not shown)



Metropol Bidet



Metropol Single lever bidet mixer with lever handle and push-open waste set # 32520, -000, -140, -340, -670, -700, -990

NEW





Metropol

Single lever basin mixer for concealed installation wall-mounted with loop handle and spout 22.5 cm # 74526, -000

Single lever basin mixer for concealed installation wall-mounted with loop handle and spout 16.5 cm # 74525, -000 (not shown)

Basic set for single lever basin mixer for concealed installation wall-mounted # 13622180 (not shown)





Metropol

Single lever basin mixer floor-standing with loop handle without waste set # 74530, -000









Metropol Single lever bidet mixer with loop handle and push-open waste set # 74520, -000



Metropol Bath



Metropol Single lever bath mixer for exposed installation with lever handle # 32540, -000, -140, -340, -670, -700, -990





Metropol Single lever bath mixer for exposed installation





Metropol Single lever bath mixer for concealed installation with lever handle # 32545, -000, -140, -340, -670, -700, -990

Single lever bath mixer for concealed installation with lever handle and integrated security combination according to EN1717 # 32546, -000, -140, -340, -670, -700, -990





Metropol Single lever bath mixer for concealed installation with loop handle # 74545, -000

Single lever bath mixer for concealed installation with loop handle and integrated security combination according to EN1717 # 74546, -000



Metropol

3-hole rim mounted single lever bath mixer with lever handle and Secuflex # 32550, -000

3-hole rim mounted single lever bath mixer with lever handle # 32551, -000





Metropol 3-hole rim mounted single lever bath mixer with loop handle and Secuflex # 74550, -000

3-hole rim mounted single lever bath mixer with loop handle # 74551, -000



T

Metropol 4-hole rim mounted bath mixer with lever handles and Secuflex # 32552, -000

4-hole rim mounted bath mixer with lever handles # 32553,-000





Metropol

()

4-hole rim mounted bath mixer with loop handles and Secuflex # 74552, -000

4-hole rim mounted bath mixer with loop handles # 74553, -000





Metropol Bath spout # 32542, -000





Metropol Bath spout # 32543, -000, -140, -340, -670, -700, -990

NEW





Metropol 2-hole rim mounted single lever bath mixer with lever handle # 32548, -000 Basic set for 2-hole rim mounted bath mixer # 13159180 (not shown)





Metropol

2-hole rim mounted single lever bath mixer with loop handle # 74548, -000

Basic set for 2-hole rim mounted bath mixer # 13159180 (not shown)



Metropol Bath



Metropol

Single lever bath mixer floor-standing with lever handle # 32532, -000, -140, -340, -670,

-700, -990 Basic set for mixers floor-standing



Metropol

Single lever bath mixer floor-standing with loop handle # 74532, -000 Basic set for mixers floor-standing



Metropol Bath spout floor-standing # 32531, -000

Basic set for mixers floor-standing # 10452180 (not shown)





sBox

Finish set square # 28010, -000, -140, -340, -670, -700, -990

NEW

Rim and tile mounted bath basic set # 13560180 (not shown)

Installation plate for tile mounted installation # 28016, -000 (not shown)

Mounting angle for installation plate for tile mounted installation # 28021, -000 (not shown)



Metropol Shower



Metropol Single lever shower mixer for exposed installation with lever handle # 32560, -000, -140, -340, -670, -700, -990





Metropol Single lever shower mixer for exposed installation with loop handle # 74560, -000



Metropol Single lever shower mixer for concealed installation with lever handle # 32565, -000, -140, -340, -670, -700, -990





Metropol Single lever shower mixer for concealed installation with loop handle # 74565, -000



Basic set iBox universal # 01800180

Metropol Additional products



Raindance E

Overhead shower 300 1jet with ceiling connector 10 cm

26250, -000, -140, -340, -670, -700, -990 19 l/min Overhead shower 300 1jet with shower arm 39 cm # 26238, -000, -140, -340, -670, -700, -990 19 l/min (not shown)





Ceiling connector S 10 cm # 27393, -000, -140, -340, -670, -700, -990 Ceiling connector S 30 cm

27389, -000, -140, -340, -670, -700, -990 (not shown)





Raindance Select E

Hand shower 120 3jet # 26520, -000, -140, -340, -400, -670, -700, -990 15 l/min





Shower bar S Puro 65 cm with shower hose

Shower bar S Puro 90 cm with shower hose

28632, -000, -140, -340, -670, -700, -990

28631, -000, -140, -340, -670, -700, -820, -990

Raindance Select S Showerpipe 240 1jet P with thermostat # 27633,000,140, 340, 670, -700, 990



Isiflex Shower hose 160 cm Made of plastic in a metallic finish # 28276, -000, -090, -140, -340, -670, -700, -800, -990





(not shown)

FixFit Wall outlet Square with non-return valve # 26455, -000, -140, -340, -670, -700, -990





Powder Rain

Shower holder Porter E # 28387, -000, -140, -340, -670, -700, -990





Design trap Flowstar S # 52105, -000, -140, -340, -670, -700, -990



Metropol Additional products



Ecostat

Shower thermostat Comfort for exposed installation # 13116, -000, -140, -340, -670, -700, -990





ShowerSelect

Thermostat for concealed installation for 2 functions # 15763, -000, -140, -340, -670, -700, -990





RainSelect

Thermostat for concealed installation for 2 functions # 15380, -000, -140, -340, -670, -700, -990 Basic set for 2 functions

NEW

15310180 (not shown)





Ecostat Bath thermostat Comfort for exposed installation # 13114, -000, -140, -340, -670, -700, -990







NE'

NEW

RainSelect Thermostat for concealed installation for 4 functions # 15382, -000, -140, -340, -670, -700, -990

Basic set for 4 functions

π h







sBox Finish set sauare # 28010, -000, -140, -340, -670, -700, -990 Rim and tile mounted bath basic set

13560180 (not shown)

Installation plate for tile mounted installation # 28016, -000 (not shown)

Mounting angle for installation plate for tile mounted installation # 28021, -000 (not shown)







Exafill S

Finish set bath filler, waste and overflow set # 58117, -000, -140, -340, -670, -700, -820, -990





Flexaplus Finish set waste and overflow set # 58185, -000, -140, -340, -670, -700, -990









Ecostat Square

Thermostat for concealed installation for 2 functions # 15714, -000, -140, -340, -670, -700, -990



NEW

Metropol Additional products



Overhead shower 360 3jet with wall connector

Intense Powder Rain

26234, -000, -140, -340, -670, -700, -990

Rainfinity

Qu





Rainfinity

Overhead shower 360 1jet with wall connector # 26230, -000, -140, -340, -670, -700, -990





Rainfinity

Overhead shower 360 1jet # 26231, -000, -140, -340, -670, -700, -990







Rainfinity Overhead shower 250 1jet # 26228, -000, -140, -340, -670, -700, -990



P



NEW

NEW



Rainfinity Hand shower 130 3jet # 26864, -000, -140, -340, -670, .

26864, -000, -140, -340, -670, -700, -990 10.6 l/min # 26865, -000, -700 EcoSmart 9 l/min



Rainfinity

Baton hand shower 100 1jet # 26866, -000, -140, -340, -670, -700, -990 13.8 l/min



Metris

To suit every customer



Metris 110



User-friendly: Five basin mixer heights are available offering the right solution for any installation situation.



Elegant: Generous handle and spout surfaces lend the bathroom a luxurious ambience.



Modern: Metris mixers are designed for discretion, providing space for the personal ComfortZone.

N

- Generous surfaces for elegant, quality bathroom design
- The open sweep of the flat handle reflects its ease of use
- Tapered base and precision edges emphasise the character of quality
- Five basin mixer heights for individual free space
- Automatic flow limit to 5 l/min thanks to EcoSmart technology
Metris Basin



Metris Single lever basin mixer 260 for washbowls with pop-up waste set # 31082, -000

Single lever basin mixer 260 for washbowls without waste set # 31184, -000





Metris Single lever basin mixer 200 with pop-up waste set # 31183, -000 Single lever basin mixer 200 without waste set # 31185, -000





Metris Single lever basin mixer 110 with pop-up waste set # 31080, -000 Single lever basin mixer 110 without waste set

31084, -000 Single lever basin mixer 110 LowFlow with pop-up waste set

31203, -000 Single lever basin mixer 110 for vented hot water cylinders with pop-up waste set

31074, -000 Single lever basin mixer 110 LowFlow without waste set # 31204, -000

Single lever basin mixer 110 CoolStart with pop-up waste set # 31121, -000 (not shown)





Metris Single lever basin mixer 100 for hand washbasins with pop-up waste set # 31088, -000

Single lever basin mixer 100 for hand washbasins without waste set # 31186, -000





Metris Single lever basin mixer 230 with pop-up waste set # 31087, -000

Single lever basin mixer 230 with push-open waste set # 31187, -000

Single lever basin mixer 230 without waste set # 31081, -000



Metris Bidet



Metris Single lever bidet mixer with pop-up waste set # 31280, -000



Metris Pillar tap 100 without waste set # 31166, -000



Metris

Single lever basin mixer for concealed installation wall-mounted with spout 16.5 cm # 31085, -000

Single lever basin mixer for concealed installation wall-mounted with spout 22.5 cm

31086, -000 (not shown) Basic set for single lever basin mixer

for concealed installation wall-mounted # 13622180 (not shown)





Metris 3-hole basin mixer 100 with pop-up waste set # 31083, -000





Metris Bath



Metris Single lever bath mixer for exposed installation # 31480, -000





Metris

Single lever bath mixer for concealed installation # 31493, -000

Single lever bath mixer for concealed installation with integrated security combination according to EN1717 # 31487, -000





Metris Single lever bath mixer for concealed installation # 31454, -000

Single lever bath mixer for concealed installation with integrated security combination according to EN1717 # 31451, -000





Metris Bath spout # 31494, -000





Metris Single lever bath mixer floor-standing # 31471, -000

Basic set for mixers floor-standing # 10452180 (not shown)





Metris

3-hole rim mounted single lever bath mixer # 31190, -000

Basic set for 3-hole rim mounted single lever bath mixer # 13437180 (not shown)





sBox Finish set oval # 28020, -000 Rim and tile mounted bath basic set # 13560180 (not shown)

Installation plate for tile mounted installation # 28016, -000 (not shown)

Mounting angle for installation plate for tile mounted installation # 28021, -000 (not shown)





Metris 4-hole rim mounted bath mixer # 31442, -000

Basic set for 4-hole rim mounted bath mixer # 13444180 (not shown)



Metris Shower



 \bigcirc

Metris Single lever shower mixer for exposed installation # 31680, -000



Metris Single lever shower mixer for concealed installation # 31685, -000





Metris Single lever shower mixer for concealed installation # 31456, -000



Basic set iBox universal # 01800180

Metris S Basin



Metris S Single lever basin mixer 260 for washbowls with pop-up waste set # 31022, -000 Single lever basin mixer for washbowls without waste set # 31023, -000





Metris S Single lever basin mixer with swivel spout and pop-up waste set # 31159, -000

Single lever basin mixer 230 with swivel spout and push-open waste set # 31161, -000





Metris S Single lever basin mixer with pop-up waste set # 31021, -000 Single lever basin mixer 190 without waste set # 31026, -000





Metris S

Single lever basin mixer for concealed installation wall-mounted with spout 16.5 cm # 31162, -000 Single lever basin mixer for concealed installation wall-mounted with spout 22.5 cm # 31163, -000 (not shown) Basic set for single lever basin mixer for concealed installation wall-mounted # 13622180 (not shown)





Metris S Single lever basin mixer 100 with pop-up waste set # 31060, -000

Single lever basin mixer without waste set # 31068, -000

Single lever basin mixer 100 LowFlow 3.5 l/min with pop-up waste set # 31063, -000

Single lever basin mixer 100 LowFlow without waste set # 31015, -000

Single lever basin mixer 100 LowFlow 2 l/min with pop-up waste set # 31016, -000







Metris S Electronic basin mixer with temperature control battery operation # 31100, -000

Electronic basin mixer with temperature control mains connection 230 V # 31102, -000

Electronic basin mixer with temperature pre-adjustment battery operation # 31101, -000

Electronic basin mixer with temperature pre-adjustment mains connection 230 V # 31103, -000



Metris S Bidet



Metris S Single lever bidet mixer with pop-up waste set # 31261, -000



Metris S Bath



Metris S Single lever bath mixer for exposed installation # 31460, -000





Metris S Bath spout # 14420, -000





Metris S

Single lever bath mixer for concealed installation # 31465, -000

Single lever bath mixer for concealed installation with integrated security combination according to EN1717 # 31466, -000





Metris S

4-hole rim mounted bath mixer with spout 17.1 cm # 31446, -000

4-hole rim mounted bath mixer with spout 22 cm # 31447, -000 (not shown)

Basic set for 4-hole rim mounted bath mixer # 13444180 (not shown)



NEW

sBox Finish set oval # 28020, -000 Rim and tile mounted bath basic set # 13560180 (not shown) Installation plate for tile mounted installation # 28016, -000 (not shown)

Mounting angle for installation plate for tile mounted installation # 28021, -000 (not shown)



Metris S Shower



Metris S Single lever shower mixer for exposed installation # 31660, -000



Metris S Single lever shower mixer for concealed installation # 31665, -000





Basic set iBox universal # 01800180

Modern

N

- Metris S presents a timeless design with a clear, precise flow of lines
- Ergonomic pin handle emphasises the precision of the design languages
- Extensive range for every application
- Also ideal for large scale projects

Talis Select E/Talis E

Comfort in its most natural form





Talis Select E 110



User-friendly: Whether with a finger, arm or elbow – the Select button makes operation easier than ever.



Fine form: Because the Select button has no lever, the mixer always looks symmetrical. There is no need to turn back the lever, and the water temperature is instantly correct.



Elegant: With their precise edges, the mixers contribute to the overall look of harmony in the modern bathroom.

N

Advantages and benefits

- Select technology makes daily routines easier at the touch of a button
- Helps to save water, since the easy operation encourages the user to keep switching it off
- Easy to clean: thanks to the generous areas
- Automatic flow limit to 5 l/min thanks to EcoSmart technology

Talis E FinishPlus

New finishes for even more design freedom

With the new high-end FinishPlus surfaces, we offer a variety of design options. The Talis E range is available in five new colours: the metallic finishes inlcuding brushed

black chrome, brushed bronze and polished gold are the perfect alternatives for those who have had enough of the standard. The exquisite metallic colours masterfully combine elegance

and modernity and set attractive contrasts, no matter whether your bathroom interior is dark or light. Elegant simplicity ensure the taps become the highlight of any modern bathroom.



670 Matte black: Getting back to basics with black and white contrasts.



700 Matte white: Cheeky, unconventional freshness.



340 Brushed black chrome: Cool and linear with geometric shapes.



140 Brushed bronze: Soft natural tones and subtle nuances.



990 Polished gold optic: Glamorous look for aesthetic extravagance.



000 Chrome: Timeless classic paired with dainty elegance.

5

Advantages and benefits

- Extensive range to suit any design preference: five new finishes and matching complementary products
- Immediate availability: easy ordering process as products are kept in stock
- Same price for all new finishes to make ordering simple

Talis Select E/Talis E Basin



Talis Select E Basin mixer 240 with pop-up waste set

71752, -000 Basin mixer 240 without waste set # 71753, -000



NEW



Talis Select E Basin mixer 110 with pop-up waste set # 71750, -000

Basin mixer 110 without waste set





Talis E Single lever basin mixer 240 with pop-up waste set # 71716, -000, -140, -340, -670, -700, -990 Single lever basin mixer 240 without waste set # 71717, -000, -140, -340, -670,





Talis E Single lever basin mixer 150 with pop-up waste set # 71754, -000, -140, -340, -670, -700, -990

Single lever basin mixer 150 without waste set # 71755, -000





Talis E

Single lever basin mixer 110 with pop-up waste set # 71710, -000, -140, -340, -670, -700, -990

Single lever basin mixer 110 with push-open waste set # 71711, -000

Single lever basin mixer 110 without waste set # 71712, -000, -140, -340, -670, -700, -990

Single lever basin mixer 110 CoolStart with pop-up waste set

71713, -000, -140, -340, -670, -700, -990 (not shown)

Single lever basin mixer 110 CoolStart without waste set

71714, -000, -140, -340, -670, -700, -990 (not shown)

Single lever basin mixer 110 LowFlow with pop-up waste set # 71715, -000





Talis E

Single lever basin mixer 80 with pop-up waste set # 71700, -000

Single lever basin mixer 80 with push-open waste set # 71701, -000

Single lever basin mixer 80 without waste set # 71702, -000

Single lever basin mixer 80 CoolStart with pop-up waste set

71703, -000 (not shown) Single lever basin mixer 80 CoolStart

without waste set # 71704, -000 (not shown)

Single lever basin mixer 80 LowFlow with pop-up waste set # 71705, -000

Single lever basin mixer 80 for vented hot water cylinders with pop-up waste set # 71707, -000

Pillar tap 80 for cold water # 71706, -000 (not shown)



Talis Select E/Talis E Basin







 Talis E

 Single lever basin mixer

 for concealed installation wall-mounted

 with spout 22.5 cm

 # 71734, -000, -140, -340, -670, -700, -990

Single lever basin mixer for concealed installation wall-mounted with spout 16.5 cm # 71732, -000 (not shown)



Talis E Bidet



Talis E

Single lever bidet mixer with pop-up waste set # 71720, -000, -140, -340, -670, -700, -990

Single lever bidet mixer with push-open waste set # 71721, -000



Talis E Bath



Talis E Single lever bath mixer for exposed installation # 71740, -000, -140, -340, -670, -700, -990





Talis E Single lever bath mixer for concealed installation # 71745, -000, -140, -340, -670, -700, -990

Single lever bath mixer for concealed installation with integrated security combination according to EN1717 # 71474, -000, -140, -340, -670, -700, -990





Bath spout # 71410, -000





4-hole rim mounted bath mixer # 71748, -000, -140, -340, -670,

Basic set for 4-hole rim mounted







sBox Finish set oval # 28020, -000

Rim and tile mounted bath basic set # 13560180 (not shown)

Installation plate for tile mounted installation # 28016, -000 (not shown) Mounting angle for installation plate for tile mounted installation # 28021, -000 (not shown)



Talis E 3-hole rim mounted bath mixer # 71747, -000 Basic set for 3-hole rim mounted bath mixer # 13233180 (not shown)





3-hole rim mounted single lever bath mixer with Secuflex # 71730, -000 Basic set for 3-hole rim mounted single lever bath mixer



Talis E -700, -990





Talis E Shower



Talis E Single lever shower mixer for exposed installation # 71760, -000, -140, -340, -670, -700, -990





Talis E Single lever shower mixer for concealed installation # 71765, -000, -140, -340, -670, -700, -990



Basic set iBox universal # 01800180

Talis E Additional products



Raindance E

Overhead shower 300 1jet with ceiling connector # 26250, -000, -140, -340, -670, -700, -990 19 l/min Overhead shower 300 1jet with shower arm # 26238, -000, -140, -340, -670, -700, -990 19 l/min (not shown)





Ceiling connector \$ 10 cm # 27393, -000, -140, -340, -670, -700, -990

Ceiling connector S 30 cm # 27389, -000, -140, -340, -670, -700, -990 (not shown)





Raindance Select E Hand shower 120 3jet # 26520, -000, -140, -340, -400, -670, -700, -990 15 l/min





Unica

Shower bar S Puro 65 cm with shower hose # 28632, -000, -140, -340, -670, -700, -990 Shower bar S Puro 90 cm with shower hose (not shown) # 28631, -000, -140, -340, -670, -700, -820, -990







Isiflex Shower hose 160 cm Made of plastic in a metallic finish # 28276, -000, -090, -140, -340, -670, -700, -800, -990





FixFit Wall outlet Square with non-return valve # 26455, -000, -140, -340, -670, -700, -990





Quick XXL - ---Performance

Shower holder Porter E # 28387, -000, -140, -340, -670, -700, -990



NEW

Design trap Flowstar S



Talis E Additional products



Ecostat

Shower thermostat Comfort for exposed installation # 13116, -000, -140, -340, -670, -700, -990





ShowerSelect

Thermostat for concealed installation for 2 functions # 15763, -000, -140, -340, -670, -700, -990







RainSelect

Thermostat for concealed installation for 2 functions # 15380, -000, -140, -340, -670, -700, -990 Basic set for 2 functions

15310180 (not shown)





Ecostat Bath thermostat Comfort for exposed installation # 13114, -000, -140, -340, -670, -700, -990





Ecostat Square Thermostat for concealed installation for 2 functions

NEW





NEW

NEW



RainSelect

Thermostat for concealed installation for 4 functions # 15382, -000, -140, -340, -670, -700, -990

Basic set for 4 functions # 15312180 (not shown)





sBox Finish set square # 28010, -000, -140, -340, -670, -700, -990

Rim and tile mounted bath basic set # 13560180 (not shown)

Installation plate for tile mounted installation # 28016, -000 (not shown)

Mounting angle for installation plate for tile mounted installation # 28021, -000 (not shown)







Exafill S

Finish set bath filler, waste and overflow set # 58117, -000, -140, -340, -670, -700, -820, -990





Flexaplus Finish set waste and overflow set # 58185, -000, -140, -340, -670, -700, -990



NEW

NEW

Talis E Additional products

Overhead shower 360 3jet with wall connector

Intense Powder Rain

26234, -000, -140, -340, -670, -700, -990



Rainfinity

Qu Cle

Rair Stre





Rainfinity

Overhead shower 360 1jet with wall connector # 26230, -000, -140, -340, -670, -700, -990

NEW

NEW

Ľ

reddot award 2019 best of the best





Rainfinity

Overhead shower 360 1jet # 26231, -000, -140, -340, -670, -700, -990





Rainfinity

NEW

Overhead shower 250 1jet # 26228, -000, -140, -340, -670, -700, -990





Hand shower 130 3jet # 26864, -000, -140, -340, -670, -700, -990 10.6 l/min # 26865, -000, -700 EcoSmart 9 l/min



Rainfinity

Baton hand shower 100 1jet # 26866, -000, -140, -340, -670, -700, -990 13.8 l/min



Talis Select S/Talis S

This is where form and function blend





User-friendly: Whether with a finger, arm or elbow – the Select button makes operation easier than ever. The temperature can remain pre-set.

Fine form: Because the Select button has no lever, the mixer always looks symmetrical. There is no need to turn back the lever, and the water temperature is instantly correct.

Natural: harmonious integration of the mixers in the bathroom thanks to the naturally blending pipe bodies.

N

Advantages and benefits

- Select technology makes daily routines easier at the touch of a button
- Helps to save water, since the easy operation encourages the user to keep switching it off
- Easy to clean: thanks to the clear conical shapes
- Automatic flow limit to 5 l/min thanks to EcoSmart technology

DESIGN PLUS

reddet award 2015

ISH

Talis Select S/Talis S Basin

DESIGN PLUS

reddet award 2015

- ISH



Talis Select S Basin mixer 190 with pop-up waste set # 72044, -000 Basin mixer 190 without waste set # 72045, -000





Talis Select S Basin mixer 100 with pop-up waste set # 72042, -000 Basin mixer 100 without waste set # 72043, -000



reddet award 2015

DESIGN PLUS

reddot award 2015

ISH



Talis Select S Basin mixer 80 with pop-up waste set # 72040, -000 Basin mixer 80 without waste set # 72041, -000





Talis S

Single lever basin mixer 190

Single lever basin mixer 190

Quick Comfort

with pop-up waste set # 72031, -000

without waste set

72032, -000

٩

reddet award 2015



Talis S

Single lever basin mixer 100 with pop-up waste set # 72020, -000 Single lever basin mixer 100 without waste set # 72021, -000

Single lever basin mixer 100 CoolStart with pop-up waste set

72022, -000 (not shown) Single lever basin mixer 100 CoolStart without waste set

72023, -000 (not shown)

Single lever basin mixer 100 LowFlow with pop-up waste set # 72024, -000

Single lever basin mixer 100 LowFlow without waste set # 72025, -000







Talis S Single lever basin mixer 80 with pop-up waste set # 72010, -000

Single lever basin mixer 80 with push-open waste set # 72011, -000

Single lever basin mixer 80 without waste set # 72012, -000

Single lever basin mixer 80 CoolStart

with pop-up waste set # 72013, -000 (not shown)

Single lever basin mixer 80 CoolStart without waste set

72014, -000 (not shown)

Single lever basin mixer 80 LowFlow with pop-up waste set # 72015, -000

Single lever basin mixer 80 LowFlow without waste set # 72018, -000

Single lever basin mixer 80 for vented hot water cylinder with pop-up waste set # 72016, -000

Pillar tap 80 for cold water # 72017, -000 (not shown)



Talis S Basin



Talis S Single lever basin mixer 250 with pop-up waste set # 72115, -000 Single lever basin mixer 250 without waste set # 72116, -000





Talis S 3-hole basin mixer with pop-up waste set # 72130, -000





Talis S Single lever basin mixer 140 with pop-up waste set # 72113, -000 Single lever basin mixer 140 without waste set # 72114, -000





Talis S Single lever basin mixer for concealed installation wall-mounted with spout 22.5 cm # 72111, -000

Basic set for single lever basin mixer for concealed installation wall-mounted # 13622180 (not shown)





Talis SSingle lever basin mixer 210with swivel spout and pop-up waste set# 72105, -000





Talis S Single lever basin mixer for concealed installation wall-mounted with spout 16.5 cm # 72110, -000

Basic set for single lever basin mixer for concealed installation wall-mounted # 13622180 (not shown)



Talis Select S/Talis S Bidet



Talis Select S Bidet mixer with pop-up waste set # 72202, -000





Talis S Single lever bidet mixer with pop-up waste set # 72200, -000



Talis S Bath



Talis S Single lever bath mixer for exposed installation # 72400, -000





Talis S Single lever bath mixer for concealed installation # 72405, -000 Single lever bath mixer for concealed installation with integrated security combination according to EN1717 # 72406, -000





Talis S Single lever bath mixer floor-standing # 72412, -000 Basic set for mixers floor-standing # 10452180 (not shown)

F





Talis S Bath spout # 72410, -000





sBox Finish set oval

Rim and tile mounted bath basic set Installation plate for tile mounted

Mounting angle for installation plate for tile mounted installation # 28021, -000 (not shown)





28020, -000 # 13560180 (not shown) installation # 28016, -000 (not shown)



Talis S 3-hole rim mounted bath mixer # 72415, -000 Basic set for 3-hole rim mounted bath mixer



Laun G)

Talis S 3-hole rim mounted single lever bath mixer with Secuflex # 72416, -000 Basic set for 3-hole rim mounted single lever bath mixer



Talis S 4-hole rim mounted bath mixer with Secuflex # 72418, -000 Basic set for 4-hole rim mounted bath mixer

13444180 (not shown)



Talis S Shower



Talis S Single lever shower mixer for exposed installation # 72600, -000





Talis S Single lever shower mixer for concealed installation # 72605, -000 Single lever shower mixer HighFlow for concealed installation # 72607, -000



Basic set iBox universal # 01800180

Talis S Basin



Talis S Single lever basin mixer with pop-up waste set # 32020, -000 Single lever basin mixer without waste set

32031, -000 Single lever basin mixer for vented hot water cylinder with pop-up waste set # 32032, -000





Talis S Pillar tap 40 without waste set # 13132, -000





Talis S Single lever basin mixer with swivel spout and pop-up waste set # 32070, -000



Talis S Bath



Talis S Single lever bath mixer for exposed installation # 32420, -000



Talis S Shower



Talis S Single lever shower mixer for exposed installation # 32620, -000



Talis S Single lever bath mixer for concealed installation # 32475, -000

Single lever bath mixer for concealed installation with integrated security combination according to EN1717 # 32477, -000



Bath spout # 13414, -000





sBox Finish set oval # 28020, -000

Rim and tile mounted bath basic set # 13560180 (not shown)

NEW

Installation plate for tile mounted installation # 28016, -000 (not shown)

Mounting angle for installation plate for tile mounted installation # 28021, -000 (not shown)





Talis S Single lever shower mixer for concealed installation # 32675, -000



Basic set iBox universal # 01800180





Talis Basin





DESIGN PLUS

- ISH

ΗF

212

with pop-up waste set # 32040, -000 Single lever basin mixer 80 without waste set # 32041, -000





Talis Single lover ba

Single lever basin mixer 210 with swivel spout and push-open waste set # 32082, -000

Single lever basin mixer 210 with swivel spout and pop-up waste set # 32084, -000

Single lever basin mixer 210 with fixed spout and push-open waste set # 32080, -000





Talis Single lever bidet mixer with pop-up waste set # 32240, -000



Talis Bath



Talis Single lever bath mixer for exposed installation # 32440, -000



Talis Shower



Talis Single lever shower mixer for exposed installation # 32640, -000





Bath spout # 13414, -000





sBox Finish set oval # 28020, -000 Rim and tile mounted bath basic set # 13560180 (not shown) Installation plate for tile mounted installation # 28016, -000 (not shown)

Mounting angle for installation plate for tile mounted installation # 28021, -000 (not shown)



Focus

With top quality, comfort and great value





User-friendly: Gentle, caressing roundness and the ergonomic handle invite you to try out the ease of use.



Living: The cylindrical, contemporary body of Focus mixers brings elegance and value to the bathroom.

N

Advantages and benefits

- Design complete in itself and expressed in a clear, generous language
- Dynamic silhouette and gentle round shapes emphasise the quality
- Excellent value with a high level of comfort
- Automatic flow limit to 5 l/min thanks to EcoSmart technology

• Ergonomic handle for ease of use

Focus Basin



Focus Single lever basin mixer 230 with pop-up waste set # 31531, -000

Single lever basin mixer 230 without waste set # 31532, -000





Focus Single lever basin mixer 190 with pop-up waste set # 31608, -000 Single lever basin mixer 190 without waste set



31518, -000



Focus

Single lever basin mixer 100 with pop-up waste set # 31607, -000

Single lever basin mixer 100 without waste set # 31517, -000

Single lever basin mixer 100 LowFlow with pop-up waste set

31603, -000

Single lever basin mixer 100 LowFlow without waste set # 31513, -000

Single lever basin mixer 100 CoolStart with pop-up waste set # 31621, -000 (not shown)





Focus

Single lever basin mixer 70 with pop-up waste set # 31730, -000

Single lever basin mixer 70 without waste set # 31733, -000

Single lever basin mixer 70 LowFlow with pop-up waste set # 31951, -000

Single lever basin mixer 70 LowFlow without waste set # 31952, -000

Single lever basin mixer 70 for vented hot water cylinders with pop-up waste set # 31132, -000

Single lever basin mixer 70 with push-open waste set # 31604, -000

Pillar tap 70 without waste set # 31130, -000 (not shown)

Single lever basin mixer 70 CoolStart with pop-up waste set # 31539, -000 (not shown)





Focus

Single lever basin mixer 240 with swivel spout and pop-up waste set # 31609, -000

Single lever basin mixer 240 with swivel spout without waste set # 31519, -000





Focus

Electronic basin mixer with temperature control battery operation # 31171, -000

Electronic basin mixer with temperature control mains connection 230 V # 31173, -000

Electronic basin mixer with temperature pre-adjustment battery operation # 31172, -000

Electronic basin mixer with temperature pre-adjustment mains connection 230 V # 31174, -000





Focus Single lever basin mixer for exposed installation wall-mounted



Focus Bidet



Focus Single lever bidet mixer with pop-up waste set # 31920, -000

Single lever bidet mixer with push-open waste set # 31922, -000



Focus Bath



Focus Single lever bath mixer for exposed installation # 31940, -000



Focus Shower



Single lever shower mixer







Focus Single lever bath mixer for concealed installation # 31945, -000 Single lever bath mixer for concealed installation with integrated security combination according to EN1717







sBox Finish set oval # 28020, -000

Rim and tile mounted bath basic set # 13560180 (not shown)

NEW

Installation plate for tile mounted installation # 28016, -000 (not shown)

Mounting angle for installation plate for tile mounted installation # 28021, -000 (not shown)





Focus for exposed installation # 31960, -000







Single lever shower mixer for concealed installation # 31965, -000



Basic set iBox universal # 01800180





Focus Single lever basin mixer 100 with extra long handle and pop-up waste set # 31911, -000

Single lever basin mixer 100 with extra long handle without waste set # 31915, -000

Single lever basin mixer 100 CoolStart with extra long handle without waste set # 31917, -000 (not shown)





Focus Single lever basin mixer 70 with extra long handle and pop-up waste set # 31910, -000 Single lever basin mixer 70 with extra long handle without waste set # 31914, -000





Focus Single lever basin mixer for exposed installation with extra long handle # 31913, -000





Focus Single lever shower mixer for exposed installation with extra long handle # 31916, -000





Novus

Easy-going elegance



Novus



Simple: Novus taps are bursting with natural elegance with their organic and flowing shapes.



Dream team: a real head-turner when used as a bath mixer and matched with hansgrohe hand showers.



Retro: Vintage design with three-hole basin tap for a bold, stylish look.

Advantages and benefits

- Four ComfortZone heights for the perfect amount of space under the spout
- High quality and dynamic design at an attractive price

Water- and energy-saving with EcoSmart technology

Novus Basin



Novus Single lever basin mixer 230 with pop-up waste set # 71123, -000

Single lever basin mixer 230 without waste set # 71124, -000





Novus

Single lever basin mixer 70 with pop-up waste set # 71020, -000

Single lever basin mixer 70 without waste set # 71021, -000

Single lever basin mixer 70 LowFlow with push-open waste set # 71024, -000





Novus Single lever basin mixer for concealed installation wall-mounted with spout 19.5 cm # 71127, -000





Novus Single lever basin mixer 100 with pop-up waste set # 71030, -000 Single lever basin mixer 100 without waste set # 71031, -000

Single lever basin mixer 100 LowFlow with push-open waste set # 71034, -000

Single lever basin mixer 100 for vented hot water cylinders with push-open waste set # 71036, -000





Novus Single lever basin mixer 70 CoolStart with push-open waste set # 71022, -000





Novus Single lever basin mixer 100 CoolStart with push-open waste set # 71032, -000





Novus Single lever basin mixer 240 with swivel spout and pop-up waste set # 71126, -000

Single lever basin mixer 240 with swivel spout without waste set # 71128, -000





Novus 3-hole basin mixer 100 with pop-up waste set # 71140, -000



Novus Bidet



Novus Single lever bidet mixer 70 with pop-up waste set # 71142, -000



Novus Bath



Novus Single lever bath mixer for exposed installation # 71040, -000





()

Novus Single lever bath mixer for concealed installation # 71045, -000

Single lever bath mixer for concealed installation with integrated security combination according to EN1717 # 71046, -000





Novus Bath spout # 71320, -000





sBox Finish set oval # 28020, -000

Rim and tile mounted bath basic set # 13560180 (not shown)

Installation plate for tile mounted installation # 28016, -000 (not shown)

Mounting angle for installation plate for tile mounted installation # 28021, -000 (not shown)



Novus Shower



Novus Single lever shower mixer for exposed installation # 71060, -000





Novus Single lever shower mixer for concealed installation # 71065, -000



Basic set iBox universal # 01800180

Novus Care mixers



Novus Single lever basin mixer 100 with extra long handle and pop-up waste set # 71921, -000





Novus Single lever basin mixer 70 with extra long handle and pop-up waste set # 71920, -000





Novus Single lever basin mixer for exposed installation with extra long handle # 71923, -000





Novus Single lever shower mixer for exposed installation with extra long handle # 71926, -000





Logis

Harmonious design with precision feeling



Logis 100



Pleasing: The precise shoulder lines and rounded edges delight both the eye and the hand.



Flexible: The extensive range has the best and most irresistible solution for any installation situation.



Homely: Thanks to the gentle silhouettes, the Logis mixers create a harmonious atmosphere.

N

Advantages and benefits

- Clear, generous surfaces for easy operation and cleaning
- The rounded shapes of the handle and base make them the perfectly matching complements to the soft edges of the basin
- High-value, quiet ceramic cartridge perfect for apartment blocks, hotels and offices
- High value in the lower price category
- Extensive range with various basin mixer heights
- Automatic flow limit to 5 l/min thanks to EcoSmart technology

Logis Basin



Logis Single lever basin mixer 190 with pop-up waste set # 71090, -000

Single lever basin mixer 190 without waste set # 71091, -000





Logis

Single lever basin mixer for concealed installation wall-mounted with spout 19.5 cm # 71220, -000

Basic set for single lever basin mixer for concealed installation wall-mounted # 13622180 (not shown)





Logis 3-hole basin mixer 150 with pop-up waste set # 71133, -000





Logis Single lever basin mixer 100 with pop-up waste set # 71100, -000 Single lever basin mixer 100 with push-open waste set # 71107, -000 Single lever basin mixer 100 CoolStart with pop-up waste set # 71102, -000 (not shown) Single lever basin mixer 100 CoolStart without waste set # 71103, -000 (not shown) Single lever basin mixer 100 without waste set # 71101, -000

reddot award 2014





reddot award 2014

Logis Single lever basin mixer 70 with pop-up waste set # 71070, -000 Single lever basin mixer 70 with push-open waste set

71077, -000 Single lever basin mixer 70 CoolStart

with pop-up waste set # 71072, -000 (not shown)

Single lever basin mixer 70 CoolStart without waste set # 71073, -000 (not shown)

Single lever basin mixer 70 without waste set

71071, -000 Single lever basin mixer 70 for vented hot water cylinders with push-open waste set # 71074, -000

Single lever basin mixer 70 LowFlow with pop-up waste set # 71078, -000





Logis Single lever basin mixer 210 with swivel spout and pop-up waste set # 71130, -000

Single lever basin mixer 210 with swivel spout without waste set # 71131, -000





for exposed installation wall-mounted # 71225, -000



Loais

Single lever basin mixer

٩ Eco Smai



Logis 2-handle basin mixer 150 with pop-up waste set # 71222, -000 2-handle basin mixer 150







Logis Pillar tap 70 for cold water without waste set # 71120, -000 Pillar tap 70 for hot water without waste set # 71121, -000 (not shown)





Logis Bidet



Logis Single lever bidet mixer 70 with pop-up waste set # 71204, -000





Logis Single lever bidet mixer 100 with pop-up waste set # 71200, -000



Logis Bath



Logis Single lever bath mixer for exposed installation # 71400, -000





Logis 2-handle bath mixer for exposed installation # 71243, -000





Logis

Single lever bath mixer for concealed installation # 71405, -000

Single lever bath mixer for concealed installation with integrated security combination according to EN1717 # 71407, -000

/140/,-000





sBox Finish set oval # 28020, -000 Rim and tile mounted bath basic set # 13560180 (not shown) Installation plate for tile mounted installation

Installation plate for file mounted installation # 28016, -000 (not shown)

Mounting angle for installation plate for tile mounted installation # 28021, -000 (not shown)



Bath spout # 71410, -000





Logis 3-hole rim mounted single lever bath mixer with Secuflex # 71310, -000

Basic set for 3-hole rim mounted single lever bath mixer # 13437180 (not shown)



Logis Shower



Logis Single lever shower mixer for exposed installation # 71600, -000





Logis 2-handle shower mixer for exposed installation # 71263, -000





 \bigcirc

Logis Single lever shower mixer for concealed installation # 71605, -000 Single lever shower mixer HighFlow for concealed installation # 71607, -000



Basic set iBox universal # 01800180



Logis Shut-off valve for concealed installation # 71970, -000





Accessories



Logis Universal Liquid soap dispenser # 41714, -000





Logis Universal Toothbrush tumbler # 41718, -000



Logis Universal Soap dish # 41715, -000









Logis Universal Towel hook # 41711, -000





Logis Universal Double towel hook # 41725, -000





Logis Universal Shaving mirror with LED light # 73560, -000





Logis Universal Shaving mirror # 73561, -000





Logis Universal Roll holder with cover # 41723, -000





Logis Universal Roll holder without cover # 41726, -000





Logis Universal Spare roll holder # 41717, -000





Logis Universal Toilet brush with tumbler wall-mounted # 41722, -000



Accessories



Logis Universal Towel ring # 41724,-000





Logis Universal Grab rail # 41713, -000



Logis Universal Bath towel rail # 41716, -000

()



Logis Universal Double bath towel rail # 41712, -000





Logis Universal Towel rack with towel holder # 41720, -000

 \bigcirc



Logis Universal Bath-accessory set 3 in 1 # 41727, -000





Logis Universal Bath-accessory set 5 in 1 # 41728, -000



Accessories



Logis Liquid soap dispenser # 40514, -000, -820





Logis Toothbrush tumbler # 40518, -000, -820



Logis Soap dish # 40515, -000, -820



Logis Towel hook # 40511, -000, -820





Logis Roll holder with cover # 40523, -000, -820





Logis Roll holder without cover # 40526, -000, -820



Logis Spare roll holder # 40517, -000, -820



Logis Toilet brush with tumbler wall-mounted # 40522, -000, -820





Logis Towel holder twin-handle # 40512, -000, -820





Logis Grab rail # 40513, -000, -820



8 -

Logis Bath towel rail # 40516, -000, -820





Electronic basin mixer

Sensors for greater hygiene and water savings

Here, water flows only when it is | actually needed: Contactless mixers with infrared proximity electronics are especially useful in public facilities for saving water - and | with heavily used mixers in public and

hence for cutting the costs of consumption and energy. In addition, the contactless technology eliminates the risk of contamination associated corporate washrooms. Above all on the care and health sectors, hygiene experts recommend sensor controlled water sources.



Focus Electronic basin mixer

Advantages and benefits

- Water savings thanks to automatic stop
- Available for battery and mains connection
- Contactless, so particularly hygienic
- Ideal for public and business sectors
PuraVida Electronic basin mixer



PuraVida Electronic basin mixer with temperature control battery operation # 15170, -000, -400



Metris S Electronic basin mixer





Metris S Electronic basin mixer with temperature control battery operation # 31100, -000 Electronic basin mixer with temperature control mains connection 230 V # 31102, -000



Į,

Metris S Electronic basin mixer with temperature pre-adjustment battery operation # 31101, -000 Electronic basin mixer with temperature

pre-adjustment mains connection 230 V # 31103, -000



Focus Electronic basin mixer



Focus Electronic basin mixer with temperature control battery operation # 31171, -000

Electronic basin mixer with temperature control mains connection 230 V # 31173, -000





Focus Electronic basin mixer with temperature pre-adjustment battery operation # 31172, -000

reddot design award

Electronic basin mixer with temperature pre-adjustment mains connection 230 V # 31174, -000



Care mixers

More comfort and safety with hansgrohe Care

Longer handles, intuitive use, constant temperatures, large lettering: The mixers in the Talis Care and Focus Care lines and the Ecostat Comfort Care thermostats provide that extra safety, comfort and ease of use in the bathroom. The resulting ease in handling water offers particular benefits to families with small children. These perfected solutions are ideal wherever people are in need of assistance owing to their age or illness or wherever special hygiene conditions apply: i.e. at retirement homes, hospitals, health resorts, or hospices. But also where greater ease of use and safety are required, for instance in nursery schools, or hotels.



Focus Care Single lever basin mixer Ecostat Comfort Care Shower thermostat

N

- Extra long, flat control lever: ergonomically formed for the whole hand or arm
- Comfortable use under a light touch

- Robust brass body and metal handle for a particularly long lifetime
- Temperature preset, e.g. for people who have lost their feeling for hot and cold

Focus Care mixers



Focus

Single lever basin mixer 100 with extra long handle and pop-up waste set # 31911, -000

Single lever basin mixer 100 with extra long handle without waste set # 31915, -000

Single lever basin mixer 100 CoolStart with extra long handle without waste set





Focus Single lever basin mix

Single lever basin mixer 70 with extra long handle without waste set # 31914, -000

Single lever basin mixer 70 with extra long handle and pop-up waste set # 31910, -000

۵



Novus

Single lever basin mixer 70

Comfort

٩

with extra long handle

and pop-up waste set

71920, -000



Focus Single lever basin mixer for exposed installation with extra long handle # 31913.-000





Focus

Single lever shower mixer for exposed installation with extra long handle # 31916, -000



Novus Care mixers



Novus Single lever basin mixer 100 with extra long handle and pop-up waste set # 71921, -000



Ecostat Care mixers



Ecostat Under-basin thermostat for exposed installation # 15346, -000







Ecostat Bath thermostat Comfort Care for exposed installation with extra long handles # 13115, -000





Safety e.g. in nursery schools, hospitals or hotels



Novus Single lever basin mixer for exposed installation with extra long handle # 71923, -000





Novus Single lever shower mixer for exposed installation with extra long handle # 71926, -000





Quick-coupling set # 28346, -000



 For quick, easy emptying of hoses

M

Ecostat Shower thermostat Comfort Care for exposed installation with extra long handles # 13117, -000



- Provides a constant temperature and consistent flow even with fluctuating cold water pressure
- Safe for thermal disinfection



Unica 'Comfort

Leaves nothing to be desired with regard to strength and comfort



The Unica 'Comfort range is a userfriendly, practical solution for any bathroom. And the strong, robust materials also make it ideal for projects, especially hotels. The strong shower bars have a high tensile strength of up to 200 kg, so can also be used as a grab handle. The 25 mm thick chrome-plated brass bar and strong metal wall supports guarantee firm and safe support, and prevents it from being pulled from the wall. The grab handle and shelf, foot support and the Raindance Select S 120 hand shower are the dot on the 'i' when it comes to comfort.



N

- Single-handed use thanks to self-locking slider
- Easy to change the spray type using the Select button
- Smooth tilt of the shower holder by up to 90°
- High tensile strength of up to 200 kg

- Combination of shelf, grab handle and holder as a compact solution for the bathroom
- Detachable shelf in solid white plastic offers plenty of space for all kind of shower utensils
- The shower bar and grab handle are also ideal for the bath

Raindance Select S Care Shower sets



Unica Care Shower bars





Unica Foot support Comfort # 26329, -000





- Made of metal with a non-slip silicone coating

Unica Grab handle Comfort with shelf and shower holder # 26328, -400



 Holder can be fitted to the left or right, or may be removed



hansgrohe waste systems

Discreet design, perfect function

Cleanliness is indispensable for well being in the bathroom. For this reason, hansgrohe has developed a large number of innovative waste systems. The used water can

then drain off quickly and easily. Flexible models like Exafill, Flexaplus, Raindrain and Flowstar are easy to install and in addition are perfectly easy to use. Overflow control and

other intelligent functions maintain comfort on a high level for a very long time.







Push-Open: The Push-Open waste is opened and closed at the tap of a finger and water can collect and drain off very easily.

Flowstar: The Flowstar waste system also presents a visually clean solution under the wash basin.



Exafill S bath: The integrated fine flood spray fills the bath easily and free of splashes, so a separate bath filler is not needed. Exafill S is everything in one: bath filler, outflow and overflow. Better still: The installation is pleasantly uncomplicated – and with QuickClean technology cleaning the filler nozzles is just as easy.



Flexaplus S bath: Never again a bath that has run too full. The outflow and overflow mixer regulates excess bath water through the overflow control element. In addition, the water level in the bath can be raised by up to 25 mm – for even more bath fun.



Raindrain 90 XXL shower: Ideal for large showers with high flow rates like Raindance Rainfall or Raindance Rainmaker. Provides for a fast and uncomplicated outflow in all shower trays. The perfect shower outflow with a max capacity of 51 l/min and easy installation.

N

- Water can drain off quickly and easily
- Reliable even for large showers with high flow rates
- Easy to install and use
- Overflow control and other intelligent functions

Traps, valves and waste sets



Design trap Flowstar # 52100, -000 Design trap Flowstar set # 52120, -000





Design trap Flowstar S # 52105, -000, -140, -340, -670, -700, -990





Angle valve E outlet G ¾ # 13902, -000



13901, -000

Angle valve S outlet G 3/8





Waste set push-open for basin and bidet mixers # 50100, -000, -140, -340, -670, -700, -990

NEW





()

Waste set push-open for basin and bidet mixers # 50105, -000







13904, -000

Waste set non-closing for washbasins # 50001, -000

Angle valve with microfilter outlet G3/8









Raindrain Complete set waste set 90 XXL 51 l/min # 60067, -000





Staro Complete set waste set 90 29 l/min # 60056, -000



Complete set waste set 52 33 l/min # 60060, -000





Cover # 13950, -000, -140, -340, -670, -700, -990





Waste systems for bath tubs



Flexaplus Complete set waste and overflow set for standard bath tubs # 58143, -000





Spring loaded plug

protects against injurySelf cleaning screw siphon



Exafill Complete set bath filler, waste and overflow set for standard bath tubs # 58123, -000



Exafill S Complete set bath filler, waste and overflow set for standard bath tubs # 58113, -000



2

 Flexibly adaptable to bath forms



Flexaplus S

58150, -000

Complete set waste and

overflow set for standard bath tubs

Exafill Basic set bath filler, waste and overflow set for standard bath tubs # 58125180



Exafill S Basic set bath filler, waste and overflow set for standard bath tubs # 58115180



Flexaplus Basic set waste and overflow set for standard bath tubs # 58140180



Flexaplus Finish set waste and overflow set # 58185, -000, -140, -340, -670, -700, -990

Exafill

58126180



Basic set bath filler, waste and overflow

set for special bath tubs



Flexaplus Basic set waste and overflow set for special bath tubs # 58141180



Flexaplus S Finish set waste and overflow set # 58186, -000, -820





Exafill Finish set bath filler, waste and overflow set # 58127, -000



0

Exafill S Basic set bath filler, waste and overflow set for special bath tubs # 58116180



Exafill S Finish set bath filler, waste and overflow set # 58117, -000, -140, -340, -670, -700, -820, -990



KITCHEN MIXERS

Mixer diversity where know-how quality, functionality and design come together

New products - high-end quality for the kitchen

Everything that makes excellent kitchen helpers

Everybody's personal style and taste is reflected in our range of kitchen taps, from modern to classic, from geometric to curvy shapes, and our innovative Select technology makes them easy to handle. Our ComfortZone feature gives you more freedom to move. With the new kitchen taps in the Focus M42 range, we demonstrate that technological precision and maximum functionality can go hand in hand at an attractive price.



Focus M42: The variety of shapes and different ComfortZone heights ensure your individual needs are met. The modern design integrates seamlessly into any kitchen setting. There are two finishes to choose from: chrome and stainless steel. It's a simple switch to high-end quality.





Soap dispenser: this practical assistant is a must for every kitchen. The lid and pump can be easily removed for simple re-filling. The three attractive designs match all hansgrohe kitchen taps. It's available in two premium finishes: chrome and stainless steel.

Simply ingenious

Technologies – simple and convenient

Select: easy operation at the touch of a button

Convenient Select technology: water can be paused and restarted with just one click. Effortlessly push with your elbow or the back of your hand to keep both hands free and kitchen taps clean.



Advantages and benefits

- Convenient use optimum water flow
- Stop and start the water flow at the touch of a button during operation
- Can also be operated with an arm or elbow

ComfortZone: complete freedom to move

The extra-high spout offers a lot of freedom and is perfect for filling containers. The swivel area of the kitchen taps can be set incrementally (110°/120°/150°) or to 360°.



SELECT

Select



- The optimum height for all needs
- Flexible swivel area prevents excessive swivelling
- Ultimate freedom to move

Scan the code and learn more about our technologies.



Quick Clean

QuickClean: rubbing away limescale in moments

QuickClean means flexible silicone discs. Dirt and limescale deposits can be simply rubbed off with your finger – low effort with no need to use cleaning products, extending you shower's lifespan.



Advantages and benefits

- Fast and easy cleaning
- Long lifetime and functionality



Pull-out function: The pull-out spray extend the working radius at the sink.



MagFit magnetic holder: Thanks to the MagFit function, the hose slides back almost silently and slots into place in the centre of the mixer spout.



Pull-out spray with two spray modes: The pull-out spray features two spray types, and it is very easy to switch between the two.



Stainless-steel finish PVD: Surfaces with a stainless-steel finish are manufactured using PVD technology and are particularly abrasion- and scratchresistant.



Ceramic cartridge with Boltic handle lock: Sturdy operation with handle lock to lend the tap a long lifespan.



Safe, easy installation: Flexible connections and a built-in stabilisation plate simplify installation. The PEX-hoses are temperature resistant and neutral in taste and odour.



Convenient handles: Ergonomic handles make operation very convenient. The vertical handle positioning enables space-saving installation in front of the wall.



Fold-down function for window installation:

Ideal for installation in front of the window, simply lift and tilt the kitchen taps as necessary.

hansgrohe Kitchen mixers

Selected kitchen taps at a glance

		Logis M31	Focus M42		
			NEW NEW	NEW	
	Standard	71835,-000 71280,000 71832,000 71830,000	71802, -000, -800 71806, -000, -800 71808, -000, -800 71808, -000, -800	71800, -000, -800 71801, -000, -800	
	For window installation	71833, -000	71807, -000		
Versions	For open water heaters	71831, -000	71804, -000		
	With shut-off valve	71834, -000	71803, -000 71813, -000		
	CoolStart	71839, -000 71837, -000	71805, -000 71809, -000		
	Wall mounting	71836, -000			
	Select				
Features	Change spray type			•	
reatures	With pull-out function		•	•	
	With swivel spout		• •	-	
For the entire range, turn to		page 278	page 276		

		Talis M52	Talis M51		Talis Select M51
					T
	Standard	14877, -000	72810, -000, -800 72814, -000, -800	72813, -000, -800 72815, -000, -800	72820, -000, -800
	For window installation	14877, -000			
Versions	For open water heaters		72812, -000		
	With shut-off valve		72811, -000		
	CoolStart				
	Wall mounting				
	Select				
Features	Change spray type				
Features	With pull-out function			•	
	With swivel spout				
For the entire range, turn to		page 272	page 270		page 270



Price

Talis Select M51	Metris M71			Metris Select M71		
	The second secon	The second secon		A A		
72821, -000, -800 72822, -000, -800	14822, -000, -800	14821, -000, -800	14820, -000, -800 14834, -000, -800	14883, -000, -800 14847, -000, -800	14884, -000, -800 14857, -000, -800	
	14823, -000					
	14888, -000					
			•			
•		•	•		-	
page 270	page 268			page 268		

Metris Select M71



Flexible: Tasks blend seamlessly thanks to the combination of the intuitive Select button and the practical pull-out spout – for more comfort in the kitchen and beyond the sink.

N

- Mixer easy to turn on and off at the touch of a button
- Intuitive control concept makes it ideal for all ages
- New spray design for easy handling with no irritating twisting of the wrist
- Ergonomic flat handle design for better adjustment of the water temperature and quantity
- Basic form matches the shape of the sink and integrates harmoniously in the kitchen

Metris Select M71 Kitchen mixers





Metris Select M71 Single lever kitchen mixer 320, pull-out spout, 1jet Swivel range 110°/150° # 14884, -000, -800



Metris Select M71 Single lever kitchen mixer 240, pull-out spout, 1jet Swivel range 110°/150° # 14857, -000, -800

mfort





Metris M71 Single lever kitchen mixer 320, pull-out spray, 2jet Swivel range 110°/150° # 14820, -000, -800











Metris Select M71 Single lever kitchen mixer 320, 1jet Swivel range 110°/150°/360° # 14883, -000, -800



Metris M71

Single lever kitchen mixer 320,

pull-out spout, 1jet Swivel range 110°/150° # 14821, -000, -800



Metris Select M71 Single lever kitchen mixer 260, 1jet Swivel range 110°/150°/360° # 14847, -000, -800







Metris M71 Single lever kitchen mixer 320, 1jet Swivel range 110°/150°/360° # 14822, -000, -800





A71 Soap-/lotion dispenser # 40468, -000, -800



 Fits Metris Select M71 and Metris M71



Metris M71

Single lever kitchen mixer 320, installation in front of a window, 1jet Swivel range 110°/150°/360° # 14823, -000

Single lever kitchen mixer 320, device shut-off valve, 1jet Swivel range 110°/150°/360° (not shown) # 14888, -000



Talis Select M51

An all-rounder for the modern kitchen





Robust: Whether on the pull-out spray or the 150° swivel spout, the Select button is purely mechanical, which makes it especially robust.

Versatile: Even containers that are some distance away are easy to reach and fill without splashing thanks to the Select button and the pull-out hose – even with just one hand.

N

- Select version with intuitive operation at the touch of a button
- Select technology integrated harmoniously in the slender spout
- Conical basic shape radiates a luxurious elegance
- Easy to clean: thanks to the large areas and precise transitions
- Two Select mixer types for individual requirements: with pull-out or swivel spout

Talis Select M51 Kitchen mixers

iddet award 2015





Talis Select M51 Single lever kitchen mixer 300, pull-out spout, 1jet Swivel range 110°/150° # 72821, -000, -800



Talis Select M51 Single lever kitchen mixer 220, pull-out spout, 1jet Swivel range 110°/150° # 72822, -000, -800





Talis Select M51 Single lever kitchen mixer 300, 1jet Swivel range 110°/150°/360° # 72820, -000, -800



Talis M51 Kitchen mixers



Talis M51 Single lever kitchen mixer 200, pull-out spray, 2jet, Swivel range 110°/150° # 72813, -000, -800





Talis M51 Single lever kitchen mixer 160, pull-out spray, 2jet, Swivel range 110°/150° # 72815, -000, -800





Talis M51 Single lever kitchen mixer 260, 1jet Swivel range 110°/150°/360° # 72810, -000, -800





Talis M51

Single lever kitchen mixer 260, vented hot water cylinders, 1jet Swivel range 110°/150°/360° # 72812, -000





Talis M51 Single lever kitchen mixer 220, 1jet Swivel range 110°/150°/360° # 72814, -000, -800





Talis M51 Single lever kitchen mixer 220, device shut-off valve, 1jet Swivel range 110°/150°/360° # 72811, -000





A51 Soap-/lotion dispenser # 40448, -000, -800





 Fits Talis Select M51 and Talis M51

Talis M52

Swinging elegance for the kitchen



Practical: Thanks to the integrated changeover function, the mixer Variable: Choice of two spray types: standard and shower spray. can also be installed in front of a window.

- Vertical handle position for easy use even when there is little space in front of the wall
- Suitable for continuous-flow water heaters
- . Swivel range 150°

- Mixer with 2 spray types (standard/shower spray)
- MagFit magnetic holder for spray

Talis M52 Kitchen mixers



Talis M52 Single lever kitchen mixer 220, installation in front of a window, pull-out spray, 2jet, Swivel range 150° # 14877, -000





Talis M52 Single lever kitchen mixer 260, installation in front of a window, pull-out spout, 1jet, Swivel range 150° # 14872, -000





Talis M52 Single lever kitchen mixer 270, 1jet Swivel range 110°/150°/360° # 14870, -000 Single lever kitchen mixer 270, device shut-off valve, 1jet Swivel range 110°/150°/360° (not shown) # 14875, -000





Talis M52 Single lever kitchen mixer 170, pull-out spray, 2jet, Swivel range 150° # 32841, -000

Single lever kitchen mixer 170, vented hot water cylinders, pull-out spray, 2jet Swivel range 150° (not shown) # 32842, -000





Talis M52 Single lever kitchen mixer 170, 1jet Swivel range 150° # 32851, -000





A51 Soap-/lotion dispenser # 40448, -000, -800



Fits Talis M52

Focus M41

More freedom to move when cooking and washing up





QuickClean: Dirt and limescale deposits can be simply rubbed off with your finger – low effort with no need to use cleaning products.



ComfortZone: The ultra high spout offers plenty of space and is ideal for filling large containers and pots.

N

- Ergonomic flat handle design for better adjustment of the water temperature and quantity
- Suitable for continuous-flow water heaters
- Swivel range 150°

- Mixer with 2 spray types (standard/shower spray)
- MagFit magnetic holder for spray
- Excellent value with a high level of comfort

Focus M41 Kitchen mixers



Focus M41 Single lever kitchen mixer 240, pull-out spray, 2jet, Swivel range 110°/150° # 31815, -000, -670, -800





Focus M41 Single lever kitchen mixer 260, 1jet Swivel range 110°/150°/360° # 31820, -000, -670, -800





Focus M41 Single lever kitchen mixer 260, vented hot water cylinders, 1jet Swivel range 110°/150°/360° # 31822, -000

Single lever kitchen mixer 260, device shut-off valve, 1jet Swivel range 110°/150°/360° (not shown) # 31823, -000





Focus M41 Single lever kitchen mixer 160, 1jet Swivel range 360° # 31806, -000, -800





Focus M41 Single lever kitchen mixer 160, vented hot water cylinders, 1jet Swivel range 110°/150° # 31804, -000

Single lever kitchen mixer 200, device shut-off valve, 1jet Swivel range 120° (not shown) # 31803, -000





Focus M41 Single lever kitchen mixer 160, CoolStart, EcoSmart, 1jet Swivel range 360° # 31816, -000





Focus M41

Single lever kitchen mixer 280, 1jet Swivel range 110°/150°/360° # 31817, -000, -670, -800





Focus M41 Single lever kitchen mixer, wall-mounted lowspout, 1jet Swivel range 180° # 31825, -000





Focus M41 Single lever kitchen mixer E, 160, 1jet Swivel range 360° # 31780, -000

Single lever kitchen mixer E, 160, vented hot water cylinders, 1jet Swivel range 150° (not shown) # 31784, -000





A41 Soap-/lotion dispenser # 40438, -000, -800





Focus M42 kitchen taps



Plenty of flexibility for the modern kitchen





Flexible: The angled pull-out spout offers plenty of freedom to move.



Swivel range: 110°-360° swivel area for genuine added comfort when washing up.



Smart installation in front of the window: The tilt function is perfect for complicated constructions.

2

- Wide product range at an attractive price
- Three different basic shapes and five different ComfortZone heights for individual requirements
- Modern design that will look great in any kitchen setting
- Choice of two surface finishes: chrome and stainless steel
- Large handle design for sturdy handling

Focus M42 Kitchen mixers



Focus M42 Single lever kitchen mixer 220, pull-out spray, 2jet, Swivel range 360° # 71800, -000, -800





Focus M42 Single lever kitchen mixer 120, 1jet Swivel range 360° # 71806, -000, -800





Focus M42 Single lever kitchen mixer 150, pull-out spout, 1jet Swivel range 120° # 71814, -000, -800





Focus M42 Single lever kitchen mixer 180, pull-out spray, 2jet, Swivel range 360° # 71801, -000, -800





Focus M42 Single lever kitchen mixer 120, LowPressure/vented hot water cylinders, 1jet Swivel range 360° # 71804, -000 Single lever kitchen mixer 120, installation in front of a window, 1jet Swivel range 360° (not shown) # 71807, -000





Focus M42 Single lever kitchen mixer 100, 1jet Swivel range 360° # 71808, -000, -800





Focus M42 Single lever kitchen mixer 220, 1jet Swivel range 360° # 71802, -000, -800

Single lever kitchen mixer 220, device shut-off valve, 1jet Swivel range 110°/150°/360° (not shown) # 71803 -000





Focus M42 Single lever kitchen mixer 120, CoolStart, EcoSmart, 1jet Swivel range 360° # 71805, -000 EcoSmart





Focus M42 Single lever kitchen mixer 180, device shut-off valve, 1jet Swivel range 110°/150°/360° # 71813, -000





Focus M42 Single lever kitchen mixer 100, CoolStart, EcoSmart, 1jet Swivel range 360° # 71809, -000





A41 Soap-/lotion dispenser # 40438, -000, -800





Fits Focus M42

Logis M31 Kitchen mixers



Logis M31

Logis M31 Single lever kitchen mixer 260, 1jet Swivel range 110°/150°/360° # 71835, -000



2-handle kitchen mixer 220, 1jet Swivel range 110°/150°/360° # 71280, -000 Comfort ٩



Logis M31 Single lever kitchen mixer 160, 1jet Swivel range 360° # 71832, -000

Single lever kitchen mixer 160, installation in front of a window, 1jet Swivel range 150° (not shown) # 71833, -000

Single lever kitchen mixer 220, device shut-off valve, 1jet Swivel range 120° (not shown) # 71834, -000





Logis M31 Single lever kitchen mixer 160, CoolStart, EcoSmart, 1jet Swivel range 360° # 71839, -000





Logis M31 Single lever kitchen mixer 120, 1jet Swivel range 360° # 71830, -000

Single lever kitchen mixer 120, vented hot water cylinders, 1jet Swivel range 360° (not shown) # 71831, -000





Logis M31 Single lever kitchen mixer 120, CoolStart, EcoSmart, 1jet Swivel range 360° # 71837, -000





Single lever kitchen mixer, wall-mounted lowspout, 1jet Swivel range 220° # 71836, -000



Logis M32 Kitchen mixers



Logis M32 2-handle kitchen mixer 220, 1jet Swivel range 110°/150°/360° # 71285, -000





Logis M32 2-handle kitchen mixer, wall-mounted, highspout, 1jet Swivel range 360° # 71286, -000





Logis M32 2-handle kitchen mixer, wall-mounted lowspout, 1jet Swivel range 360° # 71287, -000





A41 Soap-/lotion dispenser # 40438, -000, -800





 Fits Logis M31 and Logis M32







Accessories



A71 Soap-/lotion dispenser # 40468, -000, -800





 Fits Metris Select M71 and Metris M71



A51 Soap-/lotion dispenser # 40448, -000, -800



N

 Fits Talis Select M51, Talis M51 and Talis M52



Accessories



Kitchen device shut-off valve # 10823, -000, -800





• Fits all hansgrohe kitchen taps

hansgrohe



The PartnerPlus services:

hansgrohe Sales Service

Phone enquiries regarding products and delivery times.

Service hours Monday – Friday: 9.00 am – 5.00 pm Phone: 01372 472001 Fax: 01372 470670 E-mail: customerservice@hansgrohe.co.uk

hansgrohe Customer Service

For technical enquiries, experts in the bathroom trade will be happy to assist you with their extensive knowledge of the entire hansgrohe product range. Service and replacement parts are delivered in the fastest possible manner.

Service hours

Monday – Friday: 9.00 am – 5.00 pm Phone: 01372 472001 Fax: 01372 470670 E-mail: technical@hansgrohe.co.uk

hansgrohe spare part guarantee

We guarantee the availability of spare parts for up to ten years. This gives you peace of mind, even for projects that were completed some time ago.

The Hansgrohe Aquademie, Schiltach, Germany

The Aquademie is our event centre where you can experience everything to do with water. Visit our museum to learn all about the history of bathing and the bathroom. Discover in our exhibition how international design stars turn a bathroom into a true oasis of well-being. Let us show you how innovative technologies can make saving water a pure pleasure. Or experience great shower and water fun in our Showerworld, Germany's largest bathroom.

Opening hours:

Monday – Friday: 7.30 am – 7 pm Saturday – Sunday: 10.30 am – 4 pm Free admission. Booking required. Please bring swimwear.

Please bear in mind that we can present only a selection of our products in this sales manual. Our full range can be found at www.hansgrohe-int.com.

Find out more about the hansgrohe world at pro.hansgrohe.com



Headquarters – Hansgrohe SE · P.O. Box 1145 · D-77757 Schiltach · Tel. +49 7836 51-0 Fax +49 7836 51-1300 · info@hansgrohe.com · hansgrohe-int.com

Estonia - Hansgrohe Eesti · Mäealuse 2/1 · 12618 Tallinn · Tel. +372 6826829 info@hansgrohe.ee · www.hansgrohe.ee · pro.hansgrohe-int.com

India – Hansgrohe India (pvt.) Ltd. · Office Nos. 601 - 604 · Sky Station · Viman Nagar · 411 016 Pune · Maharashtra · India Tel. +91 20 6625 9595 · info@hansgrohe.in

Latvia – Hansgrohe Latvia · Raiņa iela 14 · LV-3913 lecava · Tel. +371 2 9229029 · info@hansgrohe.lv www.hansgrohe.lv · pro.hansgrohe-int.com

Lithuania – Hansgrohe Lietuva · Ulonų 5 · LT-08240 Vilnius · Tel.+370 5 2043291 · info@hansgrohe.lt www.hansgrohe.lt · pro.hansgrohe-int.com

Middle East & Africa - Hansgrohe Middle East & Africa Ltd. · Pentadaktilou Street 2 · Office 104 · CY-7101 Larnaca (Aradippou) Tel. +357 24 813081 · Fax +357 24 813031 · me.support@hansgrohe.com · www.hansgrohe-middleeast.com

Singapore – Hansgrohe Pte. Ltd. · 69 Mohamed Sultan Road · Singapore 239015 Tel. +65 6884 5060 · Fax +65 6884 5070 · info@hansgrohe.com.sg · hansgrohe.com.sg

United Kingdom – Hansgrohe · Units D1 and D2 · Sandown Park Trading Estate · Royal Mills · Esher · Surrey · KT10 8BL Tel. +44 1372 472001 · Fax +44 1372 470670 · enquiries@hansgrohe.co.uk · hansgrohe.co.uk · pro.hansgrohe.co.uk



